
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

#### **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WELL						Original Reco	ord (	Correction	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Range		E W Fraction	1/4	1/4	1/4
Datum	Elevation			ounty	1	8		W			
WATER WELL OWNER	Lievation			ATER USE			NEADE	ST SOURCE OF	DOTENTIAL C	ONITA MAIN	IATION
			VV LLL VV	AI LK OJL	-						IATION
Name							Distan	::	Direction		
Business			COMPL	ETION			from v	vell:	from wel	l:	
Address			Depth	of complet	ed well:	ft.	Source				
Address			Depth(	s) groundv	water encountered:		descrip				
			(1)	ft.;	(2) ft.;		Source	::			
Well location			(3)	ft.; (	(4) dry well		D		D: .:	n	
			Static v	ater level	in well:f	t.			from we	l:	
at owner's address			mea		w land surface		Source descrip				
CONSTRUCTION			mea	sured abo	ve land surface			potential source	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (	mm/dd/y	y):				OS (AS DEQUI	DED)	
fromto ft.		in.	Estima	ed yield:	gpm		PERIVII	& ID NUMBER	IJ (MO REQUI	NEU)	
fromto ft.		in.	Water l	evel was:	ft. after	hours	DWR	Application No.	.:		
Casing height above land sur					pumping	gpm	KDHE	E / EPA Project (	Code:		
If casing height is less tha			Pump i	nstalled?	Yes No		Site Name:				
has a variance been appro	s No					KDHE	E UIC Class V F	orm Complet	ed: Yes	No	
*variance not required for		Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remed	iation wells		Date di	sinfected (	mm/dd/yy):		Lease ?	Name & Well #:			
Casing type:Blank casing interval:	ft to		Aquife	; if known	:		# of bo	oreholes:	# of dewater	ing wells:	
Blank casing diameter:				OGIC LOG							
Casing joints:			FROM		LITHOLOGY I	NTERVALS					
Weight: lbs/			TROM	10	Emilozodii	NILIVALS					
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/											
Wall thickness or gauge n											
Grout interval: ft. to											
Grout material:											
Grout interval: ft. to			СОММЕ	NTS							
Grout material:											
Screen / perforation material:											
Screen / perforation opening					OR LANDOWNERS						
Screen / perforation intervals:			This w	ater well	was constructed	d reconsti	ructed	pursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was com	pleted on		I certify th	at this recor	d is true 1	to
Slot size unit _			the be	st of my k	nowledge and be	elief. This water	well reco	rd was comple	eted on		
Fromft. to			under	the busin	ess name of						,
Slot size unit _			Kansa	s Water V	Vell Contractor's	License No.		under the au	thority of th	e designa	ited
Gravel pack intervals:									•	_	
Gravel pack not used:	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:										
From ft. to							no for	racorda ECA	E 00 for1	conctu	d r.r.11
Gravel pack not used:		in	sena one	copy to V	VATER WELL OW: KANSAS DI	NER and retain o E <b>PARTMENT OF</b>				constructe	a well.
From ft. to	_ ft.			Bureau	of Water, Geology					2-1367	



## FIGURE 1 - SITE BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

# PROJECT:

Go Gas Cafe 1228 Merriam Lane Kansas City, KS KDHE ID: U4-105-01013 Date: 9/26/23

100 ft

- Approximate Location of Former UST Basin and Pump Islands
  - Approximate Location of Active AST and Pump Island
- Approximate Location of Property Line
  - Monitoring Well

  - O Destroyed Well

    Newly Installed Monitoring Well

NOTE: Approximate location of product lines is unknown.

### **DENNIS L HANDKE**

### 1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046 October 19, 2023

RE: Monitor Well Elevation Survey 1228 Merriam Lane, Kansas City, Kansas Proj. 23-00HH Go Gas Cafe U4-105-01013

Bench Mark: Square cut on top Southwest bolt of concrete sign base at South center of property.

Elev: 828.03 North 3836 West 3032 (from SE Cor. Sec. 33-11-25E)

MW-5R2	2 rim	826.35	North	3798	NE1/4,NE1/4,SE1/4,NW1/4
	top pipe	825.86	West	2941	Lat= 39.05450 Long = 94.64077
MW-7	rim	844.29	North	3967	NW1/4,NE1/4,SE1/4,NW1/4
	top pipe	843.95	West	3094	Lat= 39.05497 Long = 94.64136
MW-8	rim	827.24	North	3802	NW1/4,NE1/4,SE1/4,NW1/4
	top pipe	826.85	West	3128	Lat= 39.05452 Long = 94.64149

Lat & Long derived from Shawnee 7.5 quad map. WGS84.

Elevation established from existing project. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you.

LS-786

SURVE