
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELI	L				Orio	rd Correction Change in Well Use					
Latitude	Longitude		Sec	ction	Township	Range	E	Fraction	1/4	1/4	1/2
Datum	Elevation		Co	unty	*		VV				
WATER WELL OWNER			WELL WA	,			NFAREST S	OURCE OF P	OTENTIAL CO	ONTAMIN	ATIO
Name											,,,,,
			COMPLE	TON			Distance		Direction	1	
Business			COMPLET	ION			from well:		_ from well	i:	
Address			Depth of completed well:ft.				Source				
			1 -	-	rater encountered:		description				
					2) ft.;		Source:				
Well location			(3)	_ ft.; (4	dry well				Direction from well	l I.	
at owner's			Static wa	ter level ir	n well: ft.		Source		_ Irom wen	.:	
address			measured below land surface				description	n:			
CONSTRUCTION				ım/dd/yy)			No pot	ential source	e of contamir	nation	
	D l - l - 1:		1	ared abov m/dd/yy)	e land surface		1	100 feet.	or containin	iation	
Borehole interval:	Borehole dia						PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.			gpm		DIAM 4	1 37			
fromto ft.		in.			ft. after						
Casing height above land surface:in.			pumpinggpm				I		Code:		
If casing height is less than 12 in.			Pump in	stalled?	Yes No		I				_
has a variance been appr		s No	Water we	ell disinfec	cted? Yes No				orm Complete		
*variance not required for monitoring or environmental remediation wells			Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID: Lease Name & Well #:				
Casing type:			Dute disi	- Incered (I							
Blank casing interval:	ft. to	ft.	Aquifer,	if known:			# of boren	oles:	# of dewater	ing wells: _	
Blank casing diameter:	in.		LITHOLO	GIC LOG							
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS					
Weight:lbs	s/ft.										
Wall thickness or gauge i	no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge 1	no.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to											
Grout material:			COMMEN	ITS							
Screen / perforation material:	:										
Screen / perforation opening	gs:		CONTRAC	TOR'S O	R LANDOWNERS CEF	RTIFICATION					
Screen / perforation intervals	·		This wa	ter well v	vas constructed	reconstru	icted p	ursuant to	the stated wa	ater well	
Fromft. to	_ft.		contrac	or's licer	nse and was complet	ed on	•				
					nowledge and belief.			•			
Slot size unit _			the best	-	=			=			
Slot size unit _ From ft. to			اء سماميرو								٠,
	_ft.				ess name of						
Fromft. to	_ft.		Kansas	Water W	'ell Contractor's Lice	nse No	ur	nder the aut	hority of the	e designa	ted
Fromft. tounit _	_ft.	in	Kansas	Water W		nse No	ur	nder the aut	hority of the	e designa	ted
Fromft. tounit _ Gravel pack intervals:	_ft. Gravel size _	in	Kansas person	Water W as define	'ell Contractor's Lice	nse No	ur	nder the aut	hority of the	e designa	ted
From ft. to unit _ Gravel pack intervals: Gravel pack not used:	_ft. Gravel sizeft.		Kansas person : designa	Water Was defined	ell Contractor's Lice d in K.A.R. 28-30-2(nse No(j) and signe	ur d and certifi	nder the aut	hority of the	e designa nature of	ted f the



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Lawrence, Kansas, 66046 October 25, 2023

RE: Monitor Well Elevation Survey Highway #56, Galva, Kansas Proj. 23-00II Galva Cash Service U5-059-00493

Bench Mark: Chisled X on top of curb near MW#14.

Elev: 1545.37

North 65.92

West 44.04

(from SE Cor. Sec. 21-19-2W)

MW-19

rim top pipe 1543.30 1542.90 South 112.89 West 714.23 NE1/4,NW1/4,NE1/4,NE1/4 (Sec. 28-9-2W)

Lat= 38.37668 Long = 97.54003

Lat & Long derived from Galva 7.5' quad map. WGS84

Elevation established from existing project. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be of sorvice to you any questions, please feel free to call me. Thank you for the opportunity to be

LS-786'

SURVE