
KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ft. to \_\_\_\_\_ft.

LOCATION OF WATE	R WELL							Origina	al Recor	d Correction	Change	e in Wel	l Use
Latitude		ngitude			Section		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	El	evation			County								
WATER WELL OWNE	R			WELL	WATER US	SE				NEAREST SOURCE OF PO	TENTIAL C	ONTAMIN	IATION
Name										Source:			
Business				COMP	LETION					Distance from well:			
						atad wall			4	from well:	from wel	l:	
Address				Depth of completed well:ft.  Depth(s) groundwater encountered:				ii.	Source description:				
				1 -									
Well location				(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source:	Direction		
										from well:	from wel	l:	
at owner's				Static water level in well: ft.						Source			
address				measured below land surface on (mm/dd/yy):						description:			
CONSTRUCTION				m	easured ab	ove land	surface			No potential source within 100 feet.	of contami	nation	
Borehole interval: Borehole diameter:			meter:	on (mm/dd/yy):				-	PERMIT & ID NUMBERS (AS REQUIRED)				
fromto	_ ft.		in.	Estim	ated yield:	:	gpm				(7.10 11.2.01	,	
fromto	_ ft.		in.	Wate	r level was:	:	ft. after	ho	urs	DWR Application No.:			
Casing height above	land surface:	:	in.				oumping	gp	m	KDHE / EPA Project Co			
If casing height is				Pump	installed?	? Yes	No			Site Name:			
has a variance be			. No	Water well disinfected? Yes No					KDHE UIC Class V Form Completed: Yes No				
*variance not req or environmenta	•	_		Date disinfected (mm/dd/yy):					County Permit: Yes No Permit ID:  Lease Name & Well #:				
Casing type:				Dute		a (IIIII) de							
Blank casing interval	l:1	ft. to	ft.	Aquit	fer, if know	vn:				# of boreholes:	# of dewater	ing wells:	
Blank casing diamete	er:i	n.		LITHO	LOGIC LO	G							
Casing joints:				FRO	м то	LIT	HOLOGY I	NTERVA	LS				
Weight:													
Wall thickness or													
Blank casing interval			ft.										
Blank casing diamete		n.											
Casing joints:													
Weight:													
Wall thickness or	gauge no.: _		_										
Grout interval:	ft. to	ft.											
Grout material:_													
Grout interval:				COMM	MENTS								
Grout material:_													
Screen / perforation r				CONT	DA CTORIO		IDOMNIED	CEDILE	ICATION				
Screen / perforation							IDOWNER:					. 11	
Screen / perforation i Fromft. to							constructe		econstru	1			
Slot sizeit. to							d was com	_		I certify that			
From ft. to					-		-			well record was complete			
Slot size													
Gravel pack intervals				Kans	sas Water	Well Co	ontractor's	License	No	under the auth	ority of the	e designa	ated
Gravel pack not u		vel size	in	perso	on as defi	ned in K	C.A.R. 28-3	30-2(j) aı	nd signe	d and certified by the ele	ctronic sig	gnature o	f the
From ft. t				desig	gnated pe	rson at i	ts submitta	al:					
Gravel pack not u		vel size	in	Send o	ne copy to	WATER	WELL OW	NER and	retain one	e for your records. Fee of \$5.	00 for each	constructe	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c



## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046 October 10, 2023

RE: Monitor Well Elevation Survey 100 W. St. John, Girard, Kansas

Proj. 23-00GG Girard Landbank U3-019-15488

Bench M Elev: 9		ed Sq. on East North 35.11		the East condest 2940.59	crete pump island South of building. (from SE Cor. Sec. 13-29-23)	E
MW-1	rim top pipe	997.94 997.45	North West	35.02 2932.35	SW1/4,SE1/4,SE1/4,SW1/4 Lat= 37.51393 Long = 94.84373	
MW-2	rim top pipe	997.31 996.93	North West	121.48 2903.09	SE1/4,SE1/4,SE1/4,SW1/4 Lat= 37.51417 Long = 94.84362	
MW-3	rim top pipe	997.04 996.54	North West	45.58 3083.81	SW1/4,SE1/4,SE1/4,SW1/4 Lat= 37.51396 Long = 94.84426	
MW-4	rim top pipe	998.06 997.76	South West	110.14 2896.55	NE1/4,NE1/4,NE1/4,NW1/4 (Sec. 24-29-2 Lat= 37.51353 Long = 94.84361	3)
MW-5	rim top pipe	997.13 996.72	North West	151.90 2937.52	SW1/4,SE1/4,SE1/4,SW1/4 Lat= 37.51425	

Lat & Long derived from Girard 7.5' quad map. WGS 84.

Elevation established from NGS BM A 253. NAVD 88.

If you have appropriately questions, please feel free to call me. Thank you for the opportunity to be of service to volve.

Dennie L Handke RLS

AND SURV