KOLAR Document ID: 1738212

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPT	FII &	
VVELL	HISIONI -	DESCRIPT		LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from Dorth / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
	Elevation: Ground: Kelly Bushing:				
	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #:	Dewatering method used:				
Dual Completion Permit #:					
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Operator Name:				
GSW Permit #:	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East _ West				
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1738212

Operator Nam	ie:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geological Survey			és 🗌 No	Ν	lame	e		Тор	Datum
Samples Sent to Geological Survey Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the is Was the hydraulic fractu Date of first Production/Inj 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes Yes Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	IPLE	TION:			ON INTERVAL:
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		Bottom		
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	ROSSELLE 7I
Doc ID	1738212

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	n/a
Production	5.875	2.875	9	653	portland	80	n/a



Cust	tomer:	RJ Ener	ſġy		Well:	Roselle 7i, 5i	Ticket:	EP10379		
City,	State:	Garnett	Garnett, KS County:			AN, KS	Date:	9/5/2023		
Field	d Rep:	Jason Kent S-T-R:				5-21-21	Service:	Longstrings		
Dow	nhala i	Informati	00							
	e Size:	States of the second			Calculated Sh			ated Slurry - Tail		
		661/691			Blend:	OWC 1/2# PS	Blend:			
Casing					Weight: Water / Sx:	14.83 ppg 6.77 gal / sk	Weight: Water / Sx:	ppg gal/sk		
		653/682			Yield:	1,45 ft ² /sk	Yield:	ft ³ /sk		
Tubing /			in		Annular Bbls / Ft.:	bbs / ft,	Annular Bbls / Ft.:	bbs / ft,		
τ	Depth:		ft		Depth:	ft	Depth:	ft		
Tool / Pa	acker:	Contraction of the			Annular Volume:	0.0 bbls	Annular Volume:	0 bbls		
Tool [Depth:	e and the	ft		Excess:		Excess:			
Displace	ment:	3.78/3.9	i bbls		Total Slurry:	bbis	Total Slurry:	0.0 bbls		
			STAGE	TOTAL	Total Sacks:	0 sks	Total Sacks:	0 sks		
TIME	RATE	PSI	BBLs	BBLs	REMARKS	Nue Charles Manager Park				
12:00 PM			-	•	on location, held safety	meeting				
				•						
				•	both wells were flowing	prior to cementing				
	4.0			•	#7i - establishéd circulat					
	4.0					Bentonite Gel followed by 4 bbis fr	ach water			
	4.0					ks OWC cement w/ 1/2# Phenoseal				
	4.0				flushed pump clean					
	1.0			-	pumped two 2 7/8" rubber plugs to casing TD w/ 3.78 bbls fresh water					
	1.0			-	pressured to 800 PSI, we	and the second				
				-	released pressure to set	and the second				
	4.0			-	washed up equipment					
				-						
	4.0				#5i - established circulat	tion				
	4.0				mixed and pumped 200#	Bentonite Gel followed by 4 bbls fi	resh water			
	4.0			•	mixed and pumped 85 sl	ks OWC cement w/ 1/2# Phenoseal	per sk, cement to surface			
	4.0				flushed pump clean		1			
	1.0	2		-		er plugs to casing TD w/ 3.95 bbls f	resh water			
	1.0			-	pressured to 800 PSI, we					
				-	released pressure to set	float valve				
	4.0	and the pro-		•	washed up equipment					
1:30 PM		-			left location					
1.50 PW					len location					
The second										
				-						
Ser.		CREW	1	The second	UNIT		SUMMARY	Contraction of the second		
Cen	nenter:	Case	ey Kenned	y	931	Average Rate	Average Pressure	Total Fluid		
Pump Op	erator:	Nick	Beets		209	3.1 bpm	- psi	- bbls		
Bulk: Trevor Glasgow 246										

ftv: 15-2021/01/25 mplv: 411-2023/08/31 roselle 7i

4	soil	4	
5	clay	9	
24	shale	33	
29	lime	62	
90	shale	152	
97	lime	249	
166	shale	415	
30	lime	445	
42	shale	487	
30	lime	517	
23	shale	540	
18	lime	558	
9	shale	567	
6	lime	573	
10	shale	583	
7	lime	890	
15	shale	605	
8	sandy shale	613	odor
29	bkn sand	642	good show
4	dk sand	646	show
15	shale	661	td

start 8/30/2023 finish 8/31/2023 set 20'7" ran 653' 2 7/8 hurricane cemented to surface