KOLAR Document ID: 1738657

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:		
Name:	Spot Description:		
Address 1:			
Address 2:	Feet from North / South Line of Section		
City: State: Zip:+	Feet from		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()	□NE □NW □SE □SW		
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84		
Wellsite Geologist:			
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
New Well Re-Entry Workover	Field Name:		
□ Oil □ WSW □ SWD	Producing Formation:		
Gas DH EOR	Elevation: Ground: Kelly Bushing:		
	Total Vertical Depth: Plug Back Total Depth:		
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet		
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?		
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:			
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan		
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)		
	Chloride content: ppm Fluid volume: bbls		
Commingled Permit #:	Dewatering method used:		
Dual Completion Permit #:			
EOR Permit #:	Location of fluid disposal if hauled offsite:		
GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Canad Date on Date Decembed TD Completing Date on	Quarter Sec TwpS. R		
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY		
Confidentiality Requested		
Date:		
Confidential Release Date:		
Wireline Log Received Drill Stem Tests Received		
Geologist Report / Mud Logs Received		
UIC Distribution		
ALT I II Approved by: Date:		

KOLAR Document ID: 1738657

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
Did you perform a hydraulic fracturing treatment on this well? Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? No (If No, skip questions 2 and 3) No (If No, skip questions 3) No (If No, fill out Page Three of the ACO-1)								
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:				N INTERVAL: Bottom			
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Zeta Energy, LLC
Well Name	SHOFNER D9
Doc ID	1738657

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	21	50/50 Poz	5	NA
Production	5.625	2.875	6.5	943	60/40 Poz		See Ticket on file



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Diamond Star Oil, Inc. Shofner #D9 API#15-121-31,107 October 7 - October 8, 2015

Thickness of Strata	<u>Formation</u>	<u>Total</u>
4	soil & clay	4
2	lime	6
3	shale	9
6	lime	15
18	shale	33
17	lime	50
97	shale	147
18	lime	165
28	shale	193
7	lime	200
33	shale	233
18	lime	251
10	shale	261
26	lime	287
8	shale	295
21	lime	316
4	shale	320
13	lime	333 base of the Kansas City
140	shale	473
2	lime	475
5	shale	480
4	limey sand	484 no oil
13	broken sand	497 brown & green, light bleeding
12	shale	509
4	lime	513
40	shale	553
5	lime	558
15	shale	573
6	lime	579 brown, light bleeding
2	shale	581
1	coal	582
8	shale	590
3	lime	593
36	shale	629
3	sand	632
12	broken sand	644 brown & green 70% bleeding bottom perf 644
49	shale	693
4	broken sand	697 brown & grey, light oil show

Shofner #D9	Page 2
-------------	--------

27	obolo	734
37	shale	
4	lime	738
2	shale	740
15	sand	755 white, no oil
4	broken sand	759 black & white light oil show
80	shale	839
10	sand	849 white, no oil
20	shale	869
13	silty shale	882
39	shale	921
15	sand	936 grey, no oil
19	shale	955
8	lime	963
6	broken lime	969 black & white, light bleeding
10	lime	979 TD

Drilled a 9 7/8" hole to 21.5' Drilled a 6 1/8" hole to 632' Drilled a 5 5/8" hole to 979'

Set 21.5' of 7" surface casing cemented with 5 sacks of cement

Set 943' of 2 7/8" 8 round upset tubing, 3 centralizers, 1 float shoe, and 1 clamp.

Core Times Minutes Seconds

	<u>Minutes</u>	Seconds
633		43
634		36
635		35
636		37
637		31
638		32
639		29
640		35
641		29
642		33
643		37
644		40
645		36
646		40
647		40
648		43
649		50
650		32
651		36
652		36