KOLAR Document ID: 1603785

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received Drill Stem Tests Received									
Geologist Report / Mud Logs Received									
UIC Distribution									
ALT I II Approved by: Date:									

KOLAR Document ID: 1603785

Page Two

Operator Name: _				Lease Name:						
SecTwp.	S. R.	Ea	ast West	County:						
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log		
Drill Stem Tests Ta			Yes No		_	Formation (Top), Depth and Datum				
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		R			New Used	on, etc.				
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I				
Purpose:		epth Ty	pe of Cement	# Sacks Used		Percent Additives				
Protect Casi										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,		
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)				
Estimated Production Per 24 Hours	on	Oil Bbls.		Mcf Water Bbls. Gas-Oil Ratio				Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	, Submit ACO-18.)			Bridge Plug	· · · · · · · · · · · · · · · · · · ·					
Shots Per Foot	Shots Per Perforation Perforation Bridge Plug Foot Top Bottom Type				Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 (1200) 10.	JIEG.			. 30.0.71						

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	CHARLOTTE HOBBS 58
Doc ID	1603785

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	24	20	Portland	8	None
Production	6.75	4.5	11.6	1040	Thick Set		2#/sx Phenoseal

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report
Ticket No. 6056
Foreman David Gardner
Camp Eureka

Date Cust. ID#		Lea	se & Well Number		Section	Township	Range	County	State
11-19-21	1003	Ho	bbs #58		and the second			Allen	KS
Customer	ATILL SIDE TY			Safety	Unit#	Driv	ver	Unit#	Driver
Colt	Energy	INC		Meeting	105	Jas			5015
Mailing Address	01			3H	110	Brok			
P.O.	Box 38	8		BW					
City	lizacitational	State	Zip Code					2 7 7 1 2 27 2 1 1 2 2	
Iola	college year	KS	1010749	1 +	\$1,62500		200		
Displacement_ Remarks: Sc Mix 400# /SK @ 13. Plug. Disp Plug to 10	Nt. 41/2" 11 16 1/2 Bbl fety Mee Gel Flus 8 #/gal, y lace plug oo PSI. 1 eturns to	Displace Ting: Right 5 Bbl vield 1.62 to seat Surface Surface	Left in Casing 4' ement PSI 60 up to 4'/2' water space = 36 Bbl s w/ 116/2 Bbl mins. Releas = 4 Bbl sl	casing. E casing. E furry. Lu fresh use oressu	Break circles (125). Jash out vater. Final	1000 P. ulation u sks Thick pump 4 1 nal pumpir	Oth SI BP W/ 5 Bl k Set Ce lines. Sha	ment w/ 25 ut down. K	Phenoseal Release PSI. Bump

Code	Qty or Units	Description of Product or Services		Unit Price	Total
C/02	1	Pump Charge	11 7702 (19 9) 19	Jill File	iota
C/07	50	Mileage	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
CZ01	125 SKS	Thick Set Cement			
CZ08	250#	Thick Set Cement Phenoseal 2 1/sk			
C108A	6.87 Tons	Ton Mileage - Bulk Truck	SPAISSA PORT		
C206	400 #	Gel Flash			
0403	/	41/2" Top Rubber Plug			
44		ELBERGER THE CALIFORNIA SERVICE STREET			
	and the second	recorded as a second se	3 (10012) (1002) 1042 (40.05) (1003)		
	O DAY NO DE				
operation (Williams 2003	Thank You	s and same of the		
	Detailed 1967	respect to the monthly by the party of the second	7.75 %		

					Colt Ene	ergy Driller's	Log						
Lease: Hobbs Well No. 58 Well Locati			tion: 947' FNL & 462' FWL Sec. 9		Sec. 9		Twp. 24S		Rng. 19E				
API #: 15-0	01-31687		Type: Oil		County: All	en		State: KS	Spud: 11/16/2021 Total Depth: 106			pth: 1060'	
Driller: And	dy King		Surface Ca	asing		Bit Re	cord				Coring	Record	
Crew: Seth	Sanford		Bit Size:	11.25"	Type	Size	Start	End	Core #		Size	Start	End
			Casing Size:	8.625"	PDC	11.25"	0'	20'	1				
			Casing Length:	20'	PDC	6.75"	20'	1060'	2				
			Cement used:	8 sx					3				
			Cement Type:	Portland					4				
From	То		Formation		From	То		Formation				Pipe Ta	ly
0	17	Overburd	en							1	38.15	19	37.55
17	40	Limeston	e							2	37.60	20	38.80
40	100	Shale								3	37.40	21	35.60
100	150	Limeston	Limestone							4	37.35	22	43.50
150	250	Shale								5	35.70	23	41.50
250	300	Limeston	e							6	37.15	24	42.40
300	350	Limeston	e and shale break	KS						7	36.65	25	42.55
350	500	Shale								8	36.55	26	40.40
500	510	Limeston	e							9	38.75	27	42.75
510	620	Shale								10	36.10	28	
620	630	Limeston	e							11	38.10	29	
630	660	Shale								12	36.10	30	
660	670	Limeston	Limestone							13	38.20	31	
670	680	Shale								14	37.85		
680	690	Limestone								15	38.15	33	
690	870	Shale and limestone breaks								16	38.20	34	
870	890	Sandstone								17	36.45	35	
890	940	Shale and coal								18	36.60	36	
940	1060	Sandston	e						Tota	ıl: 1036.1'	'+4' sho	e=1040.10'	