
WATER WELL RECORD (WWC-5)

VATER WELL R	ECORD (WW	C-5)			KOLAR D	OC ID	WELL ID		
OCATION OF WATER V	VELL			Oi	riginal Recor	d Correction	Change in We	ell Us	
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1	
Datum	Elevation		County	-		***			
ATER WELL OWNER		WE	LL WATER USE			NEAREST SOURCE OF P	OTENTIAL CONTAMI	INATIO	
Name						Source:			
Business			MPLETION			Distance	Direction		
743111033						from well:	_ from well:		
Address			-	ted well:	ft.	Source description:			
			Depth(s) groundwater encountered: (1) ft.; (2) ft.;						
Well location						Source:			
			(3) ft.; (4) dry well Static water level in well: ft.			from well:	Direction from well:		
at owner's						Source			
address			on (mm/dd/y	ow land surface v):		description:			
ONSTRUCTION				ve land surface		No potential source	of contamination		
Borehole interval:	Borehole diame	ter:	on (mm/dd/yy):			within 100 feet.			
fromto ft.		in. Es	stimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)		
Fromto ft.		1 1		ft. after	hours	DWR Application No.:			
Casing height above land	· · · · · · · · · · · · · · · · · · ·			pumping		KDHE / EPA Project C	ode:		
If casing height is less than 12 in.			Pump installed? Yes No			Site Name:			
has a variance been approved?* Yes No						KDHE UIC Class V Form Completed: Yes			
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:			
or environmental remediation wells Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #:			
Blank casing interval:	ft. to	ft. A	quifer, if known	:		# of boreholes:	# of dewatering wells	s:	
Blank casing diameter:			HOLOGIC LOG						
		FI	ком то	LITHOLOGY INT	ERVALS				
Weight:									
Wall thickness or gar	uge no.:								
Blank casing interval:	ft. to	_ft.							
Blank casing diameter:	in.								
Casing joints:		_ _							
Weight:	_lbs/ft.								
Wall thickness or ga	uge no.:								
Grout interval:	ft. toft.								
Grout material:									
Grout interval:									
Grout material:		CO	MMENTS						
Screen / perforation mate									
creen / perforation ope				OR LANDOWNERS C	ERTIFICATION				
creen / perforation inter		П	his water well	was constructed	reconstru	cted pursuant to t	the stated water wel	11	
Fromft. to		co	ontractor's lice	ense and was compl	eted on	I certify tha	t this record is true	e to	
Slot size u		th	ne best of my k	knowledge and belie	ef. This water w	vell record was complet	ed on		
From ft. to		uı uı	nder the busin	ness name of				,	
Slot size u	nit	K	ansas Water V	Vell Contractor's Lic	ense No	under the aut	hority of the desigr	nated	
Gravel pack intervals:	Cmarral at-	. pe	erson as defin	ed in K.A.R. 28-30-	2(j) and signed	l and certified by the el	ectronic signature	of th	
	: Gravel size	in -		son at its submittal:		·	C		
From ft. to _						for your records. Fee of \$5	5.00 for each construc	ted w	
	: Gravel size	_ in sen				EALTH AND ENVIRONM		, ,	
From ft. to _	1(.		Bureau	of Water, Geology Sec	tion, 1000 SW J	ackson St., Suite 420, Tope	eka KS 66612-1367		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c





1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Pete' #49 319 E Elm St., Chanute, KS KDHE ID: U3-067-15467 Date: 8/8/23 0 100 feet

SE IVIAP

Approximate Location of Former UST Basin, Product Lines, and Pump Island

- Proposed Monitoring Well
- X Proposed Soil Boring

______ Overhead Lines (25-40 ft high)
__s___ - ____ Sanitary (2 - 6 ft BGS)
_____ - ___ Gas (2 - 6 ft BGS)
____ W - __ Water (2 - 6 ft BGS)
___ T - ___ T - ___ Telephone (2 - 6 ft BGS)

NOTE: SB5 & SB6 will be drilled for hydrologic samples. NOTE: Utility depths, heights and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larson & Assoc. 1311 E. 25th St., Suite B Lawrence, Kansas, 66046 November 16, 2023

RE: Monitor Well Elevation Survey

319 E. Elm St., Chanute

Proj. 23-00MM Pete' #49 U3-067-15467

Bench Mark: Rivet & KDOT washer on the SW corner of a concrete sign base SW of the South sign base near the alley.

Elev: 929.98		North 2760.58		West 4185.	4 (from SE Cor. Sec. 21-27-18E)		
MW-1	rim	927.23	North	2764.64	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	926.84	West	4105.65	Lat= 37.68254 Long = 95.44831		
MW-2	rim	926.06	North	2759.48	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	925.61	West	4065.85	Lat= 37.68252 Long = 95.44817		
MW-3	rim	925.39	North	2695.11	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	924.99	West	4067.59	Lat= 37.68235 Long = 95.44817		
MW-4	rim	932.81	North	2749.2 8	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	932.38	West	4215.92	Lat= 37.68249 Long = 95.44869		
MW-5	rim	925.46	North	2888.16	NE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	925.12	West	4042.77	Lat= 37.68288 Long = 95.44809		
MW-6	rim	923.36	North	2708.10	SW1/4,SW1/4,SE1/4,NW1/4		
	top pipe	922.99	West	3986.71	Lat= 37.68238 Long = 95.44789		
MW-7	rim	923.51	North	2606.38	SW1/4,SW1/4,SE1/4,NW1/4		
	top pipe	923.20	West	3848.11	Lat= 37.68211 Long = 95.44741		
MW-8	rim	923.47	North	2541.41	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	923.11	West	4033.25	Lat= 37.68192 Long = 95.44805		
MW-9	rim	917.84	North	2744.18	SE1/4,SW1/4,SE1/4,NW1/4		
	top pipe	917.18	West	3670.47	Lat= 37.68249 Long = 95.44680		

Lat & Long derived from Chanute 7.5' quad map. WGS 84.

Elevation established from NGS BM H 246, NAVD 88.

have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L. Handke RI

SURVE