WATER WELL RECORD (WWC-5)


From _____ ft. to _____ ft.

NATER WELL REC	CORD (W	WC-5)				KOLAR D	OOC ID	WELL ID_		
OCATION OF WATER WEL	L				(Original Reco	rd Correction	Chang	e in We	ll Use
Latitude	Longitude		Se	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	ounty						
WATER WELL OWNER			WELL W	TER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NOITAN
Name							Source:			
Business			COMPLE	TION						
					1 11	c	Distance from well:	_ from we	ll:	
Address					ed well: rater encountered:	ft.	Source description:			
			1 -	•	2) ft.;					
Well location					dry well		Source:	Direction		
					·		from well:	_ from we	n ll:	
at owner's address			meas	ured belov	n well: ft. w land surface		Source description:			
CONSTRUCTION			meas		e land surface		No potential source within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.		in.	Estimate	ed yield: _	gpm		PERMIT & ID NUMBER	3 (A3 REQU	IKED)	
fromto ft.		in.	Water le	vel was: _	ft. after	hours	DWR Application No.:			
Casing height above land su					pumping	gpm	KDHE / EPA Project C	Code:		
If casing height is less th		_	Pump ir	stalled?	Yes No		Site Name:			
has a variance been appr	roved?* Yes	No					KDHE UIC Class V Fo	orm Complet	ed: Yes	No
*variance not required for		Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental remede Casing type:	Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Blank casing interval:	ft to	ft	Aquifer,	if known:			# of boreholes:	# of dewater	ring wells:	
Blank casing diameter:			LITHOLO	GIC LOG						
Casing joints:			FROM	1	LITHOLOGY IN	TERVALS				
Weight:lbs										
Wall thickness or gauge										
Blank casing interval:										
Blank casing diameter:										
Casing joints:										
	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Grout material.										
Screen / perforation material	l:									
Screen / perforation opening			CONTRA	CTOR'S O	R LANDOWNERS	CERTIFICATION				
Screen / perforation intervals	s:		This wa	iter well v	was constructed	reconstru	icted pursuant to	the stated w	ater well	
Fromft. to	_ft.		contractor's license and was completed on I certify that this record is true to							
Slot size unit			the best of my knowledge and belief. This water well record was completed on							
From ft. to										
Slot size unit		Kansas Water Well Contractor's License No under the authority of the designated							, ated	
Gravel pack intervals:								-	_	
Gravel pack not used:	Gravel size _	in	-				d and certified by the e	iectronic sig	gnature o	ı tne
From ft. to	ft.				on at its submittal		·			
Gravel pack not used	Craval siza	.	Send one	copy to W.	ATER WELL OWN	ER and retain on	e for your records. Fee of \$	5.00 for each	constructe	ed well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c





1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Pete' #49 319 E Elm St., Chanute, KS KDHE ID: U3-067-15467 Date: 8/8/23 0 100 feet

SE IVIAP

Approximate Location of Former UST Basin, Product Lines, and Pump Island

- Proposed Monitoring Well
- X Proposed Soil Boring

______ Overhead Lines (25-40 ft high)
__s___ - ____ Sanitary (2 - 6 ft BGS)
_____ - ___ Gas (2 - 6 ft BGS)
____ W - __ Water (2 - 6 ft BGS)
___ T - ___ T - ___ Telephone (2 - 6 ft BGS)

NOTE: SB5 & SB6 will be drilled for hydrologic samples. NOTE: Utility depths, heights and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larson & Assoc. 1311 E. 25th St., Suite B Lawrence, Kansas, 66046 November 16, 2023

RE: Monitor Well Elevation Survey

319 E. Elm St., Chanute

Proj. 23-00MM Pete' #49 U3-067-15467

Bench Mark: Rivet & KDOT washer on the SW corner of a concrete sign base SW of the South sign base near the alley.

Elev: 929.98		North 2760.58		West 4185.	04 (from SE Cor. Sec. 21-27-18E)		
MW-1	rim	927.23	North	2764.64	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	926.84	West	4105.65	Lat= 37.68254 Long = 95.44831		
MW-2	rim	926.06	North	2759.48	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	925.61	West	4065.85	Lat= 37.68252 Long = 95.44817		
MW-3	rim	925.39	North	2695.11	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	924.99	West	4067.59	Lat= 37.68235 Long = 95.44817		
MW-4	rim	932.81	North	2749.28	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	932.38	West	4215.92	Lat= 37.68249 Long = 95.44869		
MW-5	rim	925.46	North	2888.16	NE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	925.12	West	4042.77	Lat= 37.68288 Long = 95.44809		
MW-6	rim	923.36	North	2708.10	SW1/4,SW1/4,SE1/4,NW1/4		
	top pipe	922.99	West	3986.71	Lat= 37.68238 Long = 95.44789		
MW-7	rim	923.51	North	2606.38	SW1/4,SW1/4,SE1/4,NW1/4		
	top pipe	923.20	West	3848.11	Lat= 37.68211 Long = 95.44741		
MW-8	rim	923.47	North	2541.41	SE1/4,SE1/4,SW1/4,NW1/4		
	top pipe	923.11	West	4033.25	Lat= 37.68192 Long = 95.44805		
MW-9	rim	917.84	North	2744.18	SE1/4,SW1/4,SE1/4,NW1/4		
	top pipe	917.18	West	3670.47	Lat= 37.68249 Long = 95.44680		

Lat & Long derived from Chanute 7.5' quad map. WGS 84.

Elevation established from NGS BM H 246, NAVD 88.

have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L. Handke RI

SURVE