Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	ATER WELL	•												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	LL O	VNER			WELL	. WATER U	SE				NEAREST S	OURCE OF F	OTENTIAL O	ONTAMIN	NATION
Name											Source:				
Business					сомі	PLETION					Distance from well:		Direction from we		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					ft.	Source description						
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source: Distance Direction from well:						
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	ı				neasured a		nd surface					e of contam	ination	
Borehole i	interv	al:	Borehole dia	meter:	on (mm/dd/yy):						within 100 feet.				
from	to _	ft.		in.	Estir	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
from	to _	ft.		in.	Wate	er level wa	3:	ft. after	ho	urs	DWR Application No.:				
Casing he	ight al	ove land sur	face:	in.				pumping	gp	m	KDHE / EPA Project Code:				
If casi	ng hei	ght is less tha	ın 12 in.		Pum	p installed	? Ye	s No			Site Name:				
		ce been appr		s No	747.4	11 1	C . 15				KDHE UIC Class V Form Completed: Yes No				
			r monitoring		Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environmental remediation wells Casing type:					Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Blank casi	ing int	erval:	ft. to	ft.	Aquifer, if known:						# of boreholes: # of dewatering wells:				
Blank casi	ing dia	meter:	in.		LITHO	DLOGIC LO	OG								
Casing joints:			FRC	т мс) L	ITHOLOGY I	NTERVA	LS							
Weight:lbs/ft.															
Wall t	hickne	ess or gauge r	10.:												
	-		ft. to	ft.											
		meter:													
Weight:lbs/ft. Wall thickness or gauge no.:															
		ft. to													
		ial:													
Grout interval: ft. to ft. Grout material:				СОМІ	MENTS										
Screen / =	arford	ion meterial													
					CONT	RACTOR	S OR LA	ANDOWNERS	CERTIF	ICATION					
Screen / perforation intervals:				This water well was constructed reconstructed pursuant to the stated water well											
					contractor's license and was completed on I certify that this record is true to										
				the best of my knowledge and belief. This water well record was completed on											
Fromft. toft.				under the business name of,											
Slot size unit				Kansas Water Well Contractor's License No. under the authority of the designated											
Gravel pack intervals:				·											
Gravel pack not used: Gravel size in				1	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
110III IL. to IL.						designated person at its submittal:									
Graver pack not about. Graver size m					nd one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
From ft. to ft.						KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									

Form	WWC5.2 - Water Well Record
Doc ID	1739945
Well Owner	Mid Kansas Cooperative
Contractor	GSI Engineering, LLC

Lithology

From	То	Lithology Intervals
0	.5	other,Fill Asphalt
.5	4	clay-lean, silty-clay with traces of sand and gravel, black, strong odor, dry, very dense, sorted
4	8	silt,clay with sand, brown, strong odor, dense, dry, brown to dark brown and discoloration at 6'
8	10	clay-lean,silty-clay with traces of fine sand, strong odor, blue-ish gray, dry, discoloration, dense
10	16	clay,sandy,sandy-clay, brown, strong odor, dense, dry, sorted
16	18	clay-lean,clay/silt with traces of sand, brown, strong odor, fairly dense, plastic, slightly moist, sorted
18	24	clay,sandy,sandy with clay, odor, brown, moist, fairly loose, plastic, sorted
24	30	silt,saturated, clay with sand, brown, slight odor, plastic, fairly dense, sorted, brown

