For KCC Use:

Effective D	Date:
-------------	-------

IECI	uve	Da

District # SGA?

Yes No

CORRECTION #1

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

KOLAR Document ID: 1740289

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Other: Other Other Other: Well Name: Original Total Depth:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	_ feet per ALT I II
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

CORRECTION	#1
Side Two	

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION KOLAR Document ID: 1740289

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: License Number: Operator Address: Contact Person: Contact Person: Phone Number: Lease Name & Well No: Pit Location (QOQQ): Type of Pit: Pit Is: Berregency Pit Burn Pit Overkover Pit Duriling Pit If Existing, date constructed: Feet from North / South Line of Section North / South Line of Section East / West Line of Line / East / West East / West East / West / East /	Submit in Duplicate			
Contact Person: Phone Number: Lease Name & Well No:: Pit Location (QQQQ): Type of Pit: Pit is:: Emergency Pit Burn Pit Barrison of Nuckeys Pit Burn Pit If Existing, date constructed: Feet from [North /] South Line of Section (If WP Supply API No. or Year Dunited) If Existing, date constructed: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: (If WP Supply API No. or Year Dunited) Pit capacity: Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Weis [No NiA: Steel Pits Only] Distance to nearest water well within one-mile of pit: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. If the p	Operator Name:			License Number:
Lease Name & Well No.: Pit Location (QQQQ): Type of Pit: Pit is:	Operator Address:			
Type of Pit: Pit is: Pit is:	Contact Person:			Phone Number:
□ Emergency Pit □ Burn Pit □ Proposed Existing SecTwpR East West □ Settling Pit □ Drilling Pit If Existing, date constructed:	Lease Name & Well No.:			Pit Location (QQQQ):
Settling Pit Drilling Pit If Existing, date constructed:	Type of Pit:	Pit is:		
Workover Pit Haul-Off Pit Pit capacity:	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West
(If WP Supply API No. or Year Drilled) Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
		Pit capacity:		Feet from East / West Line of Section
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes No How is the pit lined if a plastic liner is not used? Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet) NO No If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Mumber of working pits to be utilized: Abandonment procedure: Abandonment procedure: Dirill pits must be closed within 365 days of spud date.	((bbls)	County
Yes No Yes No Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet measuredwell ownerfeet. Source of information: feet Depth of water wellfeet Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover:	Is the pit located in a Sensitive Ground Water A	rea? Yes	No	
Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit:feet			٧o	How is the pit lined if a plastic liner is not used?
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover:	Depth fro	m ground level to dee	epest point:	(feet) No Pit
Source of information: feet Depth of water wellfeet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	material, thickness and installation procedure. liner integrity, including any special monitoring.			
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? No				
Producing Formation:	feet Depth of water wellfeet measured		well owner electric log KDWR	
Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	Emergency, Settling and Burn Pits ONLY: Drilling, Worke		ver and Haul-Off Pits ONLY:	
Barrels of fluid produced daily:	Producing Formation: Type of materia		ial utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to	Number of producing wells on lease: Number of work		vorking pits to be utilized:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.			ment procedure:	
			ust be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No	Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection: Yes No

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1
July 2021

KOLAR Document ID: 1740289

July 202 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:	
Name:		
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: Zip: Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:		
Address 2:		
City: State: Zip:+		

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:

□ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

□ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically



www.delorme.com

Data Zoom 14-5

1" = 433.3 ft

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

December 08, 2023

Phil Frick Altavista Energy, Inc. 4595 K-33 HIGHWAY PO BOX 128 WELLSVILLE, KS 66092-0128

Re: Drilling Pit Application API 15-031-24682-00-00 Marjorie Crotts 29 SW/4 Sec.14-22S-16E Coffey County, Kansas

Dear Phil Frick:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Summary of Changes

Lease Name and Number: Marjorie Crotts 29 API/Permit #: 15-031-24682-00-00 New Doc ID: 1740289 Parent Doc ID: 1733860 Correction Number: 1 Approved By: Todd Bryant 12/08/2023

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	2805	3465
Number of Feet North or South From Section	3795	165
Line Number of Feet East or West From Section Line	2805	3465
Number of Feet North or South From Section	3795	165
Line Quarter Call 1 - Largest	NW	SW
Quarter Call 3	NE	NW
Quarter Call 4 - Smallest	NE	SE
Ground Surface Elevation	1040	1037
ElevationPDF	1040 Estimated	1037 Estimated
Expected Spud Date	11/08/2023	12/08/2023

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Approved By	Todd Bryant 10/20/2023	Todd Bryant 12/08/2023
KCC Only - Approved Date	10/20/2023	12/08/2023
KCC Only - Date Received	10/18/2023	12/07/2023
KCC Only - Regular Section Quarter Calls	NE NE SE NW	SE SW SE SW
Quarter Call 1 - Largest	NW	SW
Quarter Call 3	NE	SW
Quarter Call 4 - Smallest	NE	SE

Summary of Attachments

Lease Name and Number: Marjorie Crotts 29 API: 15-031-24682-00-00 Doc ID: 1740289 Correction Number: 1 Approved By: Todd Bryant 12/08/2023

Attachment Name

Bentonite Liner Fluids