KOLAR Document ID: 1740529

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	and Education. Eat.
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
□ og □ gsw	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SV □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Property	
	Chloride content:ppm Fluid volume:bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	
□ EOR	Operator Name:
GSW Permit #:	Lease Name: License #:
Caud Data as Data Daashad TD Commit 11 D. 1	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1740529

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Used Type and Percent Additives					
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)							Record			
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	CROTTS 27-I
Doc ID	1740529

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	7	20	40	Portland	22	None
Production	5.875	2.875	6.5	1022	Thixotropi c	115	None

					Colt En	ergy Driller's	Log							
Lease: Crotts Well No. 27-I Well Loca			tion: 362' FSL & 595' FWL Sec.			Sec. 2	Twp. 23S			Rng. 16E				
API #: 15-031-24669 Type: Injection				County: Coffey			State: KS	Spud Date: 7/21/23			Total Depth: 1030'			
Driller: Pat	t Stewart		Surface Ca	sing		Bit Re	cord		Coring Record					
Crew: Dan	Foust		Bit Size:	12.25"	Type	Size	Start	End	Core #		Size		rt	End
			Casing Size:	7"	PDC	12.25"	0	40'	1					
Start Rig H	rs:		Casing Length:	40'	PDC	5.875"	40'	1030'	2					
End Rig Hrs	s:		Cement Used:	Portland					3					
Total Rig H	rs:		Cement Type:	22 sx					4					
From	То		Formation		From	То		Formation			2 7/8"	Casing	g Tall	У
0	26	Overburd	len/shale							1	31.70		19	33.10
26	36	River Gra	vel							2	29.90		20	32.60
36	140	Shale								3	30.00		21	31.50
140	210	Limeston	e								31.90		22	30.30
210	350	Shale						5			32.70		23	31.90
350	430	Limeston	e					6			32.60		24	32.80
430	470	Shale								7	31.70		25	31.70
470	590	Limeston	e							8	33.00		26	32.70
590	770	Shale								9	31.80		27	32.90
770	780	Limeston	e							10	32.60		28	31.70
780	840	Shale								11	32.70		29	31.60
840	850	Limeston	e							12	31.80		30	31.60
850	890	Shale								13	31.20		31	31.70
890	910	Limestone								14	31.80		32	30.20
910	960	Sandstone								15	32.30		33	
960	1030	Shale	Shale							16	29.80		34	
										17	31.40		35	
									18	32.60		36		
										Tota	l: 1017.8' +	4' sho	e= 10	021.8'



CEMENT		STATE OF THE PERSON NAMED IN	NO. IN COLUMN STREET	ORT		erenda fartuaria e	Professional State of the State				
		Colt Energy Well:				Crotts, #27-I, #2	EP9807				
City,	State:		County:			Crotts, #27-I, #23 Ticket: EP9807 Coffey, KS Date: 7/27/2023					
Fiel	Field Rep: S-T-R:						Service:				
Dow	nhole I	nformat	ion		Calculated Slu	rry - Lead	Cal	culated Slurry - Tail			
Hole	e Size:	5 7/8	B in		Blend:	H-Plug	Blend:	culated Slurry - Tail			
Hole I	Depth:	102	5 ft		Weight:	13.0 ppg	Weight:				
Casing	g Size:		in		Water / Sx:	7.0 gal / sx	ppg gal / sx				
Casing I	Depth:		ft		Yield:	1.50 ft ³ / sx	Water / Sx: Yield:	ft ³ / sx			
Tubing /	Liner:		in		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.			
	Depth:		ft		Depth:	ft	Depth:	ft			
Tool / Pa	- Zan				Annular Volume:	0.0 bbls	Annular Volume:	0 bbls			
	Depth:		ft		Excess:		Excess:				
Displace	ment:		bbls		Total Slurry:	0.0 bbls	Total Slurry:	0.0 bbls			
			STAGE	TOTAL	Total Sacks:	0 sx	Total Sacks:	0 sx			
	RATE	PSI	BBLs	BBLs	REMARKS						
12:00 PM			-	•	On Location, held safety n	neeting					
				•		n into the backside to 1025'					
						ixed and pumped 115 sks of H-p	lug cement				
				•	Rig pulled pipe from the b						
4.50 014				•	Topped off backside with						
1:50 PM				•	Washed up equipment and	l pipe		12 m			
				•							
2:00 PM				•	#22 Harder #1						
					#23 Hooked to 1" ran into						
					Rig pulled pipe	ixed and pumped 15sks of H-plu	ig cement				
					Washed up equipment and	Ining					
					Tradited up equipment and	i pipe					
3:00 PM			1		Left Location						
3 8			7								
						APPENDED TO SERVICE					
		CREW	(大型) 数		UNIT		SUMMARY				
	enter:	Garret			97	Average Rate	Average Pressure	Total Fluid			
oump Ope	1000	Devin			238	0.0 bpm	- psi	- bbls			
	lk #1:	Drew I	3		246						
	lk #1: lk #2:	Drew I	3		246						