WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use		
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4		
Datum	Elevation		(County	1		**					
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION		
Name							Source:					
Business			COMPL	FTION			Distance from well:		1			
Dubiness					1 11		from well:	from well	:			
Address					ed well:		Source description:					
			1 -		water encountered	:	-					
Well location					(2) ft.; (4) dry well		Source:					
77611100411011							Distance from well:	Direction from well	l:			
at owner's					in well:	ft.	Source					
address				asured belo (mm/dd/yy	ow land surface		description:					
CONSTRUCTION					ve land surface		No potential source	of contamir	ation			
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):				within 100 feet.					
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)			
fromto ft.			I	-	ft. after	hours	DWR Application No.:					
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:				
If casing height is less th			Pump	installed?	Yes No		Site Name:					
has a variance been app		s No					KDHE UIC Class V Form Completed: Yes No					
*variance not required f		Water well disinfected? Yes No				County Permit: Yes	No Permit	i ID:				
or environmental reme Casing type:	diation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:			
Blank casing diameter:			LITHOL	OGIC LOG								
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS						
Weight: lb												
Wall thickness or gauge	no.:											
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:lb	s/ft.											
Wall thickness or gauge	no.:											
Grout interval: ft. t	o ft.											
Grout material:												
Grout interval: ft. t	oft.											
Grout material:			COMM	ENTS								
Screen / perforation materia	l:											
Screen / perforation openin	CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	.		
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to		
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on				
From ft. to	_		under	the busin	ess name of					,		
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated		
Gravel pack intervals:	Cwarral -!	.	perso	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
Gravel pack not used: From ft. to		in	1 -	designated person at its submittal:								
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.		
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT				
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367			




FIGURE 3 - 350 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046 (785) 841-8707 office (785) 865-4282 fax

PROJECT:

QP Express 102 1110 North Main Cheney, KS KDHE ID: U2-087-15349 Date: 11/16/23

0 100 ft

LEGEND:

θ Approximate Location of Active UST Basin and Pump Islands

◆ New Monitoring Well (Installed 11/13-16/23)

X Soil Boring (Drilled 11/15/23)

OH --- -- Overhead Lines

E - Electric Lines (2 - 6 ft BGS)

- - Telephone Lines (2 - 6 ft BGS)

s Sewer Manhole

NOTE: Utility depths and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 8, 2023

RE: Monitor Well Elevation Survey 1110 N. Main St., Cheney, Kansas

Proj. 23-00NN QP Express 102 U2-087-15349

Bench Ma Elev: 137		ed Sq. on the S North 2408.		er of concrete Vest 2576.63	e light base North of the gas pumps. (from SE Cor. Sec. 5-28-4W)		
	rim	1377.94	North	2219.27	SW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1377.48	West	2494.70	Lat= 37.63893 Long = 97.78039		
	rim	1377.63	North	2245.40	SW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1377.26	West	2511.57	Lat= 37.63900 Long = 97.78045		
	rim	1377.31	North	2216.29	SW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1376.98	West	2571.15	Lat= 37.63892 Long = 97.78065		
	rim	1377.06	North	2284.11	SE1/4,NE1/4,NE1/4,SW1/4		
	top pipe	1376.83	West	2720.05	Lat= 37.63910 Long = 97.78117		
	rim	1377.86	North	2395.86	NW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1377.59	West	2571.66	Lat= 37.63941 Long = 97.78066		
	rim	1375.99	North	2258.02	SW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1375.57	West	2430.73	Lat= 37.63904 Long = 97.78017		
	rim	1375.63	North	2215.30	SW1/4,NW1/4,NW1/4,SE1/4		
	top pipe	1375.23	West	2418.42	Lat= 37.63892 Long = 97.78013		

Lat & Long derived from Cheney 7.5' quad map. WGS 84.

Elevation established from existing USGS BM Y-312 1956. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be

OSTER

SURVEY OR THE