WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

| LOCATION OF WATER WELI | L | | | | | Original Rec | ord | Cor | rection | Chang | e in Wel | l Use | |
|--|--|------------|--|-------------|----------------------------------|---|--------------------------------------|---|---------------|--------------------|-------------|--------|--|
| Latitude | Longitude | | S | ection | Township | Rang | e | E W | Fraction | 1/4 | 1/4 | 1/4 | |
| Datum | Elevation | | | ounty | | 8 | | VV | | | | | |
| WATER WELL OWNER | 210 vacion | | | ATER USE | = | | NE | ADECT C | OLIBCE OF E | POTENTIAL C | ONTAMIN | IATION | |
| | | | | ATEN OSE | - | | 1 _ | | | | | IAIIOI | |
| Name | | | | | | | _ | Distance | | Direction | | | |
| Business | | | COMPL | ETION | | | ղ ը | rom well: | | _ from wel | l: | | |
| Address | | | Depth | of complet | ted well: | ft. | | ource | | | | | |
| | | | - | • | water encountered | | | lescription | | | | | |
| | | | | | (2) ft.; | | S | ource: | | | | | |
| Well location | | | (3) | ft.; (| (4) dry well | | | Distance | | Direction from wel | 1 1. | | |
| at owner's | | | Static v | ater level | in well: | t. | | ource | | _ Holli wei | 1 | | |
| address | | | measured below land surface | | | | 1 1 - | lescription | n: | | | | |
| CONSTRUCTION | | | | mm/dd/y | | | | No pote | ential sourc | e of contami | nation | | |
| Borehole interval: | Borehole dia | matari | measured above land surface on (mm/dd/yy): | | | | | No potential source of contamination within 100 feet. | | | | | |
| | | | | | | | PE | RMIT & I | D NUMBER | S (AS REQUI | RED) | | |
| fromtoft. | | in. | | | gpm | ī | | MATD 4 | lication N | | | | |
| fromto ft. | | | Water l | | ft. after | | | | | : | | | |
| Casing height above land sur | in. | pumpinggpm | | | | | KDHE / EPA Project Code: Site Name: | | | | | | |
| If casing height is less that has a variance been appr | | s No | Pump installed? Yes No | | | | | KDHE UIC Class V Form Completed: Yes No | | | | | |
| *variance not required fo | Water well disinfected? Yes No | | | | County Permit: Yes No Permit ID: | | | | | | | | |
| or environmental remed | Date disinfected (mm/dd/yy): | | | | | Lease Name & Well #: | | | | | | | |
| Casing type: | | | | | | | | | | # of dewater | | | |
| Blank casing interval: | | ft. | Aquife | ; if known | : | | | | | # Of dewater | ing wens. | | |
| Blank casing diameter: | in. | | LITHOL | OGIC LOG | i | | | | | | | | |
| Casing joints: | | | FROM | то | LITHOLOGY | NTERVALS | | | | | | | |
| Weight:lbs | | | | | | | | | | | | | |
| Wall thickness or gauge i | | | | | | | | | | | | | |
| Blank casing interval: | | ft. | | | | | | | | | | | |
| Blank casing diameter: | | | | | | | | | | | | | |
| Casing joints: | | | | | | | | | | | | | |
| Weight:lbs | | | | | | | | | | | | | |
| Wall thickness or gauge i | no.: | | | | | | | | | | | | |
| Grout interval: ft. to | ft. | | | | | | | | | | | | |
| Grout material: | | | | | | | | | | | | | |
| Grout interval: ft. to | | | COMME | NTC | | | | | | | | | |
| Grout material: | | | COMINE | 1413 | | | | | | | | | |
| | | | | | | | | | | | | | |
| Screen / perforation material: | | | | | | | | | | | | | |
| Screen / perforation opening | | | CONTRA | ACTOR'S | OR LANDOWNER | S CERTIFICATIO | ON | | | | | | |
| Screen / perforation intervals | | | This w | ater well | was constructe | d reconst | tructed | d p | ursuant to | the stated w | ater well | | |
| Fromft. to | | | contra | ctor's lice | ense and was con | npleted on | | 1 | I certify tha | at this recor | d is true | to | |
| Slot size unit _ | | | the be | st of my l | knowledge and b | elief. This wate | er well | record v | vas comple | ted on | | | |
| From ft. to | | | under | the busir | ness name of | | | | | | | , | |
| Slot size unit _ | | | Kansa | s Water V | Vell Contractor's | License No. | | un | der the aut | thority of th | e designa | ited | |
| Gravel pack intervals: | | | | | | | | | | - | _ | | |
| Gravel pack not used: | person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: | | | | | | | | | | | | |
| From ft. to | | | | | VATER WELL OW | | one for | VOIIT PACC | ords Fee of s | 5 00 for each | construct | d wall | |
| Gravel pack not used: | | in | Sena one | . сору ю ч | | NER and retain (E PARTMENT O F | | • | | | constituelt | a well | |
| From ft. to | ft. | | | Bureau | of Water, Geology | | | | | | 2-1367 | | |




FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Hoovestol Inc. - Kansas City Shop 2205 S 88th St, Kansas City, KS KDHE ID: U4-105-15464

Date: 9/8/23 100 feet Approximate Location of Former UST Basin, Product Lines, and Pump Island

Location of Waste Oil AST

Proposed Monitoring Well

X Proposed Soil Boring

Fire Hydrant

Overhead Lines (25-40 ft high) Water (2 - 6 ft BGS) - Sewer (2 - 6 ft BGS)

Gas (2 - 6 ft BGS)

NOTE: SB5 & SB6 will be drilled to collect hydrologic samples.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 13, 2023

RE: Monitor Well Elevation Survey 2205 S. 88th St., Kansas City, Kansas

Proj. 23-00OO Hoovestol Inc. Kansas City Shop U4-105-05464

Bench Mark: Square cut on West center of concrete storm sewer inlet on East side of 88th Street North of entrance to property.

| Elev: 762 | 2.22 | North | 234.72 | West 1313 | 46 | (fro | om SE Cor. Sec. 30-11-24E) |
|-----------|-----------------|----------------|--------|-----------|----|------|--------------------------------|
| MW-1 | rim top pipe | 766.2 765.8 | | | | , , | SE1/4,SE1/4 Long = 94.78286 |
| MW-2 | rim top pipe | 765.8 765.5 | | | | , | SE1/4,SE1/4 Long = 94.78275 |
| MW-3 | rim top pipe | 764.0 763.6 | | | | , | SE1/4,SE1/4 Long = 94.78287 |
| MW-4 | rim top pipe | 764.5 764.0 | | | | | SE1/4,SE1/4 Long = 94.78320 |
| MW-6 | rim top pipe | 762.9 762.4 | | | | , | SE1/4,SE1/4 Long = 94.78273 |
| MW-7 | rim top pipe | 762.6 762.3 | | | | | SE1/4,SE1/4 Long = 94.78232 |

Lat & Long derived from Edwardsville 7.5 quad map. WGS84.

Elevation established from WY 49. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be of services the control of the con