KOLAR Document ID: 1741919

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil     ☐ WSW     ☐ SWD       ☐ Gas     ☐ DH     ☐ EOR       ☐ OG     ☐ GSW	Producing Formation: Kelly Bushing:   Elevation: Ground: Kelly Bushing:   Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1741919

#### Page Two

Operator Name:				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	st West	County:						
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log		
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample		
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		Re			New Used	ion, etc.				
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l				
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used	Type and Percent Additives					
Protect Casii										
Plug Off Zon										
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,		
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>				
Estimated Production Oil Bbls. Gas Per 24 Hours							Gas-Oil Ratio	atio Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	Submit ACO-18.)									
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5513   1200  10.	5120.		···	. 30.0.71						

Form	ACO1 - Well Completion
Operator	Wrestler, David L., a General Partnership
Well Name	CUNNINGHAM 10
Doc ID	1741919

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12	7	10	21	portland	6	0
Production	5.625	2.875	8	754	portland	76	0

## **Drillers Log**

Company: DMJ OIL Farm: Cunningham

W€ ||# 10

Operator# 7160

Sur face Pipe: 21.5ft with 6 sacks

sta ted

Contractor: David Wrestler

License #: 7160 County: Allen

Sec:

Location: 2465 FSL Location: 1815 FEL API# 15-001-31768

finished

Thickness		Depth	
0-9 ft	Top Soil	9ft	
3ft	Sand Stone	12ft	
Bfr:	water sand	20ft	
168ft	lime	188ft	
12 <sup>-7</sup> ft	shale	345ft	
101 t	lime	385ft	
73 t	shale	458ft	
33 t	lime	491ft	
38 t	shale	529ft	
20 t	shale	549ft	
5ft	lime	554ft	
5ft	shale	558ft	
99 t	lime	657ft	
2ft	shale	659ft	
51 t	oilsand	710ft	
Oft	sandy shale	719ft	
55 t	shale	764ft	
T.D. 764ft			
r.C. Pipe 760ft.			

rnett rg String		irtn Lease & Well	Cunningha				Date	W1.	2523	
Control of the Contro	T=	County & Sta	O STATE OF THE PARTY OF THE PAR	Legals SiTiR New Well?	✓ YES	□No	Job# Ticket#	EP	10352	
	☑ PROD	□ INJ	☐ SWD	fety Analysis - A Discu		A STATE OF THE PARTY OF THE PAR		THE SEC		
Driver			☑ Gloves	rety Analysis - A Discu	□ Lockout/Tag		☐ Warning Signs	& Flagging		
rrett S. k B	☑ Hard hat ☑ H2S Monitor		Eve Prote	ection	Required Pe		☐ Fall Protection			
w B	Safety Footy			ory Protection	☑ Slip/Trip/Fa	Hazards	☑ Specific Job S	equence/Expe	ctation	ns
	☑ FRC/Protective Clothing ☑ Additional Chemical/Acid		al Chemical/Acid PPE	Overhead H		Muster Point	Medical Locat	ions		
	☑ Hearing Prof	tection	Fire Extin	TOTAL PROPERTY OF THE PARTY OF		oncems or i	ssues noted below			
									udo de Scindanto	
	Gustomer I	Provided 2 7/4	3., unpper l	plug and tresn w	rater					
				Unit of Measin	re Quantity				N	el Amour
Equipment Mile	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	npti sn		mi		NS BOLL				\$180
				m	45.00					590
	AND DESCRIPTION OF THE PARTY OF			each	1.00					\$300
t Pump Service	D.			ea	1,00					\$900.
Bond				sack	76,00					\$1,520.
ite Gel				ь	200,00					\$80.
ection On the	following scale if	iciw would vou crafe.	Hirronne Sér	incestor ?						
					Total Taxable	\$ .	Tow Pater	MBC	-	\$3,070.0
this job, how i		votild recommend	HSI to a colle		State tax laws deem certain products and services used on new wells to be sales tax exempt, Humicane Services refer on the customer provided well information above to make a determination if services and/or products are tax exempt.				\$	3,070
					HSI Represe	entative:	Garrett Sco	TO SECTION DESIGNATION AND ADDRESS OF THE PARTY OF THE PA	1.0	3,010.
	ection: On the	Customer I  Customer I  Customer I  Description Mileage Coupment Mileage C	Customer Provided 2 7/4  Customer Provided 2 7/4  Description  Equipment Micago  Coupment Micago  Reage - Minimum  It Pump Service  Bond  Itle Got  ection: On the following scale how would would refer  this job, how likely is it you would recommend	Customer Provided 2 7/8" rubber  Customer Provided 2 7/8" rubber  Equipment Micago  Coupmont Micago  Reage - Minimum  It Pump Service  Bond  Itle Gel  ection: On the following scale haw would you rate Hirrorne Sosthis job, how likely is it you would recommend HSI to a coll	Customer Provided 2 7/8" rubber plug and fresh with the second of the se	Hearing Protection  Comments  Customer Provided 2 7/8" rubber plug and fresh water  Unit of Messure  Quantity  Description  Unit of Messure  Quantity  The Equipment Mileage  In 45,00  The Equipment Mileage  In 45,00  The Pump Service  The Pump Service  The Comments  Guantity  The Pump Service  The Comments  The Pump Service  The Comments  The Pump Service  The Comments  The Comments  Comments  Comments  Comments  Comments  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  The Comments  Comments  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  The Suppose of Messure  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  Customer Provided 2 7/8" rubber plug and fresh water  The Suppose of Messure  The S	Hearing Protection   Fire Extinguisher   Additional concerns or i   Comments	Hearing Protection   Price Estinguisher   Additional concerns or issues noted below   Comments	Hearing Protection   Frie Estinguisher   Additional concerns or issues noted below	Hearing Protection   Fire Estinguisher   Additional concerns or issues noted below

ftv: 15-2021/0 mplv: 411-2023/0