WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL RE	CORD (W	WC-5)				KOLAR D	OOC ID	WELL ID_		
OCATION OF WATER WE	ELL				Ori	ginal Recor	d Correction	Chang	ge in Wel	ll Use
Latitude	Longitude		Se	ection	Township	Range	E Fraction	1/4	1/4	1/2
Datum	Elevation		C	ounty						
ATER WELL OWNER			WELL W	ATER USE	<u> </u>		NEAREST SOURCE OF P	OTENTIAL	ONTAMIN	OITAN
ame							Source:			
usiness			COMPLE	TION			Distance	Directio	n	
					- 1 11	<u>a</u>	from well:	_ from we	·ll:	
ddress			-	-	ed well: water encountered:	ft.	Source description:			
			1 * '		(2) ft.;					
Vell location			I		4) dry well		Source:			
							Distance from well:	_ from we	n :ll:	
at owner's address			mea	sured belo	in well: ft.		Source description:			
NSTRUCTION				mm/dd/yy			No potential source	e of contami	ination	
orehole interval:	Borehole dia	meter.	measured above land surface on (mm/dd/yy):				within 100 feet.			
omto ft.		in.					PERMIT & ID NUMBER	S (AS REQU	IRED)	
omto ft.		in.		_	gpm ft. after	hours	DWR Application No.			
			vvater ie	vei was			DWR Application No.:KDHE / EPA Project Code:			
asing height above land		in.	Pump is		Yes No	_ gpiii	Site Name:			
If casing height is less than 12 in. has a variance been approved?* Yes No			T dilip ii	istanca.	165 100		KDHE UIC Class V Fo			N
*variance not required	-	,	Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
asing type:			A audéan	:61			# of boreholes:			
lank casing interval:		ft.		if known						
lank casing diameter:				OGIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	KVALS				
Weight:l Wall thickness or gaug										
ank casing interval:										
ank casing diameter:										
Casing joints:										
- '	lbs/ft.									
Wall thickness or gaug										
rout interval: ft.										
Grout material:										
rout interval: ft.			COMME	NTS						
Grout material:										
creen / perforation materi	ial·									
reen / perforation openi			CONTRA	CTOR'S (OR LANDOWNERS CE	RTIFICATION				
reen / perforation interv					was constructed			the stated v	water well	l
Fromft. to						reconstru	•			
Slot size uni					•		I certify the			
From ft. to				•	· ·		well record was comple			
Slot size uni										,
ravel pack intervals:			Kansas	Water W	Vell Contractor's Lice	ense No	under the aut	hority of th	ie designa	ated
Gravel pack not used:	Gravel cize	in	person	as define	ed in K.A.R. 28-30-2	(j) and signe	d and certified by the e	lectronic si	gnature o	of the
From ft. to		in	designa	ated pers	on at its submittal:					
Gravel pack not used:	Gravel size	in	Send one	copy to W	VATER WELL OWNER	and retain one	e for your records. Fee of \$	5.00 for each	constructe	ed we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1738845	
Well Owner	Leon Pfannensteil	
Contractor	Rosencrantz-Bemis Ent., Inc.	

Casing

From	То	Casing Diameter	Casing Joint	3 3	Wall Thickness or Gauge Number
0	150	5	Glued		SDR - 26
150	300	5	Glued		SDR - 21
300	410	5	Glued		SDR - 17
470	510	5	Glued		SDR - 17

Form	WWC5.2 - Water Well Record	
Doc ID	1738845	
Well Owner	Leon Pfannensteil	
Contractor	Rosencrantz-Bemis Ent., Inc.	

Lithology

From	То	Lithology Intervals
0	7	topsoil
7	27	clay,brown
27	66	shale,slightly weathered,black,brittle
66	299	shale,slightly weathered,black
299	322	shale,slightly weathered,blue
322	343	shale,slightly weathered,gray,soft
343	395	shale,slightly weathered,light,gray
395	413	clay,red
413	417	shale,slightly weathered,light,gray
417	427	shale,slightly weathered,sandy,with coal streaks & sandstone
427	439	shale,slightly weathered,sandy,light,gray
439	442	clay,red
442	454	sandstone,slightly weathered,with clay streaks
454	467	shale,slightly weathered,gray
467	512	clay,red
512	519	sandstone,slightly weathered,with a few clay streaks
519	528	sandstone,slightly weathered

Form	WWC5.2 - Water Well Record	
Doc ID	1738845	
Well Owner	Leon Pfannensteil	
Contractor	Rosencrantz-Bemis Ent., Inc.	

Lithology

From	То	Lithology Intervals
528	530	shale,slightly weathered,gray