Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER V	VELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County									
WATER WELL OWNER		WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	IOITAI	
Name									Source:				
Business			COME	PLETION					Distance		Directi	on	
Dusiness									from well:		from w	ell:	
Address						ll:encountered:		_ft.	Source descriptio	n:			
				(1) ft.; (2) ft.;					Source:				
Well location				ft.;					Distance		Directi	on ell:	
at owner's address				Static water level in well: ft.  measured below land surface on (mm/dd/yy):					Source descriptio				
CONSTRUCTION			measured above land surface					No potential source of contamination					
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):					within 100 feet.					
fromto ft.		in.	Estin	nated yield	l:	gpm			PERMIT &	ID NUMBEI	RS (AS REQI	JIRED)	
fromtoft.						ft. after	hou	ırs	DWR Application No.:				
Casing height above land						pumping			KDHE / EPA Project Code:				
If casing height is les			Pump installed? Yes No					Site Name:					
has a variance been		s No							KDHE UIC Class V Form Completed: Yes No				
*variance not require	0		Water well disinfected? Yes No					County Po	ermit: Yes	s No Perr	nit ID:		
or environmental re	emediation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:		Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:			
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LO		TUO: 06V I		_					
Casing joints:			FRO	M TO	) LI	THOLOGY IN	IIEKVAL	-5					
Weight:	_												
Wall thickness or gar													
Blank casing interval:		п.											
Blank casing diameter:													
Casing joints:													
Weight:	_												
Wall thickness or ga	uge no.:												
Grout interval:													
Grout material:													
Grout interval:			COM	MENTS									
Grout material:			COM	VILIVIS									
Savaan / naufamatiant	orial.												
Screen / perforation mate				DACTOR"	C OD ! 4	NDOWNERS	CENTIF	CATION					
				CONTRACTOR'S OR LANDOWNERS CERTIFICATION  This water well was constructed reconstructed pursuant to the stated water well									
From ft. to									1				
						nd was comp	•			•			
Slot size u						ledge and be							
	romft. toft.  Slot sizeunit										,		
	nıt		Kan	sas Water	: Well C	Contractor's I	License l	No	uı	nder the au	thority of t	he designa	ated
Gravel pack intervals:			pers	on as defi	ined in	K.A.R. 28-30	0-2(j) an	nd signe	d and certif	ied by the	electronic s	ignature o	f the
Gravel pack not used		in	1			its submitta	•			•		5	
From ft. to _											\$5.00 for ac =	h construct	nd ver
	vel pack not used: Gravel sizein Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00  KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT						ii consti ucti	a wel					
From ft. to _	ft. toft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367												

Form	WWC5.2 - Water Well Record		
Doc ID	1735016		
Well Owner	Schwindt Farms		
Contractor	Rosencrantz-Bemis Ent., Inc.		

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	150	5	Glued	SDR - 26
150	250	5	Glued	SDR - 21
250	345	5	Glued	SDR - 17

Form	WWC5.2 - Water Well Record			
Doc ID	1735016			
Well Owner	Schwindt Farms			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Lithology

From	То	Lithology Intervals
0	4	topsoil
4	22	clay,yellowish,w/ limestone mix
22	60	shale,slightly weathered,gray
60	135	shale,slightly weathered,gray,w/ streaks of hard shale
135	145	shale,slightly weathered,gray,w/ streaks of light gray shale & rock
145	235	shale,slightly weathered,gray,w/ streaks of hard shaley iron pyrite
235	255	shale,slightly weathered,gray,w/ streaks of light gray shale & small sandstone streaks
255	275	shale,slightly weathered,gray
275	290	shale,slightly weathered,gray
290	310	clay,red
310	330	shale,slightly weathered,light,gray
330	340	shale,slightly weathered,gray
340	345	shale,slightly weathered,reddish,gray
345	360	shale,slightly weathered,gray,w/ streaks of sandstone

Form	WWC5.2 - Water Well Record			
Doc ID	1735016			
Well Owner	Schwindt Farms			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Lithology

From	То	Lithology Intervals
360		sandstone,slightly weathered,soft
375	379	shale,slightly weathered,gray
379		sandstone,slightly weathered,w/ small streaks of gray shale