KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WE	LL					Origina	ıl Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Section		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County								
WATER WELL OWNER		W	ELL WATER U	JSE				NEAREST SOURCE OF PO	TENTIAL C	ONTAMIN	NATION
Name								Source:			
Business		CC	MPLETION					Distance from well:		n	
			anth of comm	alatad v	well:		ft.	from well:	from wel	ll:	
Address					er encountered:			Source description:			
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					Source:	Direction		
Well location								from well:	from wel		
at owner's			Static water level in well: ft.					Source			
address			measured below land surface on (mm/dd/yy):					description:			
CONSTRUCTION			measured a	above la	and surface			No potential source of within 100 feet.	of contami	nation	
Borehole interval:	Borehole dia		on (mm/do	1/yy):				PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.		in. E	stimated yield	d:	gpm				(4.0.1.2.0.1		
fromto ft.	_	in V	Vater level wa	s:	ft. after			DWR Application No.:			
Casing height above land s	urface:				pumping	gp1	m	KDHE / EPA Project Co			
If casing height is less t		1 1	ump installed	d? Y	les No			Site Name:			
has a variance been app	_	s No	Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring or environmental remediation wells			Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID: Lease Name & Well #:				
Casing type:			Date disfinected (fillif/dd/yy).								
Blank casing interval:	ft. to	ft. A	quifer, if kno	wn:				# of boreholes: #	of dewater	ring wells:	
Blank casing diameter:	in.	LIT	HOLOGIC L	OG							
Casing joints:		<u> </u>	ROM T	0	LITHOLOGY I	NTERVA	LS				
Weight:l											
Wall thickness or gauge											
Blank casing interval:		ft.									
Blank casing diameter:	<u> </u>										
Casing joints:											
Weight:l											
Wall thickness or gauge	e no.:										
Grout interval: ft.											
Grout material:											
Grout interval: ft.	cc	MMENTS									
Grout material:											
Screen / perforation materi			ALTD A CTC -	/C CD :	ANDONALES	· CFP-1	CATION				
Screen / perforation opening					LANDOWNERS					. 11	
Screen / perforation interva					s constructed		econstru	1			
Fromft. to						-		I certify that			
Slot size unit					-			well record was complete			
Slot size unit											
Gravel pack intervals:		K	Cansas Wate	r Well	Contractor's	License 1	No	under the auth	ority of th	e designa	ated
Gravel pack not used:	Gravel size	_{in} p	erson as de	fined i	n K.A.R. 28-3	30-2(j) ar	nd signe	d and certified by the ele	ctronic się	gnature o	of the
From ft. to	ft.		esignated p	erson	at its submitta	al:					
Gravel pack not used:	Gravel size	in	nd one copy to	o WAT	ER WELL OW	NER and	retain one	e for your records. Fee of \$5.0	00 for each	constructe	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1735005		
Well Owner	Schwindt Farms		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	150	5	Glued	SDR - 26
150	250	5	Glued	SDR - 21
250	385	5	Glued	SDR - 17

Form	WWC5.2 - Water Well Record		
Doc ID	1735005		
Well Owner	Schwindt Farms		
Contractor	Rosencrantz-Bemis Ent., Inc.		

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	18	clay,yellowish
18	75	shale,slightly weathered,gray
75	168	shale,slightly weathered,gray,brittle
168	270	shale,slightly weathered,gray,w/ pyrite streaks
270	310	clay,red
310	370	shale,slightly weathered,light,gray
370	425	sandstone,slightly weathered