

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____ WELL ID _____

Original Record Correction Change in Well Use

LOCATION OF WATER WELL

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

WATER WELL OWNER

Name	
Business	
Address	
Well location at owner's address	

WELL WATER USE

--

COMPLETION

Depth of completed well: _____ ft.
Depth(s) groundwater encountered:
(1) _____ ft.; (2) _____ ft.;
(3) _____ ft.; (4) dry well
Static water level in well: _____ ft.
measured below land surface
on (mm/dd/yy): _____
measured above land surface
on (mm/dd/yy): _____
Estimated yield: _____ gpm
Water level was: _____ ft. after _____ hours
pumping _____ gpm
Pump installed? Yes No
Water well disinfected? Yes No
Date disinfected (mm/dd/yy): _____
Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
No potential source of contamination within 100 feet.

CONSTRUCTION

Borehole interval:	Borehole diameter:
from _____ to _____ ft.	_____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?*	Yes No
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals:	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals:	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed: Yes No
County Permit: Yes No Permit ID: _____
Lease Name & Well #: _____
of boreholes: _____ # of dewatering wells: _____

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS

COMMENTS

--

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Stockton Field Office
820 S. Walnut
Stockton, KS 67669-0192
Mike Beam, Secretary



Phone: 785-425-6787
Fax: 785-425-6842
www.agriculture.ks.gov
Laura Kelly, Governor

April 29, 2022

MERLE & TERESA NELSON
11357 S CENTENNIAL RD
LINDSBORG, KS 67456-9616

Re: Water file, File Nos. 5,442 and 42,330

Dear Sir or Madam:

Enclosed are two (2) orders executed by Earl Lewis, Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the terms, conditions, and limitations specified in these approvals for change. Also, the approval of the orders does require the installation of a water flow meter(s) on the point(s) of diversion authorized under the above file numbers by **December 31, 2022**. Please complete and return the enclosed Notice(s) of Completion of Diversion Works when a water flow meter has been installed. A copy of the Chief Engineer's specifications for the water flow meters is found in K.A.R. 5-1-4 through K.A.R. 5-1-12, along with a partial list of those flow meters found to be acceptable for installation in Kansas can be found on our website at the following web address: <http://agriculture.ks.gov/meters>

Please note that all meters must be installed and maintained in accordance with the specifications for water flow meters referenced above.

The abandoned water well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment (KDHE). If the well is to be retained by the landowner for other purposes, a copy of the legal transfer of responsibility for maintenance of the well must be forwarded to KDHE Geology Section, 1000 SW Jackson, Suite 420, Topeka, Kansas 66612, telephone number (785) 296-5524. More information is available online at: <http://kdheks.gov/waterwell>


Since these orders modify the original certificates, they should be recorded with the Register of Deeds just as other legal documents affecting real estate. Such records are maintained at the Register of Deeds Office in the county wherein the place of use is located.

These documents are summary orders by this agency regarding this matter. These orders shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order.

(over)

If you have any questions, please feel free to contact this office at (785)425-6787. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,




Mark Billinger
Assistant Water Commissioner

MB:ndh

CERTIFICATE OF SERVICE

On this 29th day of April, 2022, I hereby certify that the attached **SUMMARY ORDERS APPROVING APPLICATIONS FOR CHANGE in Diversion Works** for water right, File Nos. 5,442 and 42,330, dated on the 29th day of April, 2022, were mailed postage prepaid, first class, U.S. mail, to the following:

MERLE & TERESA NELSON
11357 S CENTENNIAL RD
LINDSBORG, KS 67456-9616


Staff

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE **APPLICATION FOR APPROVAL** **TO CHANGE THE PLACE OF** **USE AND/OR THE** **POINT OF DIVERSION**



STATE OF KANSAS

APPLICATION COMPLETE
 4/29/22
 Reviewer MB

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 5.442

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

☐ Place of Use ☒ Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: ☒ Groundwater ☐ Surface water

2. Name and address of Applicant: Merle & Teresa Nelson

11357 S Centennial Rd Lindsborg, KS 67456-9616

Phone Number: (785)667-4045

Email address: nelson_farms@yahoo.com

Name and address of Water Use Correspondent: Merle & Teresa Nelson

11357 S Centennial Rd Lindsborg, KS 67456-9616

Phone Number: (785)667-4045

Email address: nelson_farms@yahoo.com

3. The presently authorized place of use is:

Owner of Land --- NAME: Merle & Teresa Nelson

ADDRESS: 11357 S Centennial Rd Lindsborg, KS 67456-9616

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26	16	3 W			35											35	3		73

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land --- NAME: No change requested.

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code _____ Fee \$ _____ TR # _____ Receipt Date _____ Check # _____

5. **Presently authorized point of diversion:**

One in Southwest of the Northwest Quarter of the Southeast Quarter
of Section 26, Township 16 South, Range 3 W,
in Saline County, Kansas, 1,815 feet North 2,620 feet West of Southeast corner of section.
Authorized Rate 1000 gpm Authorized Quantity 53 AF Depth of well n/a (feet)
(DWR use only: Computer ID No. 1 GPS 1,792 feet North 2,640 feet West)

☐ This point will not be changed ☒ This point will be changed as follows: ☐ No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in Southwest of the Northwest of the Southeast Quarter
of Section 26, Township 16 South, Range 3 WEST,
in Saline County, Kansas, 1,788 feet North 2,625 feet West of Southeast corner of section.
Proposed Rate 1000 gpm Proposed Quantity 53 AF Proposed well depth (feet) n/a
This point is: ☐ Additional Well ☐ Geo Center List other water rights that will use this point 42330

6. **Presently authorized point of diversion:**

One in the Quarter of the Quarter of the Quarter
of Section , Township South, Range W,
in County, Kansas, feet North feet West of Southeast corner of section.
Authorized Rate Authorized Quantity Depth of well (feet)
(DWR use only: Computer ID No. GPS feet North feet West)

☐ This point will not be changed ☐ This point will be changed as follows: ☐ No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in the Quarter of the Quarter of the Quarter
of Section , Township South, Range W,
in County, Kansas, feet North feet West of Southeast corner of section.
Proposed Rate Proposed Quantity Proposed well depth (feet)
This point is: ☐ Additional Well ☐ Geo Center List other water rights that will use this point

7. The changes herein are desired for the following reasons?
(please be specific) Old well not producing as desired.

8. If a well, is the test hole log attached? ☐ Yes ☒ No

9. The change(s) (was)(will be) completed by?

12/31/22

10. If the point of diversion is a well:

(a) What are you going to do with the old well?


Plug or cap it.

(b) When will this be done? Upon completion of new well.

11. Groundwater Management District recommendation attached?
☐ Yes ☒ No

12. Assisted by DLM STKFO

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

RECEIVED

APR 28 2022

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
☒ Yes ☐ No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
☐ Yes ☒ No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
☐ Yes ☒ No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Lindsborg, Kansas, this 22nd day of April, 20 22.

Merle F. Nelson
(Owner)

Merle F. Nelson
(Please Print)

(Owner)

(Please Print)

(Owner)

(Please Print)

Teresa S. Nelson
(Spouse)

Teresa S. Nelson
(Please Print)

(Spouse)

(Please Print)


(Spouse)

(Please Print)

State of Kansas }
County of McPherson } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 22nd day of April, 20 22.

My Commission Expires 2/1/2024



DA
Notary Public

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- | | |
|---|-------|
| (1) Application to change a point of diversion 300 feet or less | \$100 |
| (2) Application to change a point of diversion more than 300 feet | \$200 |
| (3) Application to change the place of use | \$200 |

RECEIVED

APR 28 2022

RECEIVED
APR 28 2022
Stockton Field Office
Division of Water Resources

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, *et seq.* and other applicable provisions of the *Kansas Water Appropriation Law*, K.S.A. 82a-701 *et seq.*, and rules and regulations promulgated thereunder. With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 5.442.

1. A change application was received on 4-28-22 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable ☒ Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion. ☒ Applicable ☐ Not Applicable
4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable
5. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. ☐ Applicable ☒ Not Applicable
6. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☒ Applicable ☐ Not Applicable
7. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2022, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.
☒ Applicable ☐ Not Applicable
8. Installation of the works for diversion of water shall be completed on or before December 31, 2022, or within any authorized extension of time. By March 1, 2023 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.
☒ Applicable ☐ Not Applicable
9. The completed well log shall be submitted with the required notice. ☐ Applicable ☒ Not Applicable
10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☐ Not Applicable
11. Additional Conditions are attached. ☐ Yes ☒ No
12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY

APPLICATION APPROVED AND SUMMARY ORDER ISSUED

By: [Signature]
Duly Authorized Designee of the Chief Engineer
(Print Name): MARK BUCKNER
Division of Water Resources - Kansas Department of Agriculture
Date of Issuance: 4-29-22
State of Kansas)
County of Hooker) SS
Acknowledged before me on 4/29/2022
by Mark Billinger
Signature: [Signature]
My commission expires: 9/27/2025 (Notary Seal)



Submit To: CHIEF ENGINEER
Division of Water Resources
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan, Kansas 66502-5000
<http://agriculture.ks.gov/dwr>

KANSAS DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES

**NOTICE OF COMPLETION OF
DIVERSION WORKS**

For Office Use Only:

Code FIS

Fee \$ _____

TR # _____

Rcpt Date _____

Check # _____

Section 1 - Action requiring this form is:

- ☐ New application approval and permit to proceed (Fee must be attached. \$400 fee required for all uses made of water, except for sediment control use and groundwater pit for industrial use a \$200 fee is required by K.S.A. 82a-714(d)) ***Make check payable to the Kansas Department of Agriculture***
- ☐ Change in point of diversion, place of use, or use made of water (no fee).
- ☐ Term permit (no fee).
- ☐ Other (e.g., Special order of the Chief Engineer).

Section 2 - Location of the Point of Diversion

The location of the point of diversion should be described as actually installed. The description should include the Section, Township, and Range, the 10-acre tract description ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$) and the footage from the southeast corner of the section.

1. File No(s): _____ [If assisted by DWR: P/D ID _____ By: _____]
2. The date the diversion works were completed: _____, 20____.
3. The diversion works are located in the _____ Quarter of the _____ Quarter of the _____ Quarter of
(also described as _____ feet North and _____ feet West of the southeast corner of ...),
Section _____, Township _____ South, Range _____ East / West, in _____ County, Kansas.
4. If an additional point of diversion is involved:
The diversion works are located in the _____ Quarter of the _____ Quarter of the _____ Quarter of
(also described as _____ feet North and _____ feet West of the southeast corner of ...),
Section _____, Township _____ South, Range _____ East / West, in _____ County, Kansas.

If this is a change in point of diversion (PD), how was the PD being replaced identified? _____

Section 3 - PRINT CLEARLY

Printed Name: _____

Address: _____

City, State, Zip: _____ Telephone/Cell: _____

I, the holder of a permit issued by the Chief Engineer of the Division of Water Resources pursuant to the file(s) referenced in section 2, hereby certify that the information on sections 1-4 of this form is correct to the best of my knowledge.

Signature: _____ Date: _____

If you have further questions on how to fill out this form, please contact the field office in your area:

Topeka
Kansas Department of Agriculture
6531 SE Forbes Ave, Ste B
Topeka, KS 66619
(785) 296-5733

Stafford
Kansas Department of Agriculture
300 South Main St.
Stafford, KS 67578
(620) 234-5311

Stockton
Kansas Department of Agriculture
820 South Walnut
Stockton, KS 67669
(785) 425-6787

Garden City
Kansas Department of Agriculture
2508 Johns Street
Garden City, KS 67846
(620) 276-2901

Section 4 - Flowmeter information:

File No(s): _____

☐ Manufacturer of Flowmeter: _____

☐ Date Flowmeter Installed: _____

☐ Model Number: _____

☐ Flowmeter Type: ☐ Propeller ☐ Turbine ☐ Multi-jet ☐ Positive Displacement ☐ Electromagnetic
☐ Vortex? ☐ Ultrasonic ☐ Other: _____

☐ Flowmeter Serial Number: _____

☐ Flowmeter Units: ☐ Gallons ☐ Acre-Feet ☐ Acre-Inches Other: _____

☐ Flowmeter Size: ☐ 2" ☐ 4" ☐ 6" ☐ 8" ☐ 10" ☐ 12" Other: _____

☐ Multiplier Factor: ☐ 1000 ☐ 100 ☐ 10 ☐ 1 ☐ 0.1 ☐ 0.01 ☐ 0.001 Other: _____

(Multiplier factor is normally indicated on flowmeter readout – possibly by printed zeroes)

☐ Flowmeter totalizer reading when installed: (include all digits and all zeroes): _____

☐ If the flowmeter is not easily viewed, or not within 100 feet of the point of diversion being metered, please briefly describe its location: _____

☐ Is flowmeter installed on a portable pump? ☐ Yes ☐ No

☐ Is the flowmeter installed in a manufacturer's measuring chamber? ☐ Yes ☐ No

☐ Are straightening vanes installed? ☐ Yes ☐ No

☐ Is a strainer installed? ☐ Yes ☐ No

☐ Does the meter installation have 5 straight pipe diameters of upstream spacing? ☐ Yes ☐ No

☐ Does the meter installation have 2 straight pipe diameters of downstream spacing? ☐ Yes ☐ No

☐ Does flowmeter serve more than one point of diversion? ☐ Yes ☐ No

☐ Is this a replacement flowmeter? ☐ Yes ☐ No (Information related to a replacement flowmeter not associated with the actions in Item #1 on the front page of this form should be submitted on Water Flowmeter Repair/Replacement Report (Form DWR 1-560.)

☐ Any additional information: _____

K.A.R. 5-1-1(y), defines diversion works as "all well(s), pump(s), power unit(s), power source(s), dam(s) and all other devices necessary to bring water under control for delivery to a distribution system by which the water will be distributed to the proposed use and any other equipment required . . . such as a check valve, water level measurement tube, meter or other measuring device."

If you have completed your diversion works as described above and completed the requirements as set forth in your Approval of Application, please complete this form. ***If you are unable to meet the requirements stated on your approval, you must submit a request for extension of time (form DWR 1-203.15).*** K.S.A. 82a-714(e) puts a \$100 fee on an extension of time to complete the diversion works. ***Failure to notify the Chief Engineer of the completion of the diversion works within the time allotted can result in dismissal of the referenced file(s) and loss of priority date.***

If the subject file(s) authorizes multiple new points of diversion (PDs), you may photocopy this form (both sides) and submit one form for each new PD authorized. ***Form DWR 1-203.14 is an instruction sheet with sample entries.***

Submit completed application to:
Kansas Department of Agriculture
Division of Water Resources
Field Office for your area.
Call for address:

Topeka -- (785) 296-5733
Stafford -- (620) 234-5311
Stockton -- (785) 425-6787
Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION

WATER METER REQUIRED

RECEIVED
APR 28 2022

Ch # 3533
\$100.00



STATE OF KANSAS

APPLICATION COMPLETE

4/29/22
Reviewer MB

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 42.330

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

☐ Place of Use ☒ Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: ☒ Groundwater ☐ Surface water

2. Name and address of Applicant: Merle & Teresa Nelson

11357 S Centennial Rd Lindsborg, KS 67456-9616

Phone Number: (785)667-4045

Email address: nelson_farms@yahoo.com

Name and address of Water Use Correspondent: Merle & Teresa Nelson

11357 S Centennial Rd Lindsborg, KS 67456-9616

Phone Number: (785)667-4045

Email address: nelson_farms@yahoo.com

3. The presently authorized place of use is:

Owner of Land --- NAME: Merle & Teresa Nelson

ADDRESS: 11357 S Centennial Rd Lindsborg, KS 67456-9616

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26	16	3 W			35											35	3		73

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land --- NAME: No change requested.

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code _____ Fee \$ _____ TR # _____ Receipt Date _____ Check # _____

5. **Presently authorized point of diversion:**

One in Southwest of the Northwest Quarter of the Southeast Quarter of Section 26, Township 16 South, Range 3 W, in Saline County, Kansas, 1,815 feet North 2,620 feet West of Southeast corner of section.
Authorized Rate 625 gpm Authorized Quantity 26.77 AF Depth of well n/a (feet)
(DWR use only: Computer ID No. 1 GPS 1,792 feet North 2,640 feet West)

☐ This point will not be changed ☒ This point will be changed as follows: ☐ No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in Southwest of the Northwest of the Southeast Quarter of Section 26, Township 16 South, Range 3 WEST, in Saline County, Kansas, 1,788 feet North 2,625 feet West of Southeast corner of section.
Proposed Rate 625 gpm Proposed Quantity 26.77 AF Proposed well depth (feet) n/a
This point is: ☐ Additional Well ☐ Geo Center List other water rights that will use this point 5442

6. **Presently authorized point of diversion:**

One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ W, in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)

☐ This point will not be changed ☐ This point will be changed as follows: ☐ No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ W, in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
This point is: ☐ Additional Well ☐ Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
(please be specific) Old well not producing as desired.

8. If a well, is the test hole log attached? ☐ Yes ☒ No


9. The change(s) (was)(will be) completed by?
12/31/22

10. If the point of diversion is a well:
(a) What are you going to do with the old well?
Plug or cap it.
(b) When will this be done? Upon completion of new well.

11. Groundwater Management District recommendation attached?
☐ Yes ☒ No

12. Assisted by DLM STKFO

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

RECEIVED

APR 28 2022

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
x Yes ☐ No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
☐ Yes ☒ No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
☐ Yes ☒ No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Lindsborg, Kansas, this 22nd day of April, 20 22.

Merle F. Nelson
(Owner)

Merle F. Nelson
(Please Print)

(Owner)

(Please Print)

(Owner)

(Please Print)

Teresa S. Nelson
(Spouse)

Teresa S. Nelson
(Please Print)

(Spouse)

(Please Print)

(Spouse)

(Please Print)


State of Kansas

County of Kansas

SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 22nd day of April, 20 22.

My Commission Expires 2/1/2024



David A. Hay
Notary Public

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- | | |
|---|-------|
| (1) Application to change a point of diversion 300 feet or less | \$100 |
| (2) Application to change a point of diversion more than 300 feet | \$200 |
| (3) Application to change the place of use | \$200 |

RECEIVED

APR 28 2022

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the *Kansas Water Appropriation Law*, K.S.A. 82a-701 et seq., and rules and regulations promulgated thereunder. With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 42,330

Division of Water Resources

1. A change application was received on 4-28-22 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable ☒ Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion. ☒ Applicable ☐ Not Applicable
4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable
5. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. ☐ Applicable ☒ Not Applicable
6. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☒ Applicable ☐ Not Applicable
7. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2022, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.
☒ Applicable ☐ Not Applicable
8. Installation of the works for diversion of water shall be completed on or before December 31, 2022, or within any authorized extension of time. By March 1, 2023 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.
☒ Applicable ☐ Not Applicable
9. The completed well log shall be submitted with the required notice. ☐ Applicable ☒ Not Applicable
10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☐ Not Applicable
11. Additional Conditions are attached. ☐ Yes ☒ No
12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY APPLICATION APPROVED AND SUMMARY ORDER ISSUED

By: [Signature]
Duly Authorized Designee of the Chief Engineer
(Print Name): MARK BILLINGER
Division of Water Resources - Kansas Department of Agriculture
Date of Issuance: 4-28-22
State of Kansas)
County of Hook) SS
Acknowledged before me on 4/29/22
by Mark Billinger
Signature: Nancy Hageman
Notary Public
My commission expires: 9/27/2025 (Notary Seal)



Submit To: CHIEF ENGINEER
Division of Water Resources
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan, Kansas 66502-5000
<http://agriculture.ks.gov/dwr>

KANSAS DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES

**NOTICE OF COMPLETION OF
DIVERSION WORKS**

For Office Use Only:

Code FIS

Fee \$ _____

TR # _____

Rcpt Date _____

Check # _____

Section 1 - Action requiring this form is:

- ☐ New application approval and permit to proceed (Fee must be attached. \$400 fee required for all uses made of water, except for sediment control use and groundwater pit for industrial use a \$200 fee is required by K.S.A. 82a-714(d)) **Make check payable to the Kansas Department of Agriculture**
- ☐ Change in point of diversion, place of use, or use made of water (no fee).
- ☐ Term permit (no fee).
- ☐ Other (e.g., Special order of the Chief Engineer).

Section 2 - Location of the Point of Diversion

The location of the point of diversion should be described as actually installed. The description should include the Section, Township, and Range, the 10-acre tract description ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$) and the footage from the southeast corner of the section.

1. File No(s): _____ [If assisted by DWR: P/D ID _____ By: _____]

2. The date the diversion works were completed: _____, 20____.

3. The diversion works are located in the _____ Quarter of the _____ Quarter of the _____ Quarter of
(also described as _____ feet North and _____ feet West of the southeast corner of ...),
Section _____, Township _____ South, Range _____ East / West, in _____ County, Kansas.

4. If an additional point of diversion is involved:

The diversion works are located in the _____ Quarter of the _____ Quarter of the _____ Quarter of
(also described as _____ feet North and _____ feet West of the southeast corner of ...),
Section _____, Township _____ South, Range _____ East / West, in _____ County, Kansas.

If this is a change in point of diversion (PD), how was the PD being replaced identified? _____

Section 3 - PRINT CLEARLY

Printed Name: _____

Address: _____

City, State, Zip: _____ Telephone/Cell: _____

I, the holder of a permit issued by the Chief Engineer of the Division of Water Resources pursuant to the file(s) referenced in section 2, hereby certify that the information on sections 1-4 of this form is correct to the best of my knowledge.

Signature: _____ Date: _____

If you have further questions on how to fill out this form, please contact the field office in your area:

Topeka
Kansas Department of Agriculture
6531 SE Forbes Ave, Ste B
Topeka, KS 66619
(785) 296-5733

Stafford
Kansas Department of Agriculture
300 South Main St.
Stafford, KS 67578
(620) 234-5311

Stockton
Kansas Department of Agriculture
820 South Walnut
Stockton, KS 67669
(785) 425-6787

Garden City
Kansas Department of Agriculture
2508 Johns Street
Garden City, KS 67846
(620) 276-2901

Section 4 - Flowmeter information:

File No(s): _____

☐ Manufacturer of Flowmeter: _____

☐ Date Flowmeter Installed: _____

☐ Model Number: _____

☐ Flowmeter Type: ☐ Propeller ☐ Turbine ☐ Multi-jet ☐ Positive Displacement ☐ Electromagnetic
☐ Vortex? ☐ Ultrasonic ☐ Other: _____

☐ Flowmeter Serial Number: _____

☐ Flowmeter Units: ☐ Gallons ☐ Acre-Feet ☐ Acre-Inches Other: _____

☐ Flowmeter Size: ☐ 2" ☐ 4" ☐ 6" ☐ 8" ☐ 10" ☐ 12" Other: _____

☐ Multiplier Factor: ☐ 1000 ☐ 100 ☐ 10 ☐ 1 ☐ 0.1 ☐ 0.01 ☐ 0.001 Other: _____

(Multiplier factor is normally indicated on flowmeter readout – possibly by printed zeroes)

☐ Flowmeter totalizer reading when installed: (include all digits and all zeroes): _____

☐ If the flowmeter is not easily viewed, or not within 100 feet of the point of diversion being metered, please briefly describe its location: _____

☐ Is flowmeter installed on a portable pump? ☐ Yes ☐ No

☐ Is the flowmeter installed in a manufacturer's measuring chamber? ☐ Yes ☐ No

☐ Are straightening vanes installed? ☐ Yes ☐ No

☐ Is a strainer installed? ☐ Yes ☐ No

☐ Does the meter installation have 5 straight pipe diameters of upstream spacing? ☐ Yes ☐ No

☐ Does the meter installation have 2 straight pipe diameters of downstream spacing? ☐ Yes ☐ No

☐ Does flowmeter serve more than one point of diversion? ☐ Yes ☐ No

☐ Is this a replacement flowmeter? ☐ Yes ☐ No (Information related to a replacement flowmeter not associated with the actions in Item #1 on the front page of this form should be submitted on Water Flowmeter Repair/Replacement Report (Form DWR 1-560.)

☐ Any additional information: _____

K.A.R. 5-1-1(y), defines diversion works as "all well(s), pump(s), power unit(s), power source(s), dam(s) and all other devices necessary to bring water under control for delivery to a distribution system by which the water will be distributed to the proposed use and any other equipment required . . . such as a check valve, water level measurement tube, meter or other measuring device."

If you have completed your diversion works as described above and completed the requirements as set forth in your Approval of Application, please complete this form. ***If you are unable to meet the requirements stated on your approval, you must submit a request for extension of time (form DWR 1-203.15).*** K.S.A. 82a-714(e) puts a \$100 fee on an extension of time to complete the diversion works. ***Failure to notify the Chief Engineer of the completion of the diversion works within the time allotted can result in dismissal of the referenced file(s) and loss of priority date.***

If the subject file(s) authorizes multiple new points of diversion (PDs), you may photocopy this form (both sides) and submit one form for each new PD authorized. **Form DWR 1-203.14 is an instruction sheet with sample entries.**