Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

## **WATER WELL RECORD** (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business				COM	PLETION					Distance		Directi			
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	Source description	on:	from w	rell:				
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					Distance	:	Directi	on rell:				
at owner's address			Static water level in well: ft.  measured below land surface on (mm/dd/yy):						Source description	on:					
CONSTRU	CTION	ı			measured above land surface						No potential source of contamination				
Borehole	interv	al:	Borehole dia	meter:	on (mm/dd/yy):					within 100 feet.					
fromtoftin. fromtoftin.				Estimated yield: gpm  Water level was: ft. after hours				urs	PERMIT & ID NUMBERS (AS REQUIRED)  DWR Application No.:						
Casing he	ight a	ove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
		ght is less tha ce been appr		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
			or monitoring					? Yes No			County Permit: Yes No Permit ID:				
Casing ty		nentai remed	diation wells		Date	disinfecte	d (mm/	'dd/yy):			Lease Name & Well #:				
		erval:	ft. to	ft.	Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:		
		meter:			LITHOLOGIC LOG										
					FRC			ITHOLOGY II	NTERVA	LS					
Weigh	-	lbs													
			no.:												
			ft. to												
	-	meter:													
Casin	g joint	s:	- -												
Weigh		lbs													
Wall thickness or gauge no.:															
		ft. to													
		rial:													
Grout interval:ft. toft.  Grout material:					СОМ	MENTS									
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
Screen / perforation openings:			CONTRACTOR'S OR LANDOWNERS CERTIFICATION												
Screen / perforation intervals:			This water well was constructed reconstructed pursuant to the stated water well												
Fromft. toft.				contractor's license and was completed on I certify that this record is true to											
Slot size unit			the best of my knowledge and belief. This water well record was completed on												
Fromft. toft.			under the business name of,						,						
Slot size unit			Kansas Water Well Contractor's License No under the authority of the designated						ated						
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of th					of the						
Gravel pack not used: Gravel sizein				designated person at its submittal:											
						ed well									
Graver pack not about. Graver size III				KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT											
From ft. to ft.				Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367											

Form	WWC5.2 - Water Well Record
Doc ID	1740073
Well Owner	Miller Brothers Oil Company
Contractor	GSI Engineering, LLC

## Lithology

From	То	Lithology Intervals
0	.25	topsoil
.25	2.5	gravel,fine,WELL GRADED GRAVEL - dry, no plasticity, loose consistency, light brown, no odor, no particulates, some large gravel
2.5	5	sand & gravel, fine to medium, POORLY GRADED GRAVEL - topsoil and backfill sand, poorly sorted fine to medium coarse grains and some large gravel, moist, no plasticity, loose consistency, light brown/tan, no odor, no particulates
5	7.5	sand & gravel, fine to medium, POORLY GRADED SAND - backfill sand, poorly sorted fine to medium coarse grains and some large gravel, moist, no plasticity, loose consistency, tan/brown, no odor, no particulates
7.5	17.5	sand & gravel,fine to medium,except some odor
17.5	20	sand & gravel,fine to medium,except moderate odor now

Form	WWC5.2 - Water Well Record
Doc ID	1740073
Well Owner	Miller Brothers Oil Company
Contractor	GSI Engineering, LLC

## Lithology

From	То	Lithology Intervals
20		sand & gravel, fine to medium, clayey, CLAYEY SAND - clayey backfill sand, fine to medium coarse grained and some large gravel, moist, moderate plasticity, clumpy/loose consistency, gray/brown, no odor, no particulates

