WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR	DOC ID		WELL ID_		
OCATION OF WATER WELI	_					Original Reco	rd Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude		9	Section	Township	Range	E	Fraction	1/4	1/4	1/4
Datum	Elevation		(County	,						
VATER WELL OWNER			WELL V	VATER USE	 E		NEAREST	SOURCE OF I	POTENTIAL C	ONTAMIN	IOITAI
Name							Source:				
Business			COMPL	ETION			Dietance		Directio	n	
Dusiness							from well	l:	_ from we	ll:	
Address					ted well:		Source description				
			1 -	-	water encountered: (2) ft.;						
Well location					(2) it.; (4) dry well						
			-				Distance from well	:	Directio from we	n ll:	
at owner's address			me	asured belo	in well: f	t.	Source description				
ONSTRUCTION	D 1 1 1	,	me		ve land surface			tential sourc	e of contami	nation	
Borehole interval:	Borehole dia			(mm/dd/y			PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromto ft.		in.			gpm						
fromto ft.			Water level was:ft. afterhours				DWR Application No.: KDHE / EPA Project Code:				
Casing height above land sur		in.			pumping	gpm					
If casing height is less that		NI-	Pump	installed?	Yes No				orm Complet		No
has a variance been approved?* Yes No *variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:							1		# of dewate		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		" of bores		# Of dewate	ing wens.	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY	NTERVALS					
Weight:lbs											
Wall thickness or gauge 1		I									
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:lbs											
Wall thickness or gauge 1	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.		501414	FNITC							
Grout material:			COMM	ENIS							
Screen / perforation material:											
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNERS	S CERTIFICATION	I				
Screen / perforation intervals	:		This v	vater well	was constructed	d reconstru	ucted	pursuant to	the stated v	vater well	
Fromft. to	_ft.		contra	actor's lice	ense and was com	npleted on		I certify that	at this recor	d is true	to
Slot size unit _			the be	est of my l	knowledge and be	elief. This water	well record	was comple	ted on		
From ft. to				-	ness name of			_			
Slot size unit _					Vell Contractor's						
Gravel pack intervals:									-	_	
Gravel pack not used:		in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:								
From ft. to											,
Gravel pack not used	Craval ciza	•	Send on	e copy to V	VATER WELL OW:	NEK and retain or	ne for your red	coras. Fee of §	5.00 for each	constructe	ed we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1740088
Well Owner	Miller Brothers Oil Company
Contractor	GSI Engineering, LLC

Lithology

From	То	Lithology Intervals
0	.25	topsoil
.25	2.5	gravel,fine,WELL GRADED GRAVEL - dry, no plasticity, loose consistency, light brown, no odor, no particulates
2.5	7.5	sand & gravel, fine to medium, POORLY GRADED SAND - backfill sand, poorly sorted fine to medium coarse grains and some large gravel, moist, loose consistency, tan/brown, no odor, no particulates, no plasticity
7.5	12.5	sand & gravel,fine to medium,except some odor now
12.5	15	sand & gravel, fine to medium, clayey, CLAYEY SAND - backfill sand, poorly sorted fine to medium coarse grains and some large gravel, moist, loose consistency, gray/tan, strong odor, no plasticity, no particulates
15	17.5	sand & gravel,fine to medium,clayey,except now clumpy and loose consistency now

Form	WWC5.2 - Water Well Record	
Doc ID	1740088	
Well Owner	Miller Brothers Oil Company	
Contractor	GSI Engineering, LLC	

Lithology

From	То	Lithology Intervals
17.5		clay-fat,FATTY CLAY - moist, high plasticity, solid consistency/large clumps, blue/green/brown, strong odor, no particulates

