Change in Well Use

WELL ID_

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

OCATION OF WATER V	VELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County									
WATER WELL OWNER		l	WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	IOITAI
Name									Source:				
Business			COME	PLETION					Distance		Directi	on	
Dusiness									from well:		from w	ell:	
Address						ll:encountered:		_ft.	Source descriptio	n:			
				(1) ft.; (2) ft.;					Source:				
Well location				ft.;					Distance		Directi	on ell:	
at owner's address	s			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source descriptio				
CONSTRUCTION				neasured al	• • •	d surface					ce of contan	nination	
Borehole interval:	Borehole dia	meter:	I .	n (mm/dd					within	100 feet.			
fromto ftin.			Estin	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoftin.						ft. after	hou	ırs	DWR Application No.:				
Casing height above land						pumping			KDHE / EPA Project Code:				
If casing height is les			Pump installed? Yes No					Site Name:					
has a variance been		s No							KDHE UIC Class V Form Completed: Yes No				
*variance not require	0		Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
or environmental re	emediation wells		Date	disinfecte	d (mm/c	ld/yy):			Lease Name & Well #:				
Casing type:			Aquifer, if known:					# of boreholes: # of dewatering wells:					
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LO		TUO: 06V I		_					
Casing joints:			FRO	M TO) LI	THOLOGY IN	IIEKVAL	-5					
Weight:	_												
Wall thickness or gar													
Blank casing interval:		п.											
Blank casing diameter:													
Casing joints:													
Weight:	_												
Wall thickness or ga	uge no.:												
Grout interval:													
Grout material:													
Grout interval:			COM	MENTS									
Grout material:			COM	VILIVIS									
Savaan / naufamatiant	orial.												
Screen / perforation mate				DACTOR"	C OD ! 4	NDOWNERS	CENTIF	CATION					
Screen / perforation ope Screen / perforation inter	perforation openings: CONTRACTOR'S OR LANDOWNERS CERTIFICATION This water well was constructed reconstructed reconstructed.								41	, ,			
From ft. to									-		the stated		
						nd was comp	•			•			
Slot size u						ledge and be							
Fromft. to			und	er the bus	siness n	ame of							,
Slot sizeu	nıt		Kan	sas Water	Well C	Contractor's I	License l	No	uı	nder the au	thority of t	he designa	ated
Gravel pack intervals:			pers	on as defi	ined in	K.A.R. 28-30	0-2(j) an	nd signe	d and certif	ied by the	electronic s	ignature o	f the
Gravel pack not used		in	1			its submitta	•			•		5	
From ft. to _						R WELL OWN					\$5.00 for ac =	h construct	nd ver
Gravel pack not used		in	Selia (те сору ю	, vvAIEF	KANSAS DE			•			ii consti ucti	a wel
From ft. to _	ft.			Burea	au of Wa	ter, Geology S						12-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1745512
Well Owner	Bramlage Properties
Contractor	Larsen And Associates

Lithology

From	То	Lithology Intervals
0	6	clay
6	16	clay,silty
16	21	clay
21	27	clay,silty
27	36	sand,fine
36	44	sand,coarse
44	55	sand,medium to coarse

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 January 9, 2024

RE: Monitor Well Elevation Survey 431 W. 18th St., Junction City, Kansas

Proj. 24-00A Bramlage Properties KDHE ID U5-031-15519

Bench Mark: Chisled Square on Northeast corner of storm inlet West of the Northwest corner of

property.

Elev: 1082.65		North 4258.02		West 55	2.68 (from	m SE Cor. Sec. 2-12-5E)
MW-1	rim	1082.72	North	4229.81	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1082.39	West	540.34	Lat= 39.04142	Long = 96.83711
MW-2	rim	1082.92	North	4232.40	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1082.57	West	414.98	Lat= 39.04142	Long = 96.83667
MW-3	rim	1082.38	North	4258.43	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1082.06	West	472.76	Lat= 39.04149	Long = 96.83687
MW-4	rim	1083.39	North	4131.65	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1083.15	West	539.67	Lat= 39.04115	Long = 96.83711
MW-5	rim	1082.98	North	4264.58	NE1/4,SW1/4	NE1/4,NE/14
	top pipe	1082.67	West	671.43	Lat= 39.04151	Long = 96.83757
MW-6	rim	1080.75	North	4246.98	NE1/4,SE1/4,l	NE1/4,NE/14
	top pipe	1080.42	West	193.41	Lat= 39.04147	Long = 96.83589
MW-7	rim	1083.02	North	4230.78	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1082.53	West	352.86	Lat= 39.04142	Long = 96.83645
MW-8	rim	1083.56	North	4165.84	NW1/4,SE1/4	NE1/4,NE/14
	top pipe	1083.19	West	356.17	Lat= 39.04124	Long = 96.83646

Elevation derived from NGS BM A 1, NAVD88.

Lat & Long derived from Junction City 7.5 Quad Map NAVD 29.

If you have any questions, please feel free to tall me. Thank you for the opportunity to be of service to you.

Dennis L Handke RLS

