KOLAR Document ID: 1618952

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Committed at Provider	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
<u> </u>	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II III Approved by: Date:								

KOLAR Document ID: 1618952

Page Two

Operator Name: _				Lease Name:		Well #:					
Sec Twp.	S. R.	Ea	ast West	County:							
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,			
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log			
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample			
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum			
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No								
		R			New Used	on, etc.					
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives			
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I					
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives						
Protect Casi											
Plug Off Zon											
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,			
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)					
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity			
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom			
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom			
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·						
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record			
TUBING RECORD:	Size:	Set /	At:	Packer At:							
. 5213 (1200) 10.	JIEG.			. 30.0.71							

Form	ACO1 - Well Completion
Operator	RH Capital-Beets, LLC
Well Name	BOWERS 6
Doc ID	1618952

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12	8.625	20	43	Portland	8	n/a
Production	7.785	4.5	11.6	1310	Thixo	146	n/a

Hurricane Services, Inc. 250 N. Water St., Suite #200 Wichita, KS 67202



Customer	RH Capital-beets		Lease & V	Well# Bowers	6				Date	11/	16/2021				
Service District	Garnett	27-26	-14	Job#		2.70									
Job Type	Longstring	✓ PROD	☐ INJ	SWE)	New Well?	✓ YES	☐ No	Ticket#	Е	P3306				
Equipment #	Driver		Job Safety Analysis - A Discussion of Hazards & Safety Procedures												
89	Casey Kennedy	✓ Hard hat		✓ Glov	/es		Lockout/Tag	gout	☐ Warning Sign	s & Flagging					
239	Garrett Scott	✓ H2S Monito	r	☑ Eye	Protection		Required Pe	ermits	☐ Fall Protectio	n					
248	Nick Beets	✓ Safety Foot	wear	Resp	oiratory Pro	tection	✓ Slip/Trip/Fa	ll Hazards	✓ Specific Job S	Sequence/Exp	ectations				
	Devin Katzer	✓ FRC/Protect	ive Clothing	Add	itional Che	mical/Acid PPE	Overhead H	azards	✓ Muster Point	Point/Medical Locations					
		✓ Hearing Pro	✓ Hearing Protection ✓ Fire Extinguisher ☐ Additional concerns o								10.10				
						Com	ments								
Product/ Service		No.													
Code		Des	cription			Unit of Measure	Quantity				Net Amount				
:015	Cement Pump Ser	vice				ea	1.00				\$1,350.00				
W010	Heavy Equipment	Mileage			-	mi	50.00				\$180.00				
NAME OF THE OWNER O															
W015	Light Equipment M	lileage				mi	50.00				\$90.00				
1000	Ton Mileago						404.50				* ***********************************				
M020	Ton Mileage					tm	401.50				\$542.03				
T010	Vacuum Truck - 80) bbl				hr	4.00				\$324.00				
	Tuosaani ilaani oo						4.00				4024.00				
CP060	H854 Thixo					sack	146.00				\$3,679.20				
CP125	Pheno Seal					lb	146.00				\$229.95				
CP170	Mud Flush					gal	500.00				\$450.00				
E115	4 1/2" Rubber Plug]				ea	1.00	-			\$67.50				
	-														
Cust	omer Section: On t	he following scale	how would yo	ou rate Hurricane	e Services I	nc.?				Net:	\$6,912.68				
No.							Total Taxable	\$ -	Tax Rate:	Not.	V 0,0 (2.00				
В	ased on this job, he	ow likely is it you	would recon	nmend HSI to a	colleague	?	Character and second to recover of the	and the second of the second o	ducts and services	Sale Tax:	\$ -				
								s relies on the	customer provided						
	Unlikely 1 2	3 4 5	6 7	8 9	10 Ext	remely Likely	well information a services and/or pr			Total	\$ 6,912.68				
										Total:	\$ 6,912.68				
							HSI Represe	entative:	Garrett Scot	t					
TERMS: Cash in adv	ance unless Hurricane	Services Inc. (HSI)	has approved of	redit prior to sale.	Credit terms	of sale for approved	accounts are total	I invoice due o	n or before the 30th	day from the d	ate of invoice. Past				

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

(CUSTOMER AUTHORIZATION SIGNATURE

ftv: 15-2021/01/25 mplv: 150-2021/05/24



CEMENT	TRE	ATMEN	T REP	ORT		A STATE			
	The second	RH Capi			Well:		Bowers 6	EP3306	
City,	State:	Jefferso	n City,	MO	County:		WO, KS	Date:	11/16/2021
Field	Rep:				S-T-R:		27-26-14	Service:	Longstring
							- 1.5-11-1		
Dowr	nhole I	nformatio	on		Calculated S	ulated Slurry - Tail			
Hole	Size:	6 3/4	in		Blend:				
Hole D	epth:	1327	ft		Weight:	ppg			
Casing	Size:	4 1/2	in		Water / Sx:	9.2	gal / sx	Water / Sx:	gal / sx
Casing E	epth:	1316.15	ft		Yield:	1.85	ft ³ / sx	Yield:	ft³ / sx
Tubing /	Liner:		in		Annular Bbls / Ft.:		bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
	epth:		ft		Depth:		ft	Depth:	ft
Tool / Pa	cker:				Annular Volume:	0.0	bbls	Annular Volume:	0 bbls
Tool E	epth:		ft		Excess:			Excess:	
Displace	ment:	20.5	bbls		Total Slurry:	48.1	bbls	Total Slurry:	0.0 bbls
			STAGE	TOTAL	Total Sacks:	146	sx	Total Sacks:	0 sx
TIME	RATE	PSI	BBLs	BBLs	REMARKS			J WOMEN ST	
2:00 PM					On location, held saft	ey meeting		A A CONTRACTOR OF THE CONTRACT	
				-					
	4.0				Established circulatio	n			
	4.0				Mixed and pumped 50	0 gal mud flu	sh		
	4.0			-	mixed and pumped 14	6 sks Thixo	cement with 1# Phenoseal	l per sk	
	4.0				flushed pump clean				
	4.0				pumped 4 1/2" rubber	plug to cash	ng TD with 20.46 bbls of fr	resh water, cement to surfa	ce
	1.0				pressured to 900 PSI,	well held pre	ssure	_	
					released pressure to	et the float s	hoe		
	4.0				washed up equipment	t			
3:30 PM					left location				
							V		
									-
							-		
	A. Transie								
		CREW			UNIT			SUMMAR	Y
Cen	nenter:	Case	y Kenned	dy	89		Average Rate	Average Pressure	Total Fluid
Pump Op	erator:	Garr	ett Scott		239		3.6 bpm	- psi	- bbls
	ulk #1:		Beets		248				
Bulk #2: Devin Katzer									

ftv: 15-2021/01/25 mplv: 150-2021/05/24



Mound City, KS 620.224.7406

		We	II #					Casing				
	RH	Capital	Beets,	LLC				Surface	1	Longstring		
		Bowe	rs #6				Size:	8 5/8 "	Size:	4 1/2 "		
							Tally:	42.7 '	Tally:	1316.5 '		
API #:	15-207	7-29823	S-T-R:	27-26S-14E			Cement:	8 sx	Bit:	6.75 "		
County:	Woods	son - KS	Date:	11/10/2021			Bit:	11 "	Date:	11/16/2021		
Тор	Base	Forma	ation			Тор	Base	Formation				
0	2	Soil				1020	1075	Lime				
2	6	Clay				1075	1240	Shale	Slight od	or at 1075		
6	10	Lime				1240	1249	Sandy shale				
10	217	Shale				1249	1271	Sand	Oil show	,		
217	221	Lime				1271	1327	Shale				
221	228	Shale										
228	283	Lime										
283	286	Shale										
286	342	Lime										
342	397	Shale										
397	408	Lime										
408	476	Shale										
476	512	Lime										
512	536	Shale										
536	558	Lime										
558	626	Shale										
626	636	Lime										
636	654	Shale										
654	665	Lime										
665	700	Shale										
700	707	Lime										
707	715	Shale										
715	724	Shale										
724	739	Lime						2 1/2 5				
739	828	Shale				0 "4		Sand / Core Do				
828	832	Lime				Core #1:		Core #2:				
832	822	Shale				Core #3:	1246	Core #4:		all blas d		
854	858	Lime				1242	1246	Sandy shale, strong	_			
858	882	Shale				1246	1250	Strong odor, good b	-			
882 872	872 930	Lime Shale				1250 1254	1254 1258	Good sand, good b				
930	944	Lime				1254	1271	Good sand, good b Laminated sand wi				
944	959	Shale				1236	12/1	Lammateu Sand Wi	ui Siidie, (Jaor, no bieea		
959	960	Lime										
960	963	Shale										
963	980	Lime										
980	1020	Shale										
300	1020	Juaic		Total Dantle	1	227	1					
				Total Depth:	1.	327						