Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WELL OWNER				WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMII	NATION	
Name											Source:				
Business			COM	PLETION					Distance		Directi				
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	from well: from well: Source description:							
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well					Distance	:	Directi	on rell:				
at owner's address				Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:					
CONSTRU	CTION	ı						nd surface				tential sourc	e of contan	nination	
Borehole	interv	al:	Borehole dia	meter:	С	n (mm/dd	/yy):				within 100 feet.				
fromtoftin. fromtoftin.				Estimated yield: gpm Water level was: ft. after hours				urs	PERMIT & ID NUMBERS (AS REQUIRED) DWR Application No.:						
Casing he	ight a	ove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
		ght is less tha ce been appr		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
			or monitoring					? Yes No			County Permit: Yes No Permit ID:				
Casing ty		nentai remed	diation wells		Date	disinfecte	d (mm/	/dd/yy):			Lease Name & Well #:				
		erval:	ft. to	ft.	Aquifer, if known:					# of boreholes: # of dewatering wells:					
		meter:			LITHO	DLOGIC LO	OG								
					FRC			ITHOLOGY II	NTERVA	LS					
Weigh	-	lbs													
			no.:												
			ft. to												
	-	meter:													
Casin	g joint	s:													
Weigh		lbs													
Wall t	hickn	ess or gauge	no.:												
		ft. to													
		rial:													
Grout interval: ft. toft. Grout material:				СОМ	MENTS										
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
Screen / perforation intervals:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
Screen / perforation intervals:				This water well was constructed reconstructed pursuant to the stated water well											
Fromft. toft.					contractor's license and was completed on I certify that this record is true to										
Slot size unit					the best of my knowledge and belief. This water well record was completed on										
From ft. to ft.				under the business name of,											
Slot size unit				Kansas Water Well Contractor's License No under the authority of the designated						ated					
Gravel pack intervals:				pers	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						of the				
Gravel pack not used: Gravel sizein				^	designated person at its submittal:										
							ed well								
Graver pack not used.				ocna	KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft. to ft.						Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									

Form	WWC5.2 - Water Well Record
Doc ID	1743892
Well Owner	Raymond Dillard
Contractor	Jonagan Water Well Service LLC

Lithology

From	То	Lithology Intervals
0	12	sand,fine
12	22	sand & gravel,fine to medium,loose
22	27	clay,sandy,brown
27	30	other,rock
30	42	clay,sandy,brown
42	52	sand & gravel, fine to medium, loose
52	74	clay,sandy,brown
74	78	other,rock
78	82	clay,sandy,brown
82	86	other,rock
86	97	sand & gravel,fine to medium,loose
97	100	other,rock
100	103	sand & gravel,fine to medium,loose
103	121	other,rock
121	128	sand & gravel,fine to medium,loose
128	133	other,rock hard
133	152	clay,sandy,brown
152	167	sand & gravel,fine to medium,loose
167	180	clay,sandy,brown
180	181	other,rock

Form	WWC5.2 - Water Well Record
Doc ID	1743892
Well Owner	Raymond Dillard
Contractor	Jonagan Water Well Service LLC

Lithology

From	То	Lithology Intervals
181	186	clay,sandy,brown
186	187	other,rock
187	191	clay,sandy,brown
191	192	other,rock
192	196	clay,sandy,brown
196	198	sand & gravel, fine to medium, loose
198	200	other,rock
200	210	sand & gravel,fine to medium,loose
210	216	other,rock
216	218	sand & gravel,fine to medium,loose
218	220	other,rock
220	240	sand & gravel,fine to medium,loose
240	242	clay,sandy,brown
242	245	clay,brown