WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address			measured below land surface on (mm/dd/yy):				description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No					KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	1
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1744755
Well Owner	Wondering Oaks LLC
Contractor	Weninger Drilling, LLC

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	4	clay,brown
4	12	clay,white
12	20	clay,tan,GYP
20	28	clay,tan
28	29	sandstone,moderately weathered
29	32	shale,moderately weathered,tan,sandstone
32	36	sandstone,broken
36	52	shale,moderately weathered,tan,soft
52	54	shale,moderately weathered,gray,hard
54	64	shale,moderately weathered,gray,soft
64	67	shale,broken,tan
67	73	shale,moderately weathered,gray,limestone layers
73	75	limestone,moderately weathered
75	77	shale,moderately weathered,black,limestone
77	85	limestone,moderately weathered,gyp
85	87	shale,moderately weathered,gray,hard

Form	WWC5.2 - Water Well Record		
Doc ID	1744755		
Well Owner	Wondering Oaks LLC		
Contractor	Weninger Drilling, LLC		

## Lithology

From	То	Lithology Intervals
87	95	limestone,slightly weathered,gray shale
95	104	shale,moderately weathered,gray,limestone
104	112	shale,moderately weathered,reddish,brown,lim estone
112	120	shale,moderately weathered,black,limestone