WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	'ELL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County			vv				
WATER WELL OWNER				NATER USE			NFAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name					<u>-</u>						
							Distance		Direction		
Business			COMPI	LETION			from well	l:	from wel	ll:	
Address			Depth	of complet	ted well:	ft.	Source				
11441000			-	-	water encountered	:	description	on:			
			(1)	ft.;	(2) ft.;		Source:				
Well location			(3)	ft.; (	(4) dry well				Direction from wel	n U	
.4			Static	water level	in well:	ft.		l:	from we	.l:	
at owner's address			measured below land surface				Source description	on:			
CONSTRUCTION				(mm/dd/y			No no	tential sour	ce of contami	nation	
	Danah ala dia	.m. ot om			ve land surface			100 feet.	ce of contains	nation	
	Borehole interval: Borehole diameter:			on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.		in.		-	gpm		Ditte :	1			
fromto ft.		in.	Water	level was: _	ft. after		_	-	.:		
Casing height above land	surface:	in.	pumping gpm			KDHE / EPA Project Code:					
If casing height is less			Pump	installed?	Yes No						
has a variance been a		s No	Water	well disinfe	ected? Yes N				orm Complet		
*variance not required for monitoring or environmental remediation wells									No Permi		
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #: # of boreholes: # of dewatering wells:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	::		# of borel	noles:	# of dewater	ing wells:	
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY	NTERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Grout interval:ft	t to ft										
Grout material:										-	
Grout interval: ft											
Grout material:			COMM	ENTS							
Grout material.											
Screen / perforation mater	rial:										
Screen / perforation open			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation interv					was constructe			nurcuant to	the stated w	rator wall	
Fromft. to							•	-			
Slot size un					ense and was con	•		•			
From ft. to				•	knowledge and b			•			
Slot size un					ness name of						
Gravel pack intervals:			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	e designa	ated
-	Graval size	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the	electronic sig	gnature o	f the
Gravel pack not used: From ft. to		in	-		son at its submitt	-			·		
		.			VATER WELL OW	<u> </u>	ne for vour rea	cords. Fee of	\$5.00 for each	construct:	ed well
Gravel pack not used:		in	23114 01			EPARTMENT OF	•				
From ft. to	π.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1744581
Well Owner	BLUE BOTTOM LLC
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
0	3	topsoil,brown,soft
3	9	clay,brown,soft
9	15	clay,sandy,white,soft
15	38	clay,sandy,tan,soft
38	56	clay,sandy,brown,firm
56	59	clay,sandy,white,soft
59	73	sand,fine to coarse,firm
73	95	clay,sandy,brown,soft
95	123	clay,brown
123	138	sand & gravel,fine to coarse,firm
138	156	clay,sandy,tan,soft
156	175	sand & gravel,fine to coarse,firm
175	181	clay,sandy,soft
181	202	sand,fine to coarse,firm
202	207	clay,brown,soft
207	210	sand,fine to medium,firm
210	216	clay,brown
216	229	clay,blue
229	239	clay,fine to medium,sandy,brown,firm
239	260	sand,fine to coarse,firm
260	265	clay,green,soft
265	294	sand,fine to medium,soft

Form	WWC5.2 - Water Well Record
Doc ID	1744581
Well Owner	BLUE BOTTOM LLC
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
294	310	clay,brown,soft
310	356	sand,fine to coarse,firm
356	367	sand,fine to coarse,white,hard
367	375	sand,fine to coarse,firm
375	379	sand,fine to coarse,brown,hard
379	398	sand,fine to coarse,firm
398	401	clay,sandy,white
401	408	clay,sandy,white,stiff
408	416	clay,green,soft
416	447	sandstone,unknown,greenish, orange,soft
447	452	shale,unknown,blue,soft