WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No	200 200				KDHE UIC Class V Form Completed: Yes No			
*variance not required for monitoring					ected? Yes N		County Permit: Yes	No Permit	i ID:	
or environmental reme Casing type:	diation wells		Date d	isinfected (mm/dd/yy):		Lease Name & Well #: _			
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	.
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as define	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1744535
Well Owner	RONNIE & JACQUELINE GIBSON
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals	
0	3	topsoil,brown,soft	
3	13	clay,brown,soft	
13	27	clay,sandy,white,soft	
27	45	clay,fine,sandy,brown,soft	
45	50	clay,sandy,brown,soft	
50	57	sand,fine,soft	
57	75	clay,sandy,tan,soft	
75	87	sand,fine,soft	
87	103	clay,fine,sandy,tan,soft	
103	115	sand,fine to coarse,firm	
115	121	sand & gravel,fine to medium,stiff	
121	135	sand,fine to coarse,firm	
135	141	clay,brown,soft	
141	155	sand,fine to coarse,firm	
155	176	clay,sandy,brown,soft	
176	204	sand,fine to coarse,firm	
204	218	clay,silty,brown,soft	
218	295	sand & gravel,fine to coarse,firm	
295	300	clay,gray,soft	
300	313	sand,fine to coarse,firm	
313	332	clay,blue,soft	
332	335	sandstone,unknown,brown,ha rd	

Form	WWC5.2 - Water Well Record
Doc ID	1744535
Well Owner	RONNIE & JACQUELINE GIBSON
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
335	355	sand,fine to medium,soft
355	362	clay,brown,soft
362	425	sand,fine to coarse,firm
425	430	clay,sandy,tan,firm
430	441	sand,fine to coarse,firm
441	468	clay,sandy,tan,soft
468	485	clay,fine,sandy,tan,soft
485	510	clay,gray,soft