KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER WELL						Original Reco	rd Correction	Change	in Wel ؛	l Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation			County						
WATER WELL OWNER			WELL	WATER USI	 E		NEAREST SOURCE OF	POTENTIAL CO	ONTAMIN	IATION
Name							Source:			
			COMP	LETION			Distance	Direction		
Business				LETION			from well:	from well	:	
Address					ted well: water encountered:		Source description:			
			-	-	(2) ft.;					
Well location			(3) ft.; (4) dry well			Source: Distance Direction				
			Static	water level	in well:	ît.	from well: from well:			
at owner's address			m	easured belo	ow land surface		Source description:			
CONSTRUCTION			m		ve land surface		No potential source within 100 feet.	ce of contamir	ation	
Borehole interval:	Borehole dia	meter:	or	n (mm/dd/y	y):		PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.		in.	Estim	nated yield:	gpm gpm		FERMIT & ID NOMBE	N3 (A3 NEQUII	<u></u>	
fromto ft.		in.	Water	r level was:	ft. after	hours	DWR Application No.:			
Casing height above land sur	face:	in.			pumping	gpm	KDHE / EPA Project Code:			
If casing height is less tha			Pump	installed?	Yes No		Site Name:			
has a variance been appro		s No				KDHE UIC Class V Form Completed: Yes No				
*variance not required for			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remed	iation wells		Date disinfected (mm/dd/yy):			Lease Name & Well #	:			
Casing type:Blank casing interval:	ft to		Aquif	fer, if known	1:		# of boreholes:	# of dewater	ng wells:	
Blank casing diameter:		1		LOGIC LOG						
Casing joints:			FRO		LITHOLOGY	NTERVALS				
Weight: lbs/			110		Limbedii	MILITALS				
Wall thickness or gauge n										
Blank casing interval:										
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge n										
		_								
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to			COMM	MENTS						
Grout material:				LICITIO						
Screen / perforation material:										
Screen / perforation opening	s:		CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	1			
Screen / perforation intervals:			This	water well	was constructe	d reconstru	ucted pursuant to	the stated wa	ater well	
Fromft. to			conti	ractor's lice	ense and was con	npleted on	I certify th	at this record	is true t	io.
Slot size unit _			the b	est of my l	knowledge and b	elief. This water	well record was comple	eted on		
From ft. to	ft.			-	_		1			
Slot size unit _							under the au			, ited
Gravel pack intervals:								•	_	
Gravel pack not used:	Gravel size _	in	-				ed and certified by the	eiectronic sig	nature of	ı tne
From ft. to	_ ft.				son at its submitt		·			
Gravel pack not used:	Gravel size	in	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of	\$5.00 for each o	onstructe	d well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1741850
Well Owner	RICHARD WEDEL
Contractor	Downey Drilling, Inc. #748

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	357	16	Welded	.250
557	587	16	Welded	.250
707	718	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1741850
Well Owner	RICHARD WEDEL
Contractor	Downey Drilling, Inc. #748

Lithology

Littiology		
From	То	Lithology Intervals
0	3	topsoil,brown,soft
3	12	clay,sandy,brown,soft
12	27	clay,silty,brown,soft
27	51	clay,brown,soft
51	52	sand,fine to medium,brown,stiff
52	65	clay,sandy,brown,soft
65	68	sand,fine to medium,soft
68	75	clay,sandy,brown,soft
75	90	sand,fine to medium,firm
90	96	clay,sandy,brown,soft
96	114	clay,sandy,brown,soft
114	125	sand,fine to coarse,firm
125	159	gravel,fine to medium,stiff
159	191	gravel,fine to medium,white,stiff
191	207	clay,brown
207	451	sand,fine to medium,firm
451	471	clay,fine to medium,brown,soft
471	475	sand,fine,white,stiff
475	491	clay,sandy,white,soft
491	510	sand,fine,soft
510	521	sand,fine to coarse,white,firm
521	555	clay,silty,brown,soft
	•	•

Form	WWC5.2 - Water Well Record
Doc ID	1741850
Well Owner	RICHARD WEDEL
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
555	635	shale,unknown,blue,soft
635	661	sandstone,unknown,gray,hard
661	685	shale,unknown,blue,soft
685	698	sandstone,unknown,sandy,wh ite,hard
698	702	clay,green,stiff
702	718	other,unknown,red,hard,RED BED

Form	WWC5.2 - Water Well Record
Doc ID	1741850
Well Owner	RICHARD WEDEL
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size		Gravel Pack Used	Gravel Pack From		Gravel Size
357	457	.08	inches	Yes	20	718	#1
457	497	.1	inches	No			
497	517	.08	inches	No			
517	557	.06	inches	No			
587	627	.06	inches	No			
627	707	.05	inches	No			