WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER W	'ELL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County			vv				
WATER WELL OWNER				NATER USE			NFAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name					<u>-</u>						
							Distance		Direction		
Business			COMPI	LETION			from well	l:	from wel	ll:	
Address			Depth	of complet	ted well:	ft.	Source				
11441000			-	-	water encountered	:	description	on:			
			(1)	ft.;	(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well				Direction from wel	n U	
.4			Static	water level	in well:	ft.		l:	from we	.l:	
at owner's address			measured below land surface				Source description	on:			
CONSTRUCTION				(mm/dd/y			No no	tential sour	ce of contami	nation	
	Danah ala dia	.m. ot om			ve land surface			100 feet.	ce of contains	nation	
	Borehole interval: Borehole diameter:			on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.		in.		-	gpm		Ditte :	1			
fromto ft.		in.	Water	level was:	ft. after		_	-	.:		
Casing height above land	surface:	in.	pumping gpm			KDHE / EPA Project Code:					
If casing height is less			Pump	installed?	Yes No						
has a variance been approved?* Yes No			Water	well disinfe	ected? Yes N				orm Complet		
*variance not required for monitoring or environmental remediation wells									No Permi		
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #: # of dewatering wells:					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	::		# of borel	noles:	# of dewater	ing wells:	
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY	NTERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_lbs/ft.										
Wall thickness or gau	ge no.:										
Grout interval:ft	t to ft										
Grout material:										-	
Grout interval: ft											
Grout material:			COMM	ENTS							
Grout material.											
Screen / perforation mater	rial:										
Screen / perforation open			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation interv					was constructe			nurcuant to	the stated w	rator wall	
Fromft. to							•	-			
Slot size un					ense and was con	•		•			
From ft. to				•	knowledge and b			•			
Slot size un					ness name of						
Gravel pack intervals:			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	e designa	ated
-	Graval size	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the	electronic sig	gnature o	f the
Gravel pack not used: From ft. to		in	-		son at its submitt	-			·		
		.			VATER WELL OW	<u> </u>	ne for vour rea	cords. Fee of	\$5.00 for each	construct:	ed well
Gravel pack not used:		in	23114 01			EPARTMENT OF	•				
From ft. to	π.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1736721
Well Owner	STEWART & A ROCHEL STABEL
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	11	clay,brown,soft
11	16	clay,white,soft
16	24	clay,sandy,white,soft
24	40	sand & gravel,fine to coarse,stiff
40	53	clay,sandy,tan,soft
53	72	sand,fine to coarse,firm
72	94	sand,fine,sandy,tan,soft
94	113	sand,fine to medium,firm
113	143	clay,sandy,tan,soft
143	172	sand,fine to medium,firm
172	187	clay,brown
187	211	sand,fine to coarse,firm
211	217	clay,brown
217	224	clay,sandy,soft
224	289	sand,fine to coarse,white,firm
289	297	sandstone,unknown,white,har d
297	300	other,unknown,brown,very hard,BR ROCK
300	317	sandstone,unknown,gray,hard
317	318	sandstone,unknown,gray
318	321	shale,unknown,blue,soft
321	341	sandstone,unknown,gray,soft

Form	WWC5.2 - Water Well Record
Doc ID	1736721
Well Owner	STEWART & A ROCHEL STABEL
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
341	347	shale,unknown,gray,soft