## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>NATER WELL REC</b>	ORD (W	NC-5)				KOLAR D	OC ID	WELL ID_		
OCATION OF WATER WELI	L				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty						
ATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
Susiness			COMPLE	TION			Distance	Direction	 n	
Justificas						_	from well:	_ from wel	l:	
Address					ed well:	ft.	Source			
			1 .		water encountered:		description:			
Vell location					(2) ft.;		Source:			
ven location					(4) dry well		Distance from well:	Direction from wel	a ll:	
at owner's					in well: ft.		Source			
address			I	sured belo mm/dd/y	ow land surface		description:			
DNSTRUCTION					ve land surface		No potential source	e of contami	nation	
Borehole interval:	Borehole dia	neter:		mm/dd/y			within 100 feet.			
romto ft.		in.	Estimat	ed vield:	gpm		PERMIT & ID NUMBER	S (AS REQUI	RED)	
romto ft.					ft. after	hours	DWR Application No.:	:		
			vvater iv		pumping		KDHE / EPA Project C			
Casing height above land sur		in.	Pump i		Yes No	_ 87***	Site Name:			
If casing height is less that has a variance been appr		No	Tump I		105 100		KDHE UIC Class V Fo			No
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
or environmental remed	diation wells		Date di	sinfected (	mm/dd/yy):		Lease Name & Well #:			
Casing type:			Aquifor	, if known			# of boreholes:			
Blank casing interval:		ft.								
Blank casing diameter:				OGIC LOG		D) (A) C				
Casing joints: lbs			FROM	то	LITHOLOGY INTE	KVALS				
Weight:lbs Wall thickness or gauge										
Blank casing interval:										
slank casing diameter:										
Casing joints:										
• •	s/ft.									
Wall thickness or gauge										
Grout material: ft. to										
Grout material:  Grout interval: ft. to										
Grout material:			СОММЕ	NTS						
Grout material.										
creen / perforation material										
creen / perforation opening			CONTRA	ACTOR'S (	OR LANDOWNERS CE	RTIFICATION				
creen / perforation intervals					was constructed	reconstru		the stated w	rater well	
Fromft. to							•			
Slot size unit					_		I certify the			
From ft. to				=	-		well record was comple			
Slot size unit _										
Gravel pack intervals:							under the aut	-	_	
Gravel pack not used:	Gravel size	in	person	as defin	ed in K.A.R. 28-30-2	(j) and signe	d and certified by the e	lectronic się	gnature o	f the
From ft. to			design	ated pers	on at its submittal:_		·			_
Gravel pack not used:		in	Send one	copy to V	VATER WELL OWNER	and retain one	e for your records. Fee of \$	5.00 for each	constructe	ed well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1736607
Well Owner	JAMES & MARY MOYER
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
0	2	topsoil,tan,soft
2	7	sand,fine,soft
7	12	clay,silty,brown,soft
12	16	sand,fine to coarse,firm
16	40	clay,brown,soft
40	79	clay,brown,soft
79	123	clay,fine to medium,sandy,brown,firm
123	131	clay,brown
131	166	clay,blue,soft
166	179	clay,brown
179	188	clay,fine to medium,sandy,brown,firm
188	196	gravel,fine to medium,stiff
196	200	gravel,coarse,hard
200	205	sand,fine to coarse,white,firm
205	224	sand,fine to coarse,clayey,brown,firm
224	232	sand & gravel,fine to coarse,firm
232	254	clay,sandy,tan,firm
254	266	clay,brown
266	271	clay,fine,sandy,tan,soft
271	283	clay,brown
283	294	sand,fine,clayey,tan,soft

Form	WWC5.2 - Water Well Record		
Doc ID	1736607		
Well Owner	JAMES & MARY MOYER		
Contractor	Downey Drilling, Inc. #748		

## Lithology

From	То	Lithology Intervals
294	316	clay,fine,sandy,brown,soft
316	358	sandstone,unknown,brown,ha rd
358	364	clay,grayish,soft
364	415	shale,unknown,blue,soft
415	430	sandstone,unknown,gray,hard
430	438	shale,unknown,blue,soft
438	453	sandstone,unknown,gray,hard
453	470	shale,unknown,blue,soft
470	550	sandstone,unknown,white,har d
550	578	sandstone,unknown,sandy,tan ,hard