| For KCC    | Use:   |
|------------|--------|
| Effective  | Date:  |
| District # |        |
| SGA?       | Yes No |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| OPERATOR: License#   Sec. Twp   S. R     Address 1:   Sec. Twp   S | Expected Spud Date:  | month day yea   | Spot Description:  |
|--|--|---|--|
| Is SECTION: Regular Irregular?   Interest Inte   | DPERATOR: License#   | ,   | Sec Twp S. R   E     E     S. Line of Section   N /   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. L |
| County:   State   Zip:   +     County:     County:   Lease Name:   Well #:   Field Name:   Lease Name:   Well #:   Field Name:   Is this a Prorated / Spaced Field?   Yes Target Formation(s):   Name   Target Formati   | lame:  |   |  |
| County:  | Address 1:   |   | Is SECTION: Regular Irregular?   |
| County Ontact Person: hone:    County   County   County  |  |   | (Note. Locate well on the Section Flat on reverse side)  |
| Contractors: License#  | •  | ·   | County:  |
| Section   Sect   |  |   | Lease Name: vveil #: vveil #:  |
| ### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   Yes   Other   Other: ### Surface Pipe Planned to be set:   Depth to bottom of tresh water:   Depth to bottom of usable water water.   Depth to bottom of usable | none.  |   | Field Name:  |
| Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary line (in footage):   Seismic :   Infield   Mud Rotary   Water well within one-quarter mile:   Yet   Yet   Seismic :   # of Holes   Other    |  |   | Is this a Prorated / Spaced Field?   |
| Oil   Enh Rec  | ame:   |   | Target Formation(s):   |
| Gals   Storage   Pool Ext.   Air Yotary   Water well within one-quarter mile:   Yet   Yet   Gals   Gals   Storage   Pool Ext.   Air Yotary   Public water supply well within one mile:   Yet   Yet   Gals   Gals   Wildcat   Gable   Public water supply well within one mile:   Yet   Yet   Gals   Gals   Yet   Gals   Gals   Yet   Gals   | Well Drilled For:  | Well Class: Type Equipme  | 71G  |
| Gas   Slorage   Pool Ext.   Air Rotary   Public water supply well within one mile:   Yes   Depth to bottom of fresh water:   Depth to bottom of susable water:   Depth to bottom of usable water to bottom of the port of pulling the posted on each drilling operation.   Depth to bottom of the port of pulling the posted on each drilling the po   | Oil Enh Re   | ec Infield Mud Rot  | Ground Surface Elevation:feet M  |
| Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Depth service of the property of the period    | Gas Storage  |   | Water well within one-quarter mile:  |
| Depth to bottom of usable water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   Notify the paper of the properties district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   A repropriate district office of intent to drill shall be posted on each drilling rig;   The appropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be noti   | Dispos   | al Wildcat Cable  |  |
| Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou | Seismic ; # of   | Holes Other   | Depth to bottom of fresh water:  |
| Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth:  Formation at Total Depth:  Solution Hole Location:  CC DKT #:  No Will Cores be taken?  If Yes, proposed zone:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approval notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill;                | Other:   |   | Depth to bottom of usable water:   |
| Operator:  Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #:  Water Source for Drilling Operations: Water Source for Drilling Ope | It OMMO, ald wall in   | oformation on follows:  |  |
| Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestical depth: Interes | If OvvvvO: old well in   | normation as follows:   | Length of Surface Pipe Planned to be set:  |
| Original Completion Date:Original Total Depth:   | Operator:  |   |  |
| Water Source for Drilling Operations:  Water Source for Drill operations:  Water Source for Drill operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Date Form Accentually Operations:  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  If Yes, proposed zone:  Water Source for Drill Will Dwater Drill with Dwater Drill operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  (Note: Apply for Permit with DWR   )  Will Cares be taken?  (Note: Apply for Permit with Dwater Drill op |  |   |  |
| rectional, Deviated or Horizontal wellbore?  Yes, true vertical depth:  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  | Original Completion Date   | e: Original Total Depth: _  |  |
| DWR Permit #:    DWR Permit #:   DWR Permit #:   (Note: Apply for Permit with DWR   )   Will Cores be taken?     Yes     If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:               If Yes, proposed zone:                 If Yes, proposed zone:                   If Yes, proposed zone:  |  |   |  |
| ottom Hole Location:  CC DKT #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  he undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:   |  |   |  |
| AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:  |  |   | DWK Femili #   |
| If Yes, proposed zone:  AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:  |  |   | (Note: Apply for Fernit With DVIN  |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:   |  |   | Will Cores be taken?   |
| is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Certification (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:  |  |   |  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol>   | he undersigned hereby a  | ffirms that the drilling, completion and  | eventual plugging of this well will comply with K.S.A. 55 et. seq.   |
| <ul> <li>2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> <li>District Office prior to any cementing.</li> <li>Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:</li> </ul>   | is agreed that the following   | ng minimum requirements will be met   |  |
| Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:  | <ol> <li>A copy of the approvations.</li> <li>The minimum amounthrough all unconsol</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appe</li> </ol> | ved notice of intent to drill shall be po<br>nt of surface pipe as specified below<br>lidated materials plus a minimum of 20<br>e, an agreement between the operator<br>crict office will be notified before well is<br>COMPLETION, production pipe shall<br>endix "B" - Eastern Kansas surface cas | sted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set  feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| Inis authorization expires:  | ıbmitted Electron  | ically  | Remember to:   |
| (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.  | API # 15<br>Conductor pipe required<br>Minimum surface pipe requ<br>Approved by:   | feetfeet per ALT.   | - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
|  | API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:  | feet uiredfeet per ALT.   | Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| Spud date: Agent: please check the box below and return to the address below.  | API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:  | feet uiredfeet per ALT.   | Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |
|------------------|
| API # 15         |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section feet from E / W Line of Section                                      |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | SecTwpS. R 🔲 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

620 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |                                      | License Number:  |  |
|---|------------------------|--------------------------------------|--|--|
| Operator Address:   |                        |                                      |  |  |
| Contact Person:   |                        |                                      | Phone Number:  |  |
| Lease Name & Well No.:  |                        |                                      | Pit Location (QQQQ):   |  |
| Type of Pit:  | of Pit: Pit is:        |                                      |  |  |
| Emergency Pit Burn Pit Proposed   |                        | Existing                             | SecTwp R East West   |  |
| Settling Pit Drilling Pit   | If Existing, date cor  | nstructed:                           | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:          |                                      | Feet from East / West Line of Section  |  |
|   | -                      | (bbls)                               | County   |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I             | No                                   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |
| Is the bottom below ground level?  Yes No   |                        |                                      | How is the pit lined if a plastic liner is not used?                           |  |
| Pit dimensions (all but working pits):  | Length (fee            | et)                                  | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to dee | pest point:                          | (feet) No Pit  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei                   |                                      | dures for periodic maintenance and determining cluding any special monitoring. |  |
| Distance to nearest water well within one-mile of pit:  |                        | Depth to shallor<br>Source of inforr | west fresh water feet.   |  |
| feet Depth of water wellfeet  |                        | measured                             | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Worko                      | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |                        | Type of materia                      | l utilized in drilling/workover:   |  |
| Number of producing wells on lease:   |                        | Number of work                       | ring pits to be utilized:  |  |
| Barrels of fluid produced daily:  |                        | Abandonment p                        | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No            |                        | Drill pits must b                    | e closed within 365 days of spud date.   |  |
|   |                        |                                      |  |  |
| Submitted Electronically  |                        |                                      |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |                                      |  |  |
| Date Received: Permit Numl  | ber:                   | Permi                                |  |  |

### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca  | thodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |
|---|--|--|--|
| OPERATOR: License #   | Well Location:   |  |  |
| Name:   | SecTwpS. R East West   |  |  |
| Address 1:  | County:  |  |  |
| Address 2:  | Lease Name: Well #:  |  |  |
| City:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |  |
| Contact Person:   | the lease below:   |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |
| Email Address:  |  |  |  |
| Surface Owner Information:  |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional   |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.   |  |  |
| City:   |  |  |  |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic the KCC with a plat showing the predicted locations of lease roads, tank is are preliminary non-binding estimates. The locations may be entered on a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filling C-1 or Form CB-1, the plat(s) required by this form; and 3) my or I have not provided this information to the surface owner(s). I at the KCC will be required to good this information to the surface owner(s). | Datteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have in which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form perator name, address, phone number, fax, and email address. |  |  |
| the KCC will be required to send this information to the surface this task, I acknowledge that I must provide the name and address and that I am being charged a \$30.00 handling fee, payable to the lf choosing the second option, submit payment of the \$30.00 handling fee form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1   | less of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.  The with this form. If the fee is not received with this form, the KSONA-1   |  |  |
| Submitted Electronically  | will be returned.  |  |  |



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

| <b>82-3-607.</b> (a) | <b>DISPOSAL OF DIKE AND PIT CONTENTS.</b> Each operator shall perform one of the following when disposing of dike or pit  |
|----------------------|---|
| (a)                  | contents:   |
| (1)                  | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;  |
| (2)                  | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or                   |
| (3)                  | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);          |
|                      | <ul> <li>(B) removal and placement of the contents in an on-site disposal area<br/>approved by the commission;</li> </ul>   |
|                      | (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or |
|                      | (D) removal of the contents to a permitted off-site disposal area approved by the department.   |
| (b)                  | Each violation of this regulation shall be punishable by the following:   |
| `´(1)                | A \$1,000 penalty for the first violation;  |
| (2)                  | a \$2,500 penalty for the second violation; and   |
| (3)                  | a \$5,000 penalty and an operator license review for the third violation.   |
| documents to th      | Application in KOLAR. Review the information below and attach all required e pit application when submitting through KOLAR. This form will nerate and fill in from questions asked in KOLAR.  |
| Haul-off pit will be | located in an on-site disposal area:YesNo   |
| YesNo If             | ted in an off-site disposal area on acreage owned by the same landowner: f yes, written permission from the land owner must be obtained. Attach written l-off pit application.  |
| Haul-off pit is loca | ted in an off-site disposal area on another <b>producing</b> lease or unit operated by  |

the same operator: \_\_\_Yes \_\_\_No If yes, written permission from the land owner must be

haul-off pit is to be located, to the haul-off pit application.

obtained. Attach permission and a copy of the lease assignment that covers the acreage where the

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

February 06, 2024

Wes Moots Colt Energy Inc PO BOX 388 IOLA, KS 66749-0388

Re: Drilling Pit Application Latta 22 SE/4 Sec.04-24S-18E Allen County, Kansas

Dear Wes Moots:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.