WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

| LOCATION OF WATER WEL | .L | | | | | Original Reco | rd Correction | Change | in Wel ؛ | ll Use |
|---------------------------------------|---------------|--------|--------|--------------------------|--------------------------|-------------------|--------------------------------|---------------------|------------|----------|
| Latitude | Longitude | | | Section | Township | Range | E W Fraction | 1/4 | 1/4 | 1/4 |
| Datum | Elevation | | (| County | 1 | | ** | | | |
| WATER WELL OWNER | | | WELL V | VATER USE | • | | NEAREST SOURCE OF PO | OTENTIAL CO | ONTAMIN | NATION |
| Name | | | | | | | Source: | | | |
| Business | | | COMPL | FTION | | | Distance from well: | | 1 | |
| Dubiness | | | | | 1 11 | | from well: | from well | : | |
| Address | | | | | ed well: | | Source description: | | | |
| | | | 1 - | | water encountered | : | - | | | |
| Well location | | | | | (2) ft.; (4) dry well | | Source: | | | |
| 77611100411011 | | | | | | | Distance from well: | Direction from well | l: | |
| at owner's | | | | | in well: | ft. | Source | | | |
| address | | | | asured belo (mm/dd/yy | ow land surface | | description: | | | |
| CONSTRUCTION | | | | | ve land surface | | No potential source | of contamir | ation | |
| Borehole interval: | Borehole dia | meter: | | (mm/dd/yy | | | within 100 feet. | | | |
| fromto ft. | | in. | Estima | ited vield: | gpm | | PERMIT & ID NUMBERS | (AS REQUI | RED) | |
| fromto ft. | | | I | - | ft. after | hours | DWR Application No.: | | | |
| Casing height above land su | | | | _ | pumping | | KDHE / EPA Project Co | ode: | | |
| If casing height is less th | | | Pump | installed? | Yes No | | Site Name: | | | |
| has a variance been app | | s No | | | | | KDHE UIC Class V For | m Complete | d: Yes | No |
| *variance not required for monitoring | | | | | ected? Yes N | | County Permit: Yes | No Permit | i ID: | |
| or environmental reme Casing type: | diation wells | | Date d | isinfected (| mm/dd/yy): | | Lease Name & Well #: _ | | | |
| Blank casing interval: | ft. to | ft | Aquife | r, if known | : | | # of boreholes: | # of dewateri | ing wells: | |
| Blank casing diameter: | | | LITHOL | OGIC LOG | | | | | | |
| Casing joints: | | | FROM | то то | LITHOLOGY | INTERVALS | | | | |
| Weight: lb | | | | | | | | | | |
| Wall thickness or gauge | no.: | | | | | | | | | |
| Blank casing interval: | ft. to | ft. | | | | | | | | |
| Blank casing diameter: | in. | | | | | | | | | |
| Casing joints: | | | | | | | | | | |
| Weight:lb | s/ft. | | | | | | | | | |
| Wall thickness or gauge | no.: | | | | | | | | | |
| Grout interval: ft. t | o ft. | | | | | | | | | |
| Grout material: | | | | | | | | | | |
| Grout interval: ft. t | oft. | | | | | | | | | |
| Grout material: | | | COMM | ENTS | | | | | | |
| | | | | | | | | | | |
| Screen / perforation materia | l: | | | | | | | | | |
| Screen / perforation openin | - | | CONTR | ACTOR'S | OR LANDOWNER | S CERTIFICATION | | | | |
| Screen / perforation interval | | | This v | vater well | was constructe | d reconstru | icted pursuant to t | he stated wa | ater well | . |
| Fromft. to | | | contra | actor's lice | nse and was con | npleted on | I certify that | this record | l is true | to |
| Slot size unit | | | the be | est of my k | nowledge and b | elief. This water | well record was complet | ed on | | |
| From ft. to | _ | | under | the busin | ess name of | | | | | , |
| Slot size unit | | | Kansa | ıs Water V | Vell Contractor's | License No | under the auth | nority of the | e designa | ated |
| Gravel pack intervals: | Cwarral -! | . | perso | n as defin | ed in K.A.R. 28- | 30-2(j) and signe | d and certified by the ele | ectronic sig | nature o | of the |
| Gravel pack not used: From ft. to | | in | 1 - | | on at its submitt | , | · | C | | |
| Gravel pack not used: | | 20- | | | | | e for your records. Fee of \$5 | .00 for each c | constructe | ed well. |
| From ft. to | | in | | | KANSAS D | EPARTMENT OF H | EALTH AND ENVIRONME | ENT | | |
| 11011111.10 | 1 | | | Bureau | of Water, Geology | Section, 1000 SW | Jackson St., Suite 420, Tope | ka KS 66612 | -1367 | |

| Form | WWC5.2 - Water Well Record |
|------------|------------------------------|
| Doc ID | 1742774 |
| Well Owner | Bannister Family Trust |
| Contractor | Rosencrantz-Bemis Ent., Inc. |

Casing

| From | То | Casing Diameter | Casing Joint | Wall Thickness or Gauge Number |
|------|-----|--------------------|--------------|---|
| 0 | 150 | 5 | Glued | SDR - 26 |
| 150 | 275 | 5 | Glued | SDR - 21 |
| 275 | 300 | 5 | Glued | SDR - 17 |

| Form | WWC5.2 - Water Well Record | | |
|------------|------------------------------|--|--|
| Doc ID | 1742774 | | |
| Well Owner | Bannister Family Trust | | |
| Contractor | Rosencrantz-Bemis Ent., Inc. | | |

Lithology

| From | То | Lithology Intervals |
|------|-----|--|
| 0 | 3 | topsoil |
| 3 | 8 | sand & gravel,medium |
| 8 | 40 | clay,yellowish |
| 40 | 71 | clay,tan,& gray clay |
| 71 | 281 | shale,slightly weathered,black,& gray shale, brittle |
| 281 | 290 | shale,slightly weathered,dakota w/ sandstone streaks |
| 290 | 345 | shale,slightly weathered,dakota & sandstone |
| 345 | 360 | sandstone,slightly weathered |
| 360 | 377 | clay,red |
| 377 | 380 | sandstone,slightly weathered,& dakota shale |