WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL R	ECORD (WV	/C-5)			KOLAR D	OC ID	WELL ID		
OCATION OF WATER W	'ELL			Or	iginal Recor	d Correction	Change	in Wel	l Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County	_					
VATER WELL OWNER		V	/ELL WATER US	 E		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	IATIO
Name						Source:			
Business			OMPLETION						
Dusiness						Distance from well:	from well:		
Address				ted well:	ft.	Source description:			
			1	water encountered:					—
Well location			(1) ft.; (3) ft.;			Source:	D		
ven location						Distance from well:	Direction from well:		
at owner's address			measured belo	in well: ft. ow land surface		Source description:			
CONSTRUCTION	D 1 1 1:		on (mm/dd/y measured abo on (mm/dd/y	ove land surface		No potential source within 100 feet.	of contamina	ation	
Borehole interval:	Borehole diam					PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.			Estimated yield:		_	DIATE A 1: (1 N			
fromto ft.				ft. after		DWR Application No.:			
Casing height above land				pumping	gpm	KDHE / EPA Project Code: Site Name:			
If casing height is less has a variance been a		No	Pump installed?	Yes No					N
*variance not require			Water well disinf	ected? Yes No		KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:			
or environmental re			Date disinfected (mm/dd/yy):			Lease Name & Well #:			
Casing type:						# of boreholes:			
Blank casing interval:		_ ft.	Aquifer, if knowr	1:			" of dewatern	ig weiis.	
Blank casing diameter:			THOLOGIC LOG						
Casing joints:			FROM TO	LITHOLOGY INTE	RVALS				
Weight:									
Wall thickness or gau									
Blank casing diameters		_ ^{rt.} _							
Blank casing diameter:									
Casing joints:		— <u> </u>							
Weight:	_lbs/ft.								
Wall thickness or gau	ge no.:								
Grout interval: f	t. toft.								
Grout material:									
Grout interval: f	t. toft.		OMMENITS						
Grout material:			OMMENTS						
Screen / perforation mate									
Screen / perforation oper				OR LANDOWNERS CE	RTIFICATION				
Screen / perforation inter-			This water well	was constructed	reconstru	cted pursuant to t	he stated wa	ter well	
Fromft. to	ft.		contractor's lice	ense and was comple	ted on	I certify that	this record	is true t	to
Slot size ur			the best of my l	knowledge and belie	f. This water v	vell record was complet	ed on		
From ft. to			•	-		1			
Slot size ur	nit					under the auth			
Gravel pack intervals:							-	_	
Gravel pack not used:		in	_		(1) and signed	d and certified by the ele	cenomic sign	iature 01	ı uie
From ft. to	ft.			son at its submittal:_		for your records. Fee of \$5			

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1751664	
Well Owner	One Gas, Inc.	
Contractor	Dakota Technologies Company, LLC	

Lithology

From	То	Lithology Intervals	
0	1	fill (man-made material),gravelly,Asphalt & Fill	
1	5.5	clay,silty,dark,brownish,gray,sl ightly moist,firm,Trace Plastic, Odor	
5.5	6.75	silt,clayey,dark,gray,slightly moist,stiff,Trace Brick Fragments,Trace Plastic, Strong Odor, Black Streaks	
6.75	7	other,Brick/Gravel/Sand	
7	14	silt,clayey,dark,blackish,gray,s lightly moist,stiff,Trace Plastic, Strong Odor	
14	15.5	silt,clayey,dark,gray,slightly moist,stiff,Black Streaks, Trace Plastic, Strong Odor	
15.5	28.25	silt,clayey,dark,brownish,gray, moist,firm,Med To High Plastic, Free water @ 16', Brown With Sheen, Strong Odor	
28.25	28.75	sand,very fine,dark,brownish,gray,wet,lo ose,Poorly Graded, Odor	
28.75	30.25	silt,clayey,gray,moist,firm,Trac e sand, Med to High Plastic	
30.25	32	sand,very fine,dark,gray,wet,loose,Poorl y Graded, Some Silt	

Form	WWC5.2 - Water Well Record	
Doc ID	1751664	
Well Owner	One Gas, Inc.	
Contractor	Dakota Technologies Company, LLC	

Lithology

From	То	Lithology Intervals
32	33	silt,very fine,sandy,dark,gray,wet,soft, Trace Clay, High Plastic
33	41	silt,clayey,dark,gray,moist,har d,High Plastic
41	45.5	sand,fine to coarse,silty,dark,gray,wet,Med Dense, Well Graded
45.5	46.5	silt,sandy,dark,gray,moist,firm, High plastic
46.5	47.5	sand,fine to coarse,gravelly,dark,gray,wet ,Dense , Well Graded
47.5	48	sand,medium,gravelly,gray,we t,Medium Dense, Poorly graded