_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WELI	_				C	riginal Recor	d Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		(County	-		VV				
WATER WELL OWNER				/ATER USI	 E		NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name											
Business			COMPI	ETION			Distance		Direction	n	
Dustriess	siness			COMPLETION			from well:		_ from wel	l:	
Address			Depth of completed well:ft.			Source					
			Depth(s) groundwater encountered:			description: Source:					
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well								
wen location						Distance from well:	:	Direction from wel	n l:		
at owner's			Static water level in well: ft.			Source					
address			measured below land surface on (mm/dd/yy):			descriptio	n:				
CONSTRUCTION			measured above land surface			No potential source of contamination					
Borehole interval:	Borehole interval: Borehole diameter:			(mm/dd/y	y):			100 feet.			
fromto ft.	o ft in.			ted yield:	gpm		PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.	Water level was: ft. after hours			hours	DWR Application No.:				
Casing height above land sur			pumping gpm			KDHE / EPA Project Code:					
If casing height is less that			Pump	installed?	Yes No		Site Name	:			
has a variance been appr		. No					KDHE UI	C Class V Fo	orm Complete	ed: Yes	No
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
Casing type:	nation wens		Date d	isinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	то то	LITHOLOGY IN	TERVALS					
Weight:lbs	/ft.										
Wall thickness or gauge 1	10.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs											
Wall thickness or gauge 1	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.		6014141	-NITC							
Grout material:			COMMI	:N15							
Screen / perforation material:											
Screen / perforation opening					OR LANDOWNERS (CERTIFICATION					
Screen / perforation intervals			This w	ater well	was constructed	reconstru	cted p	oursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was comp	leted on	·	I certify tha	at this recor	d is true t	0
Slot size unit _			the be	st of my l	knowledge and beli	ef. This water v	well record	was comple	ted on		
From ft. to			under	the busir	ness name of						,
Slot size unit _			Kansa	s Water V	Vell Contractor's L	icense No	ur	nder the aut	hority of th	e designa	ted
Gravel mode not used	Cmarcal at		person	n as defin	ed in K.A.R. 28-30	-2(j) and signe	d and certifi	ied by the e	lectronic sig	gnature o	f the
Gravel pack not used:		in	-		son at its submittal			•		-	
Fromft. toft. Gravel pack not used: Gravel sizein					VATER WELL OWN		e for your reco	ords Fee of \$	5.00 for each	constructs	d wall

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1756053			
Well Owner	Quinn Kindel			
Contractor	Associated Drilling, Inc. #990			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	58	10	Glued	sdr26
0	80	6	Glued	sdr26
100	120	6	Glued	sdr26

Form	WWC5.2 - Water Well Record		
Doc ID	1756053		
Well Owner	Quinn Kindel		
Contractor	Associated Drilling, Inc. #990		

Lithology

From	То	Lithology Intervals
0	30	clay,soft
30	40	limestone,broken
40	55	shale,unweathered
55	65	shale,unweathered
65	100	sandstone,completely weathered,BIG
100	110	shale,unweathered,gray
110	120	shale,unweathered,white