WELL ID


KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER W	ELL				(Original Reco	ord Correction	Chang	e in We	ll Use
Latitude	Longitude		Section	ı	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Count	v	•		VV			
WATER WELL OWNER		w	ELL WATER				NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	NATION
Name							Source:			
Business			MPI ETIO	d .			·			
Business			COMPLETION				from well:	_ from we	ll:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:			
Well location			(1) ft.; (2) ft.;				Source:			
			(3) ft.; (4) dry well				Distance from well:		n ll:	
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):				Source description:			
CONSTRUCTION			measured	l above	land surface		No potential source within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/	dd/yy):	<u> </u>		PERMIT & ID NUMBERS	S (AS REOU	IRED)	
fromto ft.			Estimated yi	eld:	gpm					
fromto ft.		in \	Water level was: ft. afterhours				DWR Application No.:			
Casing height above land	surface:				pumping	gpm	KDHE / EPA Project Code:			
If casing height is less has a variance been a		s No	Pump installed? Yes No				Site Name: KDHE UIC Class V Form Completed: Yes No			
*variance not require			Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
or environmental rea		Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:		— I H	Aquifer, if known:				# of boreholes:			- 1
Blank casing interval:		_''' ∟								
Blank casing diameter:			THOLOGIC							
Casing joints: Weight:		FROM	то	LITHOLOGY IN	VIERVALS					
Wall thickness or gau										
Blank casing interval:										
Blank casing diameter:										
Casing joints:										
Weight:										
Wall thickness or gau	_									
Grout interval:f										
Grout material:										
Grout interval:f										
Grout material:	Grout material: COMMENTS									
Samoon I monfountion monto										
Screen / perforation mater Screen / perforation open			ONTRACTO	R'S ∩E	RLANDOWNERS	CERTIFICATION				
Screen / perforation interv								the stated w	ratan rurall	
-										
	Fromft. toft. contractor's license and was completed on I certify that this record is true to Slot size unit the best of my knowledge and belief. This water well record was completed on									to
	From ft to ft								—	
Slot size unit										
Gravel pack intervals: Kansas Water Well Contractor's License No under the authority of the designated the support of the support of the designated the support of								ated		
Gravel pack not used: Gravel size in person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of t							of the			
	From ft. to ft. designated person at its submittal:									
Gravel pack not used:		in Se	nd one copy	to WA			ne for your records. Fee of \$5		constructe	ed well.
KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										





1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Waldeck Oil Company 700 South 9th, Arkansas City, KS KDHE ID: U2-018-15380 Date: 8/22/23

100 feet

- Property Lines
- City Line/Property Line
 - Monitoring Well
 - ◆ New Monitoring Well (Installed 8/17-18 & 21-22/23)

Overhead Lines (25-40 ft high) - Sanitary Sewer (2 - 6 ft BGS) - Telephone (2 - 6 ft BGS)

NOTE: SB5 and SB6 were drilled to collect hydrologic data. NOTE: Utility depths, heights and locations are approximate

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 February 16, 2024

RE: Monitor Well Elevation Survey 700 South 9th St., Arkansas City, Kansas

Proj. 24-00G Waldeck Oil Company U2-018-15380

Bench Mark: Chisled Sq. on NW corner of concrete scale platform West of scale office.

Ele	ev: 10	78.40	North 4701.	10	West 3206.50	(from SE Cor. Sec. 36-34-3E)
MV	W-10	rim top pipe	1075.85 1075.42	North West	4391.59 3464.62	NE1/4,SE1/4,NE1/4,NW1/4 Lat= 37.05379 Long = 97.05165
MV	W- 11	rim top pipe	1074.71 1074.33	North West	4288.80 3301.19	SW1/4,SE1/4,NE1/4,NW1/4 Lat= 37.05352 Long = 97.05109
MV	W-12	rim top pipe	1069.20 1068.88	North West	4879.44 2681.81	SE1/4,NE1/4,NE1/4,NW1/4 Lat= 37.05515 Long = 97.04899
MV	W-13	rim top pipe	1069.00 1068.71	North West		NE1/4,SE1/4,NE1/4,NW1/4 Lat= 37.05450 Long = 97.04887

Lat & Long derived from Arkansas City 7.5' quad map. WGS 84.

Elevation established from existing project. NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be of source to you have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke

THE SURVE