KOLAR Document ID: 1635540

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:	SecTwpS. R East West					
Address 2:	Feet from North / South Line of Section					
City:	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No					
	If yes, show depth set: Feet					
If Workover/Re-entry: Old Well Info as follows:						
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to: w/ sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR	·					
GSW	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I III Approved by: Date:						

KOLAR Document ID: 1635540

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests Taken (Attach Additional Sheets) Drill Stem Tests Taken Dr										
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:				es No es No es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Casing Plug Back TD		туре	or cement	# Sacks Used		Type and Percent Additives				
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At					Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Cherokee Wells LLC
Well Name	ROBERT, S. FGSF B4-17
Doc ID	1635540

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.5	8.625	23	44	Thixo	12	N/A
Production	6.75	4.5	11.6	1195	Thixo	129	N/A

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Robert S. FGSF B4-17

SPUD DATE 12-06-21

Footage	Formation	Thickness	Set 43.75' of 8 5/8'
0	lime	21	TD 1198' on 12/08/21
21	shale	47	
68	lime	44	
112	shale	81	
193	lime	22	
215	sand	65	
280	lime	5	
285	shale	37	
322	lime	173	
495	shale	15	
510	lime	36	
546	shale	45	
591	lime	5	
596	shale	5	
601	lime	14	
615	shale	8	
623	lime	12	Altamont
635	shale	47	
682	sandy shale	20	
702	sand	50	Weiser
752	shale	10	
762	lime	22	
784	shale	31	
815	lime	22	Ft Scott
837	shale	6	
843	lime	16	
859	shale	271	
1130	miss chat	53	
1183	miss	15	
1198			T.D.



CEMENT	TRE	ATMEN	T REPO	RT								
Cust	Customer: Domestic Energy Partners		Well:	Robert, S. FGSF B4-17		1-17 Ticke	EP3484					
City,	State: Fredonia, KS			County:		WL, KS	Date	12/8/2021				
Field Rep: Jeff Morris S-T-R:					S-T-R:		17-29-15	Service	longstring			
									Allegan Control			
Dow	nhole l	nformatio	n		Calculated S	Slurry - Lead	1	Ca	lculated Slurry - Tail			
Hole	Size:	6 3/4	in	- 3	Blend:	Blend: Thixo 1/2# PS Blend:						
Hole I	Depth:	1198	ft		Weight:	13.70	ppg	Weigh	ppg			
Casing	size:	4 1/2	in		Water / Sx:	9.19	gal / sx	Water / Si	gal / sx			
Casing I	Depth:	1196	ft		Yield:	1.85	ft ³ / sx	Yield	it ft³/sx			
Tubing /	Liner:		in		Annular Bbls / Ft.:		bbs / ft.	Annular Bbls / Ft	bbs / ft.			
	Depth:		ft		Depth:		ft	Depti	ft ft			
Tool / Pa					Annular Volume:	0.0	bbls	Annular Volume	0 bbls			
Tool I	Depth:		ft		Excess:			Excess	s:			
Displace	ment:	19.07	bbls		Total Slurry:	42.50	bbls	Total Slurry	0.0 bbls			
			STAGE	TOTAL	Total Sacks:	129	sx	Total Sacks	0 sx			
TIME	RATE	PSI	BBLs	BBLs	REMARKS							
2:00 PM			-	-	on location, held safet	y meeting, w	aited for pulling unit to	move off location				
	40											
	4.0			<u>.</u>	established circulation		ada fallannad bredo bble	- for the second				
	4.0				mixed and pumped 100 mixed and pumped 120							
	4.0				flushed pump clean	J SKS TINXO	ement with 1/2# Flient	Sear per sk				
	4.0					nlug to easin	or TD with 19 07 bble fr	ach water, coment to curfe				
	4.0			-	pumped 4 1/2" rubber plug to casing TD with 19.07 bbls fresh water, cement to surface ** plug landed at 18 bbls **							
	1.0				pressured to 1000 PSI,		acciira					
				-	released pressure to s	PRODUCTION OF STREET						
	4.0				washed up equipment							
3:45 PM					left location							
						-			A comment of the second			
		CREW	-		UNIT	SUMMARY						
	nenter:		y Kenned	ly	90		Average Rate	Average Pressure	Total Fluid			
Pump Op			Beets		239		3.6 bpm	- psi	- bbls			
	Bulk:	Scot	t McCrea		246							
	H2O:	- A Carro										

ftv: 15-2021/01/25 mplv: 218-2021/12/02