KOLAR Document ID: 1747834

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Committed at Provider	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if fladied offsite.
GSW Permit #:	Operator Name:
<u> </u>	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1747834

Page Two

Operator Name:							Lease	Name	e:					Well #:		
Sec Tw	p	_S. R.		Eas	st 🗌	West	Count	y:								
INSTRUCTIONS open and closed and flow rates if	l, flowing	and shu	ıt-in press	ures, wh	nether	shut-in pr	essure rea	ched s	statio	level,	hydrostat	ic pressure				
Final Radioactivi files must be sub										gs mus	t be emai	led to kcc-v	vell-log	Js@kcc.ks.go∖	/. Digital	electronic log
Drill Stem Tests (Attach Addit		ts)			Yes	☐ No			Lo	•	Formatio	n (Top), De	pth and			Sample
Samples Sent to	Geologic	al Surv	rey		Yes	No		N	lame	!				Тор		Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Lo	ogs			Yes Yes Yes	No No No										
				Re	port all		RECORD	surface	Nev		Used e, productio	on, etc.				
Purpose of St	tring		Hole illed	5	Size Ca Set (In C	sing	We	eight . / Ft.		Setting Depth		Type o		# Sacks Used	Type and Perce Additives	
					ΑI	DDITIONA	L CEMENT	ING / S	SQUI	EEZE F	RECORD					
Purpose: Perforate Protect Ca	ecina		epth Bottom	Type of Cement			# Sacks Used			Type and Percent Additives						
Plug Back	TD _															
1 ldg 0 ll 2																
 Did you perform Does the volum Was the hydraul 	e of the tot	al base 1	fluid of the h	nydraulic	fracturi	-			-	_	Yes Yes Yes	No (If	No, skip	o questions 2 and o question 3) out Page Three o	•	O-1)
Date of first Produ Injection:	iction/Injec	tion or R	esumed Pro	oduction/		ducing Met	thod:	ng		Gas Lift	o	ther <i>(Explain)</i>				
Estimated Produc Per 24 Hours			Oil I	Bbls.		Gas	Mcf	,	Wate	r	Bb	ls.	Gi	as-Oil Ratio		Gravity
DISPO	OSITION C	F GAS:					METHOD O	F CON	1PLE	ΓΙΟΝ:				PRODUCTIO	N INTER	
Vented (If vente	Sold [_	on Lease		Open	Hole [Perf.	_		Comp. 4 <i>CO-5)</i>		mingled nit ACO-4)		Тор		Bottom
Shots Per	T		Perfora	tion	Dride	ge Plug	Bridge Pl	lua			Aoid	Erooturo Ch	ot Com	enting Squeeze	Pagard	
Foot	Perfora Top		Botto			ype	Set At				Aciu,			of Material Used)	necoru	
TUBING RECOR	D:	Size:		Set A	t:		Packer At:									

Form	ACO1 - Well Completion
Operator	Nadel and Gussman LLC
Well Name	FISCHER B 6
Doc ID	1747834

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	11	8.625	32	342	regular	235	2% gel
Production	7.875	5.5	15.5	3675	regular	250	0
Liner	5.5	4.5	11.6	3423	Pozmix	200	65/35



TREATMENT REPORT

11010	or centre	III (CEE)						Acid Stage No.	
					Type Treatment:	Amt.	Tune Eluid	Cond Sin-	
Date 1	1/15/2023	District GB	F.O	No. C60957	Bkdown	Bbl./Gal.	rype ribid	Sand Size	Pounds of Sand
Company	NADEL GUS	SMAN				BbL/Gal			
Well Nam	e & No. FISCHE	R B-6			1	Bbl./Gal			
Location			Field						
County	STAFFORD		State KS			Bbl./Gal.			
Casing:	Size41/	2 Type & W	t 11.6	Set at <u>3423</u> ft.	Treated from	π.	to		No. ft 0
Formation			Perf.	to	from	ft.			No. ft. 0
Formation						ft	to	ft.	No. ft. 0
Formation					Actual Volume of Oil / V	Water to Load Hole:			Bbl./Gal.
	Ze Tyne S	2. \\\/+	Pert.	to					
0	emented: Ves	▼ Perforated	from from	Bottom at ft	Pump Trucks. No. U	Ised: Std	5p,		Twin
Tubing:	Size & Wt.	and a stronged	Swiine at		Auxiliary Equipment				
	Perforated f	rom	ft to		Personnel				
		-			Auxiliary Tools				
Open Hole	Size	T-D-	fts	0.8	Plugging or Sealing Mate	erials: Type	65/35 F	OZ 6% GEL 1	/2% C-37 FR
-				7.8. toft.				Gals,	lba
Company R	tepresentative		NICK W	200					
TIME	V	SURES	1	7	Treater		GREG	i C.	
a.m./p.m.	Tubing	Casing	Total Fluid Pumped			REMARKS			
3:00				ON LOCATION					
				ON LOCATION					
				CIBP SET @ 3425	7				
				CIBP 3E1 @ 3425					
				4.1/20 TD 24221					
				4 1/2" TD 3423'					
-				DDE MARIE DID					
-	-			BREAK CIRCULAT	ION WITH, TO	OK 6 BBLS			
				MIX 200 SKS 65/3	35 6% GEL 1/29	% C-37 FRIC	TION RED	UCER.	
	-								
				RINSE PUMP AND	LINE OUT.				
				DISPLACE WITH 5	3 BBLS				
				PLUG LANDED, CE	MENT CIRCUI	ATED BOTH	WΔVς		
						. 22 20111	**/713		
45				IOB COMPLETE					
				-					
			-	THANK YOU!!!					