KOLAR Document ID: 1761790

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:						
Name:	Spot Description:						
Address 1:	SecTwpS. R						
Address 2:	Feet from North / South Line of Section						
City: State: Zip:+	Feet from East / West Line of Section						
Contact Person:	Footages Calculated from Nearest Outside Section Corner:						
Phone: ()	□NE □NW □SE □SW						
CONTRACTOR: License #	GPS Location: Lat:, Long:						
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)						
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84						
Purchaser:	County:						
Designate Type of Completion:	Lease Name: Well #:						
New Well Re-Entry Workover	Field Name:						
	Producing Formation:						
	Elevation: Ground: Kelly Bushing:						
	Total Vertical Depth: Plug Back Total Depth:						
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet						
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet						
Name: Address 1:							
Well Name:	feet depth to:w/sx cmt.						
Original Comp. Date: Original Total Depth:							
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan						
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)						
Committed at Provider	Chloride content: ppm Fluid volume: bbls						
	Dewatering method used:						
	Logation of fluid disposal if hould offsite:						
_	Location of fluid disposal if fladied offsite.						
	Operator Name:						
<u> </u>	Lease Name: License #:						
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West						
·	County: Permit #:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1761790

Page Two

Operator Name:				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	st West	County:						
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log		
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample		
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		Re			New Used	ion, etc.				
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l				
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used	sed Type and Percent Additives					
Protect Casii										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,		
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	Submit ACO-18.)									
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5513 1200 10.	5120.		···	. 30.0.71						

Form	ACO1 - Well Completion
Operator	WTG Hugoton LP
Well Name	WTG102-FRANZ2 01
Doc ID	1761790

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16.5	10.5	70	20	BENTONI TE	27	WATER



Deep We	Deep Well GroundBed Data: DEEP WELL			Date: 02/26/24							
	INCREASE VO COO A			Delli e Control			MOLEANS OF INSTALLATION INC				
	WTG102-KS-2024		Drilling Contractor: MCLEANS CP INSTALLATION, INC.								
	WEST TEXAS GAS		Facility/Line: FRANZ 2 State: KS								
Well Depth:	DEEP WELL			State: KS County: SEWARD							
Diameter:				Other-Driller: TR							
	20' OF 10"			Drilling Method: MUD							
	LORESCO SC3; 6500	1	Base Useable Water: N/A								
	1 SET OF 15 GRAPHI			Dase Useable Water. IVA							
	N37.344738, W100.94		TEST VOLTS: 10.8								
Remarks:			1201 10210. 10.0								
	1-4										
	Drilling Log		El	ectrical L	oa				Anode l	-oa	
				FORE BACKE				AFTER BACKE			
Depth:	Formation Type:	Material:	Volt	Anode	Anode #			Volt	Anode	Anode #	
				Depth					Depth		
0'	SAND CLAY	CASING/HOLE PLUG									
5'	SAND CLAY	CASING/HOLE PLUG									
10'	SAND CLAY	CASING/HOLE PLUG									
15'	SAND CLAY	CASING/HOLE PLUG									
20	SAND CLAY	CASING/HOLE PLUG									
25	SAND CLAY	HOLE PLUG									
30	SAND CLAY	HOLE PLUG									
35	SAND CLAY	HOLE PLUG									
40	SAND CLAY	HOLE PLUG									
45	SAND CLAY	HOLE PLUG									
50	SAND CLAY	HOLE PLUG									
55	SAND CLAY	HOLE PLUG									
60	CALICHE	HOLE PLUG									
65	CALICHE	HOLE PLUG									
70	CALICHE	HOLE PLUG									
75	CALICHE	HOLE PLUG									
80	CALICHE	HOLE PLUG									
85	SANDY	HOLE PLUG									
90	SANDY	HOLE PLUG									
95	SANDY	HOLE PLUG									
100	SANDY	HOLE PLUG									
105	SANDY	HOLE PLUG									
110	SANDY	HOLE PLUG									
115	SANDY	HOLE PLUG									
120	SANDY	HOLE PLUG									
125 130	SANDY SANDY	HOLE PLUG HOLE PLUG									
135	SANDY	HOLE PLUG	-	-				-	}		
140	SANDY	HOLE PLUG	-	-				-	}		
140	SANDY	HOLE PLUG							1		
150	SANDY	HOLE PLUG						 	 		
155	SANDY	HOLE PLUG							1		
160	SANDY	COKE		1				1	1		
165	SANDY	COKE							1		
170	SANDY	COKE									
175	SANDY	COKE						1	1		
180	SANDY	COKE						1	1		
185	SANDY	COKE									
190	SANDY CLAY	COKE									
195	SANDY CLAY	COKE									
200	SANDY CLAY	COKE									
205	SANDY CLAY	COKE						1.1	205	15	
210	SANDY GRAVEL	COKE									
215	SANDY GRAVEL	COKE						0.42	215	14	
220	SANDY GRAVEL	COKE									
225	SANDY GRAVEL	COKE						0.31	225	13	
230	SANDY GRAVEL	COKE									
235	SANDY GRAVEL	COKE						0.24	235	12	
240	SANDY GRAVEL	COKE									
245	SANDY GRAVEL	COKE						0.22	245	11	
250	SANDY GRAVEL	COKE	1	l	l			l			



Deep Well GroundBed Data			Date: 02/26/24							
	Job Number: WTG102-KS-2024			Drilling Contractor: MCLEANS CP INSTALLATION, INC.						
	me: WEST TEXAS GAS			Facility/Line: FRANZ 2						
	ect: DEEP WELL		State: KS							
Well Dep			County: SEWARD							
	ter: 10"		Other-Driller: TR							
	ing: 20' OF 10"		Drilling Method: MUD							
	dfill: LORESCO SC3; 6500		Base Useable Water: N/A							
	pe: 1 SET OF 15 GRAPHIT					0				
	PS: N37.344738 , W100.940	368		<u>T</u> i	EST VOLTS:	10.8				
Remar	rks: N/A									
			_				1			
	<u>Drilling Log</u>			lectrical			Anode Log			
Depth:	Formation Type:	Material:	Volt	Anode	Anode #		Volt	AFTER BAC	Anode #	
рериі.	Formation Type.	Material.	VOIL	Depth	Alloue #		VOIL	Depth	Alloue #	
255	SANDY GRAVEL	COKE		Бери			0.3	255	10	
260	SANDY GRAVEL	COKE			1		0.5	233	10	
265	SANDY GRAVEL	COKE					0.25	265	9	
270	SANDY GRAVEL	COKE					0.20	200		
275	SANDY GRAVEL	COKE				-	0.34	275	8	
280	SANDY GRAVEL	COKE					0.01	270		
285	SANDY GRAVEL	COKE					0.45	285	7	
290	SANDY GRAVEL	COKE					0.10	200	<u> </u>	
295	SANDY GRAVEL	COKE					0.47	295	6	
300	SANDY GRAVEL	COKE			İ		0			
305	SANDY GRAVEL	COKE					0.44	305	5	
310	SANDY GRAVEL	COKE								
315	CLAY	COKE					0.7	315	4	
320	CLAY	COKE					İ			
325	CLAY	COKE					4.65	325	3	
330	CLAY	COKE								
335	CLAY	COKE					1.97	335	2	
340	CLAY	COKE								
345	CLAY	COKE					1.84	345	1	
350	CLAY	COKE							1	