KOLAR Document ID: 1767019

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #:			[API No.	15			
Name:					Spot Description:			
Address 1:					Sec Tw	rp S. R East West		
Address 2:					Feet from North / South Line of Section Feet from East / West Line of Section			
City:								
Contact Person:				Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					NE NW	SE SW		
Type of Well: (Check one)		OG D&A Cathodi		,				
ENHR Permit #:	Gas Sto	rage Permit #:		Date Well Completed:				
Is ACO-1 filed? Yes	No If not, is well	log attached? Yes						
Producing Formation(s): List A	II (If needed attach another	sheet)		by:		(KCC District Agent's Name)		
Depth to	Top: Botto	m: T.D		Plugging	a Commenced			
Depth to Top: Bottom: T.D					Plugging Completed:			
Depth to	Top: Botto	m:T.D			9			
Show depth and thickness of a	all water, oil and gas forma	ations.						
Oil, Gas or Water	Records		Casing Re	Record (Surface, Conductor & Production)				
Formation	Content	Casing	Size		Setting Depth	Pulled Out		
Describe in detail the manner cement or other plugs were us		-				Is used in introducing it into the hole. If		
Plugging Contractor License #	:		Name:					
Address 1:			Address 2	:				
City:				State:		Zip:+		
Phone: ()								
Name of Party Responsible for	r Plugging Fees:							
State of	County, _			, SS.				
	,				imployed of Operator of	Operator on above-described well,		
	(Print Name)			E	imployee of Operator or	Operator on above-described well,		

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.




MIDWEST SURVEYS

LOGGING • PERFORATING • CONSULTING • M.I.T. SERVICES P.O. Box 68 • Osawatomie, KS 66064 Phone 913-755-2128 • Fax 913-755-6533

Perforation Record

TRIMBLE & MACLASKEY OIL, LLC
KELLY LEASE
7-V
GREENWOOD COUNTY, KANSAS
40872
N/A
11/27/2023
249.0 TO 250.0 2 PERFS
749.0 TO 750.0 2 PERFS
SQUEEZE CEMENT TO PLUG WELL
2 1/8" STRIP JETS
TO UT AN PERSONATIONS
FOUR (4) PERFORATIONS
4.5"





EMENT	rea	TMEN	T REPO	ORT				
Custor	ner:	rimble	& Macla	askey Oil, I	LC Well:	Kelly # 7-V	77.1	FD40445
				ridley, Ks 6			Ticket:	
			aciaske		S-T-R:	Coffey, Ks 14 23S 13E	Date:	
			<u>_</u>	,	J-1-K.	14 235 13E	Service:	PTA
Downh		formati	оп		Calculated Slu	rry - Lead	Cal	culated Slurry - Tail
Hole S			in		Blend: 60	/40 Pozmix Cement	Blend;	
Hole De			ft		Weight:	14.1 ppg	Weight:	pps
Casing S Casing De	_	4 1/2			Water / Sx:	gal / sx	Water / Sx:	gal/sx
Tubing / Li	_	3 1/2	ft		Yield:	1.40 ft ² / sx	Yield:	
	pth:	J 1/2	ft		Annular Ebls / Ft.:	hbs / ft.	Annular Bbls / Ft.:	
Tool / Paci					Depth: Annular Volume:	- ft	Depth:	
Tool De			ft		Excess:	0.0 bbls	Annular Volume:	
Displacem	ent:		bbis		Total Slurry:	0.0 bbls	Excess: Total Slurry:	
			STAGE	TOTAL	Total Sacks:	45 sx	Total Sacks:	0 sx
TIME R	ATE	PSI	BBLs	BBLs	REMARKS			
			-		Safety Meeting:			
						il tubing unit inside 3 1/2" liner. 6	0/40 Pozmix Cement w/ 4% (Gel
					10sx @ 1779°		· · · · · · · · · · · · · · · · · · ·	
					10sx @ 750°			· · · · · · · · · · · · · · · · · · ·
					25ex @ 250' to surface			
	\dashv				Job Complete, Rig down			······································
	_						······································	
				-				····
				-			**************************************	
	_ _							
	_ _							
	-							***

					******		···	
	+		 	"				
	十					 		· · · · · · · · · · · · · · · · · · ·
					•			
							· · · · · · · · · · · · · · · · · · ·	
	_ _							
	+							
	-							
		CREW			(12)7-			
Comes	tor				UNIT 1004	Street Plate	SUMMAR	Total Fluid
Cementer Kevin M Pump Operator Alan m		1201	Average Rate 0.0 bpm	Average Pressure - psi	- bbls			
Bulk #1 Steve m		1213	գտ որա	1 - hai 1	- 495			
Bulk	_							