KOLAR Document ID: 1769452

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:				
, ,					
PERATOR: License#	feet from N / S Line of Section				
ame:	feet fromE / W Line of Section				
ddress 1:	Is SECTION: Regular Irregular?				
olddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)				
contact Person:	County:				
hone:	Lease Name: Well #:				
	Field Name:				
ONTRACTOR: License#	Is this a Prorated / Spaced Field?				
ame:	Target Formation(s):				
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):				
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI				
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:				
Disposal Wildcat Cable	Public water supply well within one mile: Yes N				
Seismic ; # of Holes Other	Depth to bottom of fresh water:				
Other:	Depth to bottom of usable water:				
If OWWO: old well information as follows:	Surface Pipe by Alternate: III				
II OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:				
Operator:	Length of Conductor Pipe (if any):				
Well Name:	Projected Total Depth:				
Original Completion Date: Original Total Depth:	Formation at Total Depth:				
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:				
Yes, true vertical depth:	Well Farm Pond Other:				
sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )				
CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  Yes No				
	If Yes, proposed zone:				
	IDAVIT				
he undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.				
is agreed that the following minimum requirements will be met:					
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>					
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each					
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.				
<ul> <li>3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>4. If the well is dry hole, an agreement between the operator and the dist</li> <li>5. The appropriate district office will be notified before well is either plugg</li> </ul>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.  The underlying formation is necessary <b>prior to plugging</b> ; and or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the completed within 30 days of the spud date or the well shall be about the complete of t</li></ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.  The underlying formation is underlying formation.  The difference on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Remember to:				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete because of the spud date or the well shall be about the complete because of the spud date or the well shall be about the spud date or the sp	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about 15 - Conductor pipe required — feet	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  In this content is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	oy circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;				
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);				
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically</li> </ol> For KCC Use ONLY	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;				

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						Lo	cation of W	ell: Cour	nty:			
ease:					feet from N / S Line of Section							
Vell Number:									feet fi	rom E /	W Line	of Section
ield:				_ Se	C	Twp	S.	R	E	W		
lumber of Acres attributable to well:			15 1	Is Section: Regular or Irregular								
							Section is ction corne	_		rom nearest c	orner boun	dary.
				-				-		dicted locations ce Act (House		
				You m	ay attach a 22	separate 280 ft.	plat if desi	ired.				
		:	:		:	:	:			LEGEND		
										Well Locatior Tank Battery Pipeline Loca	Location	
				•••••						Electric Line Lease Road		
	:	:	:		<u></u>	:	:	- 151 <sub>0</sub>				
	:	<u>:</u> :	<u>:</u> :		<u>:</u> :	<u>:</u> :	<u>:</u> :		EXAMPLE			
	:	:	2		•		•		· · · · · · · · · · · · · · · · · · ·	····· · ······	· · · · · · · · · · · · · · · · · · ·	
••••	:	:	:	*******			:				:	
	:	:	:	•••••	:		:			0=3	:	1980' FSL
										Ĭ <b>!</b>	:	
	·	·	· 	••••	· · · · · · · · · · · · · · · · · · · ·	· ·	· :					

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1769452

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:		-			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	Settling Pit Drilling Pit If Existing, date cor		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
		• ,	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			

KOLAR Document ID: 1769452

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my one of the surface owner(s).	Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.  acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing		
this task, I acknowledge that I must provide the name and add and that I am being charged a \$30.00 handling fee, payable to	ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

For KCC Use ONLY	
API # 15	

# DRAFT

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease; Los   2280   feet from   N   S   Line of Section   1514   feet from   E   William of Section   1514   feet from   E   William of Section   1514   feet from   E   William of Section   Sec. 2   Twp. 9   S. R. 25   E   William of Section   Sec. 2   Twp. 9   Sec. 2   Twp. 9	Operator: Canyon Operating LLC	Location of Well: County: Graham					
Well Number: 2-1 Sec. 2 Twp. 9 S. R. 25	Lease: Lois						
Number of Acres attributable to well: 10 QTR/QTR/QTR of acreage: NE - SE - SW - NE    Is Section: Regular or   Irregular	Well Number: 2-1	1514 feet from E / W Line of Section					
Number of Acres attributable to well: 10  QTR/QTR/QTR of acreage: NE - SE - SW NE    Is Section: Regular or   Irregular	Field: Holley Southwest						
ATRIVITRY OF acreage: NE SE SW NE SE SW NE Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  280 ft.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  Lease Road Location	Number of Acres attributable to wall: 10						
If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  1514 ft  EXAMPLE		Is Section: Regular or Irregular					
PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location  — Pipeline Location  — Electric Line Location  — Lease Road Location	- <u> </u>						
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  1514 ft.  EXAMPLE							
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location  — Lease Road Location		Section corner used:NENWSESW					
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  1514 ft.  EXAMPLE							
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location  —— Electric Line Location  —— Lease Road Location  —— Lease Road Location	PL	.AT					
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location	Show location of the well. Show footage to the nearest le	ease or unit boundary line. Show the predicted locations of					
Vou may attach a separate plat if desired.  2280 ft.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  1514 ft.  EXAMPLE	lease roads, tank batteries, pipelines and electrical lines, as requ	uired by the Kansas Surface Owner Notice Act (House Bill 2032)					
LEGEND  O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location  1514 ft.  EXAMPLE  2	You may attach a se	parate plat if desired.					
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location  1514 ft.  EXAMPLE		O 1t.					
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location  1514 ft.  EXAMPLE							
Tank Battery Location Pipeline Location Electric Line Location Lease Road Location  1514 ft EXAMPLE		LEGEND					
Tank Battery Location Pipeline Location Electric Line Location Lease Road Location  1514 ft EXAMPLE		O Well Location					
Pipeline Location Electric Line Location Lease Road Location  1514 ft.  EXAMPLE							
Lease Road Location  1514 ft.  EXAMPLE	· · · · · · · · · · · · · · · · · · ·						
2 1514 ft.		·					
2 EXAMPLE		Lease Road Location					
2 EXAMPLE							
2 EXAMPLE		1514 ft.					
1980' FSL							
1980¹ FSL							
1980' FSL							
1980' FSL							
		1980 FSL					


NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

March 25, 2024

Michael Bradley Canyon Operating LLC PO BOX 7117 LOVELAND, CO 80537-7117

Re: Drilling Pit Application Lois 2-1 NE/4 Sec.02-09S-25W Graham County, Kansas

#### Dear Michael Bradley:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.