


Form	ACO1 - Well Completion
Operator	Zeta Energy, LLC
Well Name	SHOFNER D6
Doc ID	1768411

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	9.875	7	17	22	50/50 Poz	5	NA
Production	5.625	2.875	6.5	685	60/40 Poz	102	See Ticket on file



11 Lewis Drive

Paola, KS 66071

6141

**Oil & Gas Well Drilling
Water Wells
Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Diamond Star Oil, Inc.

Shofner #D6

API#15-121-31,104

October 16- October 19, 2015

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
6	soil & clay	6
5	lime	11
12	shale	23
2	lime	25
18	shale	43
18	lime	61
94	shale	155
21	lime	176
28	shale	204
4	lime	208
38	shale	246
17	lime	263
10	shale	273
26	lime	299 oil show
9	shale	308
20	lime	328
5	shale	333
12	lime	345 base of the Kansas City
153	shale	498
1	lime	499
1	shale	500
13	broken sand	513 brown & green, ok bleeding
10	shale	523
6	lime	529
26	shale	555
1	coal	556
6	shale	562
11	lime	573
11	shale	584
4	lime	588 oil show
55	shale	643
11	broken sand	654 brown & green, ok bleeding
1	oil sand	655 black, ok bleeding
4	broken sand	659 brown & green, no bleeding
36	shale	695 TD

Drilled a 9 7/8" hole to 22'

Drilled a 5 5/8" hole to 695'

Set 22' of 7" surface casing cemented with 5 sacks of cement

Set 685' of new 2 7/8" 8 round upset tubing, 3 centralizers, 1 float shoe, and 1 clamp.