KOLAR Document ID: 1768264

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY -	 DESCRIPTION 	OF WELL &	LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1768264

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

	lien		,				og Formatia	n (Tan) Danth a	nd Datum	
Drill Stem Tests Ta (Attach Addition				Yes No			-	n (Top), Depth a		
Samples Sent to C	Geological S	Survey		Yes 🗌 No		Nam	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	-			Yes No Yes No Yes No						
			Rep	CASING port all strings set-c		_ Ne e, inte		on, etc.		
Purpose of Strir	ng	Size Hole Drilled		ize Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement # Sacks Used Type and Percent Additives Image: Constraint of the state of the		
				ADDITIONAL	CEMENTING	SQL	JEEZE RECORD			
Purpose:		Depth Top Bottom	Тур	e of Cement	# Sacks Use	ed				
Top Bottom Top Bottom Top Bottom Top Bottom Top Bottom	bs. 7 Ft. Depth Cement Used Additives Image: Second state sta									
Plug Off Zor	Perforate Top Bottom Type of Oenterin # Sacks Osed Type and Fercent Additives Protect Casing Plug Back TD									
2. Does the volume	of the total b	ase fluid of the h	ydraulic f	racturing treatment		-	ins?	No (If No, s	kip question 3)	
Date of first Product Injection:	ion/Injection	or Resumed Pro	oduction/	Producing Meth	od:		Gas Lift 🗌 O	ther (Explain)		
Estimated Production Per 24 Hours	on	Oil I	3bls.	Gas	Mcf	Wate	er Bb	bls.	Gas-Oil Ratio	Gravity
DISPOS	SITION OF G	AS:		N	IETHOD OF CO	MPLE	TION:			
	Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		юр		
Shots Per	Perforatio	n Perfora	tion	Bridge Plug	Bridge Plug		Acid	Fracture Shot Ce	menting Squeeze	Becord
Foot	Тор	Botto		Туре	Set At					
TUBING RECORD:	: Siz	20:	Set At		Packer At:					

Form	ACO1 - Well Completion
Operator	Horton, John
Well Name	MILLER 22-26
Doc ID	1768264

Casing

	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	28	218	Portland	15	0
Production	5.625	2.875	6.5	752	OWC	75	Elite



Customer	Horton	Oil Com	pany LLC	Well:	Miller # 22-26	Ticket:	EP11212
City, State: P.O. Box 314 Sedan, Ks 67361		361 County:	MG, Ks	Date:	11/2/2023		
Field Rep				S-T-R:		Service:	Longstring
Downhole	Informat	ion		Calculated Slu	rry - Lead	Calcul	lated Slurry - Tail
Hole Size		8 in			Thick Set Cement	Blend:	
Hole Depth		0 ft		Weight:	13.8 ppg	Weight:	ppg
Casing Size		8 in		Water / Sx:	9.0 gal / sx	Water / Sx:	gal / sx
Casing Depth		ft		Yield:	1.75 ft ³ / sx	Yield:	ft ³ / sx
ubing / Line		in		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
Depth		2 ft		Depth:	ft	Depth:	ft
ool / Packer				Annular Volume:	bbls	Annular Volume:	0 bbls
Tool Depth		ft		Excess:		Excess:	
splacement		bbls		Total Slurry:	23.5 bbls	Total Slurry:	0.0 bbls
				Total Sacks:	75 sx	Total Sacks:	0 sx
IME RATE	PSI	BBLs	BBLs	REMARKS			
		-	-	Safety Meeting:			
			-	TD 760', 5 7/8" well Bore			
			-	2 7/8" Tubing Set @ 752'			
			•		reak circulation w/ 2bbl fresh water		
			-	Pump 5sx (200#) gel flus		al wield 4 75 = 22 5bbl clurps	
			•		nent w/ 1# PhenoSeal/ sx @ 13.6#/ga	al, yield 1.75 - 23.5001 slurry	
			-	Shut down, wash out pum	ip & lines		
				Stuff 2 plugs Displace w/ 4.5bbl fresh w	vater		
			-		00psi, bump plug to 1250psi		
			-	Shut well in @ 750psi			
				Good cement returns to s	urface, Annulus standing full of cer	nent	
				Job Complete, Rig down			
•							
	CREW			UNIT		SUMMARY	
Cementer:	Kevin	M		1004	Average Rate	Average Pressure	Total Fluid
np Operator:	Alan M			1201			

ftv: 16-2022/08/1 mplv: 434-2023/10/1 Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

March 29, 2024

John Horton Horton, John PO BOX 314 SEDAN, KS 67361-0314

Re: ACO-1 API 15-125-32538-00-00 MILLER 22-26 NW/4 Sec.33-33S-14E Montgomery County, Kansas

Dear John Horton:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 10/30/2023 and the ACO-1 was received on March 28, 2024 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor