## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

VATER WELL R	ECORD (W	WC-5)					OC ID	WELL ID_		
OCATION OF WATER W	/ELL				Ori	ginal Recor	d Correction	Chang	e in Wel	II Use
Latitude	Longitude		Se	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	ounty			,,,			
ATER WELL OWNER			WELL WA	ATER USE			NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
usiness			COMPLE	TION			Distance	Direction	 n	
dollicoo							from well:	_ from we	d:	
address					ed well: vater encountered:	ft.	Source description:			
			(1)	ft.; (	2) ft.;		Source:			
Vell location			(3)	ft.; (	4) dry well		Distance from well:		n II·	
at owner's			Static wa	ater level i	n well: ft.		Source	_ 110111 W.C.		
address			I	sured belo nm/dd/yy	w land surface		description:			
CONSTRUCTION  Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.			
orenoie interval:							PERMIT & ID NUMBER	S (AS REQU	RED)	
romto ft.		in.			gpm	hauma	DWR Application No.:			
			vvater ie		ft. after					
Casing height above land		in.	pumpinggpm  Pump installed? Yes No			_ gpm	KDHE / EPA Project Code: Site Name:			
If casing height is less has a variance been a		No	r unip in	istalieu:	ies no		KDHE UIC Class V Fo			No
has a variance been approved?* Yes No  *variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
asing type:							# of boreholes:			
lank casing interval:		ft.	Aquiter,	if known:				" of dewater	mig wens.	
lank casing diameter:			LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:	_lbs/ft.									
Wall thickness or gau										
lank casing interval:		ft.								
lank casing diameter:	in.									
Casing joints:										
Weight:	_lbs/ft.									
Wall thickness or gau	ige no.:	_								
rout interval: f	t. to ft.									
Grout material:										
rout interval: f										
Grout material:			COMMEN	NTS						
creen / perforation mate	rial:									
creen / perforation oper	nings:		CONTRA	CTOR'S C	R LANDOWNERS CE	RTIFICATION				
reen / perforation inter			This wa	iter well	was constructed	reconstru	cted pursuant to	the stated w	ater well	
Fromft. to							•			
Slot size ur					_		I certify the			
Fromft. to				-	_		vell record was comple			
Slot size ur			Kansas	Water W	ell Contractor's Lice	ense No	under the aut	hority of th	e designa	ated
ravel pack intervals:	0 1 .		person	as define	ed in K.A.R. 28-30-2	(j) and signed	d and certified by the e	lectronic sig	gnature o	of the
Gravel pack not used:		in	-		on at its submittal:	. 0	,		•	
From ft. to						and ratal	e for your records. Fee of \$	E 00 for1	construct	od1
Gravel pack not used:	Gravel size	in	sena one	copy to W	ALEK WELL OWNER	and retain one	for your records, ree of \$	o.00 for each	constructe	cu we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1765825		
Well Owner	Quailan Gibler-Fowler		
Contractor	Yoakum Well Drilling, LLC		

## Casing

From		Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	52	5	Glued	SCH 40
72	130	5	Glued	SCH 40
162	172	5	Glued	SCH 40

Form	WWC5.2 - Water Well Record		
Doc ID	1765825		
Well Owner	Quailan Gibler-Fowler		
Contractor	Yoakum Well Drilling, LLC		

## Lithology

From	То	Lithology Intervals
0	3	clay
3	22	sandstone,unweathered,tan
22	24	shale,unweathered
24	38	sandstone,unweathered
38	40	limestone,unweathered
40	60	sandstone,unweathered
60	172	sandstone,unweathered,gray