## **WATER WELL RECORD** (WWC-5)


From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>VATER WELL REC</b>	ORD (W	WC-5)				KOLAR [	OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Coi	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	E		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	NATIO
Name							Source:				
Business			COMP	LETION			Distance		Directio	m	
					ted well:	ft.	from well:	:	_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	-	(2) ft.;						
Well location					(4) dry well					nn.	
			-		in well:	<u>.                                    </u>	from well:	:	_ from we	ell:	
at owner's address			m		ow land surface	ι.	Source descriptio	n:			
ONSTRUCTION  Borehole interval:	Borehole dia	meter·	m	•	ve land surface			tential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	plication No.			
			water		pumping	I .		EPA Project (			
Casing height above land su		in.	Pumr		Yes No	gpiii		e:			
If casing height is less the has a variance been appropriate the control of the control of the case of		s No	- uniq	, motunea.	103 110			IC Class V Fo			No
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental remed	diation wells		Date	disinfected	(mm/dd/yy):		1	ne & Well #:			
Casing type:	C		Aquif	er, if known				oles:			
Blank casing interval:		ft.									
Blank casing diameter:				LOGIC LOG		NTERVALE					
Casing joints:lbs			FRO	м то	LITHOLOGY	NIERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
· —	s/ft.										
Wall thickness or gauge											
Grout interval: ft. to											
Grout material:it. to											
Grout interval: ft. to											
Grout material:			COMM	IENTS							
Grout material.											
Screen / perforation material	:										
Screen / perforation opening			CONTI	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals					was constructed			oursuant to	the stated v	water wel	
Fromft. to					ense and was com		-				
Slot size unit _					knowledge and be	_		-			
Fromft. to				-	_			_			
Slot size unit					ness name of						
Gravel pack intervals:					Well Contractor's				-	_	
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-3		d and certif	ied by the e	lectronic si	gnature o	f the
From ft. to			desig	nated pers	son at its submitte	al:		<u> </u>			
Gravel pack not used:	Gravel size		Send o	ne copy to V	VATER WELL OW	NER and retain on	e for vour rec	ords. Fee of \$	5.00 for each	construct	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c



## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046 February 29, 2024

RE: Monitor Well Elevation Survey 800 N. Ridgeview Rd., Olathe, Kansas

Proj. 24-00J Snaps Food Mart U4-046-15465

Bench Mark: Chisled Sq. on East center of concrete storm inlet at SW corner of property.

Fley: 1053 15 North 3405 83 West 4996.00 (from SE Cor. Sec. 30-13-24E)

Elev: 1053	3.15	North 3405.83	wes	1 4990.00	(Irolli SE Col. Sec. 30-13-24E)
MW-1	rim top pipe	1053.21 1052.78	North West	3417.24 4975.34	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.89302 Long = 94.79705
MW-2	rim top pipe	1054.63 1054.36	North West	3385.52 4950.44	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.89294 Long = 94.79696
MW-3	rim top pipe	1055.56 1055.06	North West	3413.92 4907.28	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.89302 Long = 94.79681
MW-4	rim top pipe	1053.95 1053.39	North West	3516.41 4919.29	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.89330 Long = 94.79685
MW-5	rim top pipe	1053.61 1053.07	North West	3501.16 4979.81	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.89325 Long = 94.79706
MW-6	rim top pipe	1049.07 1048.69	North West	3282.59 5129.36	SE1/4,NE1/4,SE1/4,NE1/4 (Sec. 25-13-23E) Lat= 38.89293 Long = 94.79759
MW-7	rim top pipe	1052.34 1051.96	North West	3181.82 4994.16	NW1/4,SW1/4,SW1/4,NW1/4 Lat= 38.89238 Long = 94.79711

Lat & Long derived existing Olathe 7.5' quad map. NAVD 27

Elevation established from NGS Denny RM 3 Azimuth, NAVD 88.

If would have the strestions, please feel free to call me. Thank you for the opportunity to be

SURV