KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)


From _____ ft. to _____ ft.

OCATION OF WATER V	VELL				0	riginal Recor	rd Co	rrection	Chang	e in Wel	l Use		
Latitude	Longitude		Se	ection	Township	Range	E W	Fraction	1/4	1/4	1/4		
Datum	Elevation		Co	ounty	-		**						
WATER WELL OWNER			ATER USE			NEAREST SOURCE OF POTENTIAL CONTAMINATION							
Name													
			COMPLE	TION		Source: Distance Direction							
Business			COMPLETION				from well: from well:						
Address			Depth of completed well:ft.			Source description:							
			Depth(s) groundwater encountered:										
Well location			(1)ft.; (2)ft.;				Source:						
vven location			(3) ft.; (4) dry well				Distance Direction from well:						
at owner's			Static water level in well: ft.				Source						
address			1	sured belov nm/dd/yy]	w land surface	description:							
CONSTRUCTION							No pot	ential sourc	e of contami	nation			
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				within 100 feet.						
fromto ft.		in.					PERMIT & ID NUMBERS (AS REQUIRED)						
fromtoft.					Estimated yield: gpm Water level was: ft. after hours				DWR Application No.:				
	•						KDHE / EPA Project Code:						
Casing height above land		in.	pumping gpm Pump installed? Yes No				Site Name:						
If casing height is less than 12 in. has a variance been approved?* Yes No			Tump instance. It's 140				KDHE UIC Class V Form Completed: Yes No						
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:						
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:						
Casing type:	G. 4		Aquifer	if known:			1		# of dewater				
Blank casing diameters		п.											
Blank casing diameter: Casing joints:			FROM	TO	LITHOLOGY INT	TEDWALC							
Weight:			FROM	10	LITHOLOGY INT	EKVALS							
Wall thickness or ga													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:													
Wall thickness or ga	_												
Grout interval:													
Grout interval:													
Grout material:		COMMENTS											
Grout material.													
Screen / perforation mate	erial·												
Screen / perforation ope			CONTRA	CTOR'S O	R LANDOWNERS O	ERTIFICATION							
Screen / perforation inter					was constructed	reconstru		nirgiant to	the stated w	ater well			
Fromft. to					nse and was compl		•						
Slot size u					_			-			.0		
From ft. to				-	nowledge and beli			=			_		
Slot size u					ess name of								
Gravel pack intervals:		Kansas Water Well Contractor's License No under the authority of the designated											
Gravel pack not used	: Gravel size	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
From ft. to _		designated person at its submittal:											
Gravel pack not used		.	Send one	copy to W	ATER WELL OWN	ER and retain one	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well		

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

March 23, 2024

RE: Monitor Well Elevation Survey

120 N. Chautauqua Street, Sedan, Kansas

Proj. 24-00O 120 N. Chautauqua St. U3-010-15342

Bench Mark: Chisled Square near the SE corner of concrete sign base North of entrance to the property West of

sidewalk.

North 237.95 West 1492.42 Elevation: 867.88

(from SE Cor. Sec. 34-33-11E)

MW-1	rim	856.86	North	194.04	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	856.35	West	1483.35	Lat= 37.12743 Long = 96.18666
MW-2	rim	856.58	North	218.34	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	856.15	West	1461.90	Lat= 37.12750 Long = 96.18659
MW-3	rim	857.91	North	247.64	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	857.58	West	1480.63	Lat= 37.12758 Long = 96.18666
MW-4	rim	855.42	North	118.35	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	855.09	West	1507.80	Lat= 37.12722 Long = 96.18675
MW-5	rim	854.39	North	204.59	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	854.09	West	1376.08	Lat= 37.12746 Long = 96.18630
MW-6	rim	859.75	North	353.15	NE1/4,SE1/4,SW1/4,SE1/4
	top pipe	859.39	West	1473.17	Lat= 37.12787 Long = 96.18663
MW-7	rim	861.09	North	361.30	NE1/4,SE1/4,SW1/4,SE1/4
	top pipe	860.79	West	1612.42	Lat= 37.12789 Long = 96.18711

Lat & Long derived from Sedan 7.5' quad map. WGS 84.

Elevation established from NGS Bench Mark: SEDAN 1938 NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be