Change in Well Use

WELL ID

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	I OF V	ATER WELI	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	WATER U	SE				NEAREST S	SOURCE OF	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business					COM	PLETION					Distance		Directi		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					ft.	from well: from well: Source description:						
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source: Distance Direction from well:						
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	l			measured above land surface						No potential source of contamination within 100 feet.				
Borehole	interv	al:	Borehole dia	meter:	on (mm/dd/yy):					_					
fromtoftin. fromtoftin.			Estimated yield: gpm Water level was: ft. after hours pumping gpm						DWR Application No.: KDHE / EPA Project Code:						
Casing height above land surface:in. If casing height is less than 12 in. has a variance been approved?* Yes No					Pump installed? Yes No						Site Name: KDHE UIC Class V Form Completed: Yes No				
			or monitoring		Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environmental remediation wells Casing type:					Date disinfected (mm/dd/yy):						Lease Name & Well #: # of dewatering wells:				
Blank casi	ing int	erval:	ft. to	ft.	Aquifer, if known:						# of boreh	ioles:	# of dewar	ering wells:	:
Blank casi	ing dia	meter:	in.		LITHO	DLOGIC LO	OG								
Casing joints:				FRC	ом т) L	ITHOLOGY II	NTERVA	LS						
Weight:lbs/ft.															
Wall t	hickne	ess or gauge 1	no.:												
Blank casing interval:ft. toft.															
	-	meter:													
Weight:lbs/ft.															
Wall thickness or gauge no.:															
		ft. to													
Grout	mate	ial:													
Grout interval:ft. toft. Grout material:					COMMENTS										
Screen / p	erfora	tion material:	:												
Screen / perforation openings:					CONTRACTOR'S OR LANDOWNERS CERTIFICATION										
Screen / perforation intervals:					This	This water well was constructed reconstructed pursuant to the stated water well									
Fromft. toft. contracto						tractor's l	actor's license and was completed on I certify that this record is true to								
Slot	Slot size unit the best of my knowledge and belief. This water well record was completed on														
From ft. to ft. under the business name of,															
Slot size unit						ansas Water Well Contractor's License No under the authority of the designated									
Gravel pack intervals:						·									
Gravel pack not used: Gravel size in					1	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
Fromft. toft. designated person at its submittal:															
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each construction KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT							ed well.								
Fromft. toft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-13								12-1367							



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

March 23, 2024

RE: Monitor Well Elevation Survey

120 N. Chautauqua Street, Sedan, Kansas

Proj. 24-00O 120 N. Chautauqua St. U3-010-15342

Bench Mark: Chisled Square near the SE corner of concrete sign base North of entrance to the property West of

sidewalk.

North 237.95 West 1492.42 Elevation: 867.88

(from SE Cor. Sec. 34-33-11E)

MW-1	rim	856.86	North	194.04	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	856.35	West	1483.35	Lat= 37.12743 Long = 96.18666
MW-2	rim	856.58	North	218.34	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	856.15	West	1461.90	Lat= 37.12750 Long = 96.18659
MW-3	rim	857.91	North	247.64	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	857.58	West	1480.63	Lat= 37.12758 Long = 96.18666
MW-4	rim top pipe	8 55.42 8 55.09	North West	118.35 1507.80	SE1/4,SE1/4,SW1/4,SE1/4 Lat= 37.12722 Long = 96.18675
MW-5	rim	854.39	North	204.59	SE1/4,SE1/4,SW1/4,SE1/4
	top pipe	854.09	West	1376.08	Lat= 37.12746 Long = 96.18630
MW-6	rim	859.75	North	353.15	NE1/4,SE1/4,SW1/4,SE1/4
	top pipe	859.39	West	1473.17	Lat= 37.12787 Long = 96.18663
MW-7	rim	861.09	North	361.30	NE1/4,SE1/4,SW1/4,SE1/4
	top pipe	860.79	West	1612.42	Lat= 37.12789 Long = 96.18711

Lat & Long derived from Sedan 7.5' quad map. WGS 84.

Elevation established from NGS Bench Mark: SEDAN 1938 NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be