## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>NATER WELL REC</b>	ORD (W	WC-5)				KOLAR	DOC ID		WELL ID_		
OCATION OF WATER WELI	_					Original Reco	rd Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude		5	Section	Township	Range	E	Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	,						
VATER WELL OWNER			WELL V	VATER US	 E		NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	IOITAI
Name							Source:				
Business			COMPL	ETION			Dietance		Directio	n	
Dusiness							from well		_ from we	11:	
Address					ted well:	1	Source description				
			-	-	water encountered:						
Well location					(2) ft.; (4) dry well						
Well location							Distance from well		Directio from we	n ll:	
at owner's address			me	asured belo	in well: f ow land surface	t.	Source description				
ONSTRUCTION	D 1 1 1:		me		ve land surface			tential sourc	e of contami	nation	
Borehole interval:	Borehole dia			(mm/dd/y			PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromto ft.		in.			gpm						
fromto ft.			Water		ft. after			-	:		
Casing height above land sur	face:	in.			pumping	gpm	I		Code:		
If casing height is less that has a variance been appr		NI-	Pump	installed?	Yes No				orm Complet		No
		No	Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
*variance not required for monitoring or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:									# of dewate		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		# Of DOTEIN		# of dewate	ring wells:	
Blank casing diameter:	in.		LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY I	NTERVALS					
Weight:lbs											
Wall thickness or gauge											
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:lbs											
Wall thickness or gauge i	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.										
Grout material:			COMM	ENIS							
Screen / perforation materials											
Screen / perforation opening			CONTR	Δ(ΤΩΡ'ς /	OR LANDOWNERS	CERTIFICATION					
Screen / perforation intervals								nironant to	the stated v	ratan rivall	
Fromft. to					was constructed		-		the stated v		
Slot size unit _					ense and was com	_		-			
From ft. to				-	knowledge and be			_			
Slot size unit _			under	the busir	ness name of						,
Gravel pack intervals:			Kansa	ıs Water V	Well Contractor's	License No	u	nder the au	thority of th	ie designa	ated
Gravel pack not used:	Gravel ciza		perso	n as defin	ed in K.A.R. 28-3	60-2(j) and signe	ed and certif	ied by the e	lectronic si	gnature o	f the
From ft. to		in	design	nated pers	son at its submitta	al:					
Gravel pack not used:					VATER WELL OW:		ne for your rec	ords. Fee of \$	5.00 for each	constructe	ed well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1769938		
Well Owner	Gary Bachand		
Contractor	Charles Sargent Irrigation, Inc. D/B/A Sargent Drilling #946		

## Lithology

From	То	Lithology Intervals
0	12	topsoil,clayey,brown
12	20	shale,unknown,reddish,white
20	29	shale,unknown,reddish,tan,oc hre
29	31	sandstone,unknown
31	32	shale,unknown
32	40	shale,unknown,strips
40	47	shale,unknown,gray,limestone strips
47	60	sandstone,unknown
60	76	sandstone,unknown,pyrite
76	80	shale,unknown,gray,sandston e strips
80	92	sandstone,unknown,pyrite
92	100	shale,unknown,reddish,white, ochre
100	109	shale,unknown,reddish,white, gray
109	111	sandstone,unknown
111	127	shale,unknown,gray,sandston e strip
127	132	shale,unknown,gray
132	140	sandstone,unknown,shale strip
140	158	sandstone,unknown,shale strips

Form	WWC5.2 - Water Well Record		
Doc ID	1769938		
Well Owner	Gary Bachand		
Contractor	Charles Sargent Irrigation, Inc. D/B/A Sargent Drilling #946		

## Lithology

From	То	Lithology Intervals
158	159	sandstone,unknown,medium bedded
159	260	sandstone,unknown
260	280	sandstone,unknown,fine med with med sand and coarse sand with fine med gravel and limestone strips
280	300	shale,unknown,blue