## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

VATER WELL RE	CORD (W	WC-5)				KOLAR D	OC ID	WELL ID	
OCATION OF WATER WEI	LL					Original Recor	d Correction	Change ii	n Well Us
Latitude	Longitude		Sec	tion	Township	Range	E W Fraction	1/4	1/4 1/
Datum	Elevation			unty	1	0	VV		
ATER WELL OWNER			WELL WA	-			NEAREST SOURCE OF P	OTENTIAL CON	TAMINATIO
Jame							Source:		
Business			COMPLET	ION					
rusiness							Distance from well:	_ from well:	
Address					ed well:		Source		
			1 -	-	vater encountered:		description:		
Well location					2) ft.; 4) dry well		Source:		
ven rocutron							Distance from well:	Direction from well:	
at owner's					n well:f	t.	Source		
address			1	ıred belov ım/dd/yy	w land surface		description:		
ONSTRUCTION Borehole interval:	Borehole dia	matari	measu		e land surface		No potential source within 100 feet.	e of contaminat	ion
fromto ft.	Dorenoic dia						PERMIT & ID NUMBER	S (AS REQUIRE	D)
fromtoft.		in.			gpm	,	DWR Application No.:		
			water iev	ei was:	ft. after pumping		KDHE / EPA Project C		
Casing height above land st		in.	Dump in	stallad?	Yes No	gpiii	Site Name:		
If casing height is less that has a variance been app		, No	T ump ms	stancu:	ies no		KDHE UIC Class V Fo		
*variance not required		, 1.0	Water well disinfected? Yes No			o	County Permit: Yes No Permit ID:		
or environmental reme	ediation wells		Date disi	nfected (r	mm/dd/yy):		Lease Name & Well #:		
Casing type:			A autiforti	6 len 02.2m.			# of boreholes:		
Blank casing interval:		ft.	Aquifer, i						
Blank casing diameter:			LITHOLOG	1					
Casing joints:			FROM	то	LITHOLOGY	NTERVALS			
Weight:lb									
Wall thickness or gauge Blank casing interval:									
Blank casing diameter:									
Casing joints:									
	os/ft.								
Wall thickness or gauge									
Grout meterial: ft. t									
Grout material:ft t									
Grout interval: ft. t Grout material:			COMMEN	TS					
Grout material:									
Screen / perforation materia	al-								
Screen / perforation openir			CONTRAC	TOR'S O	R LANDOWNER	S CERTIFICATION			
Screen / perforation interva					was constructe		cted nursuant to	the stated wate	er well
Fromft. to							I certify the		
Slot size unit						_	•		
From ft. to					<del>-</del>		vell record was comple		
Slot size unit									
Gravel pack intervals:							under the aut	-	-
Gravel pack not used:	Gravel size	in	person a	as define	d in K.A.R. 28-3	30-2(j) and signed	d and certified by the e	lectronic signa	ture of the
From ft. to			designat	ted perso	on at its submitt	al:	·		
Gravel pack not used:	Gravel size	in	Send one o	opy to W	ATER WELL OW	NER and retain one	for your records. Fee of \$	5.00 for each con	structed we

Form	WWC5.2 - Water Well Record
Doc ID	1769702
Well Owner	Sherry Morris
Contractor	DB&E Co, LLC

## Lithology

From	То	Lithology Intervals
0	26	topsoil,fine,sandy,light,tannish
26	126	sand,fine,clayey,light,tannish
126	146	caliche,medium to coarse,sandy,light,brownish
146	166	clay,medium,clayey,light,brow nish
166	186	sand,coarse,brown
186	206	clay,coarse,clayey,light,greeni sh,brown
206	266	sand,coarse,clayey,light,tanni sh
266	366	sand & gravel,coarse,gravelly,light,ta nnish
366	386	sand & gravel,coarse,gravelly,light,ta nnish
386	406	sand & gravel,coarse,clayey,light,bro wnish
406	486	sand & gravel,coarse,gravelly,light,br ownish
486	506	clay,coarse,sandy,dark,tannis h
506	566	gravel,fine to medium,sandy,dark,tannish
566	586	sand & gravel,coarse,clayey,dark,bla ckish

Form	WWC5.2 - Water Well Record
Doc ID	1769702
Well Owner	Sherry Morris
Contractor	DB&E Co, LLC

## Lithology

From	То	Lithology Intervals
586	606	gravel,fine,sandy,light,reddish
606		sand & gravel,fine,clayey,dark,reddish