Change in Well Use

WELL ID_

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business			COM	PLETION					Distance		Directi				
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	from well: from well: Source description:							
Well location			(1)ft.; (2)ft.; (3)ft.; (4) dry well					Source: Distance Direction from well:							
at own addres					Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:					
CONSTRU	CTION	ı						nd surface			No potential source of contamination				
Borehole	interv	al:	Borehole dia	meter:	С	n (mm/dd	/yy):				within 100 feet.				
from		ft. ft.		in. in.		nated yield er level wa		gpm ft. after	ho	urs	PERMIT & ID NUMBERS (AS REQUIRED) DWR Application No.:				
Casing he	ight a	ove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
		ght is less tha ce been appr		s No		p installed					Site Name: KDHE UIC Class V Form Completed: Yes No				
			or monitoring					? Yes No			County Permit: Yes No Permit ID:				
Casing ty		nentai remed	diation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:					
		erval:	ft. to	ft.	Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:		
		meter:			LITHOLOGIC LOG										
					FRC			ITHOLOGY II	NTERVA	LS					
Weigh	-	lbs													
			no.:												
			ft. to												
	-	meter:													
Casin	g joint	s:	- -												
Weigh		lbs													
Wall t	hickn	ess or gauge	no.:												
		ft. to													
		rial:													
		ft. to			СОМ	MENTS									
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
	Screen / perforation openings: Screen / perforation intervals:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION										
_						This water well was constructed reconstructed pursuant to the stated water well									
Fromft. toft. contractor's license and was completed on								•							
Slot size unit					the best of my knowledge and belief. This water well record was completed on										
Fromft. toft.					under the business name of,						,				
Slot size unit					Kansas Water Well Contractor's License No under the authority of the designated						ated				
Gravel pack intervals:						person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						of the			
Gravel pack not used: Gravel size in 1							ated person at its submittal:								
													55.00 for eac	h construct	ed well
Graver pack not used. Graver size III						Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT						ca well.			
From ft. to ft.						Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									

Form	WWC5.2 - Water Well Record				
Doc ID	1771791				
Well Owner	Mike Nightengale				
Contractor	Jantzen Water Well LLC #1046				

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	420	5	Glued	200	
440	460	5	Glued	200	
480	500	5	Glued	200	
520	540	5	Glued	200	
560	580	5	Glued	200	

Form	WWC5.2 - Water Well Record
Doc ID	1771791
Well Owner	Mike Nightengale
Contractor	Jantzen Water Well LLC #1046

Lithology

From	То	Lithology Intervals
0	5	topsoil
5	125	other,brown,sandy clay
125	165	sand,medium
165	169	clay,tan
169	225	sand,medium
225	280	sand,coarse
280	284	other,tan,sandy clay
284	305	sand,coarse
305	408	other,blue,sandy clay
408	585	sand,medium
585	588	clay,red
588	596	sand,medium
596	600	clay,red

Form	WWC5.2 - Water Well Record
Doc ID	1771791
Well Owner	Mike Nightengale
Contractor	Jantzen Water Well LLC #1046

Screen and Gravel

From	То	Slot Size	 Gravel Pack Used			Gravel Size
420	440		Yes	25	440	
460	480		Yes	440	480	
500	520		Yes	480	520	
540	560		Yes	520	560	
580	600		Yes	560	600	