KOLAR Document ID: 1774644

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

| OPERATOR: License #: | | | , | API No. | 15 | | | | | |
|---|------------------------------|------------------------------|--|--|-----------------------------------|---|--|--|--|--|
| Name: | | | | Spot De | scription: | | | | | |
| Address 1: | | | . | Sec Twp S. R East We | | | | | | |
| Address 2: | | | | Feet from North / South Line of Section | | | | | | |
| City: | State: | Zip: + | . | Feet from East / West Line of Section | | | | | | |
| Contact Person: | | | | Footages Calculated from Nearest Outside Section Corner: | | | | | | |
| Phone: () | | | | | NE NW | SE SW | | | | |
| Type of Well: (Check one) | | OG D&A Cathodi SWD Permit #: | | , | | | | | | |
| ENHR Permit #: | Gas Sto | rage Permit #: | | Date Well Completed: | | | | | | |
| Is ACO-1 filed? Yes | No If not, is well | log attached? Yes | | | | ved on: (Date) | | | | |
| Producing Formation(s): List A | ll (If needed attach another | sheet) | | | | (KCC District Agent's Name) | | | | |
| Depth to | Top: Botto | m: T.D | | Plugging | a Commenced: | | | | | |
| Depth to | Top: Botto | m: T.D | | Plugging Commenced: Plugging Completed: | | | | | | |
| Depth to | Top: Botto | m: T.D | ' | . ragging | g completed. | | | | | |
| | | | | | | | | | | |
| Show depth and thickness of a | all water, oil and gas forma | ations. | | | | | | | | |
| Oil, Gas or Water | | Casing Re | Record (Surface, Conductor & Production) | | | | | | | |
| Formation | Content | Casing | Size | | Setting Depth | Pulled Out | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Describe in detail the manner cement or other plugs were us | | _ | | | | Is used in introducing it into the hole. If | | | | |
| Plugging Contractor License # | : | | Name: | | | | | | | |
| Address 1: | | | Address 2: | : | | | | | | |
| City: | | | ; | State: | | Zip:+ | | | | |
| Phone: () | | | | | | | | | | |
| Name of Party Responsible fo | r Plugging Fees: | | | | | | | | | |
| State of | County, _ | | | , ss. | | | | | | |
| | <i>3</i> , – | | | _ | implayed of Onesates | Operator on obeyed decertibed | | | | |
| | | | E | imployee of Operator or | Operator on above-described well, | | | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Hurricane Services, Inc. 250 N. Water St., Suite #200 Wichita, KS 67202



| Customer | Herman Lo | oeb | | | ease & Well# | мнк 1 | 1-5 | | | | | Date | 2/2 | 20/202 | 4 | | |
|--------------------------|--------------|--|-------------|---|----------------|---------|----------------|----------|--|--------------------|------------------|---|----------------|---------|-------------------|--|--|
| Service District | Pratt Kans | as | | (| County & State | Klowa | Kansas | | Legals S/T/R | 5-28s | 20w | Job# | | 4 | | | |
| Job Type | РТА | c | PROD | 0 | INJ | |) | | New Well? | ☑ YES | □ No | Ticket# | w | p 5144 | | | |
| Equipment# | Driv | èr de | | | | Jol | b Safety | Anal | ysis - A Discus | sion of Hazards | & Safety Pro | cedures | | | | | |
| 916 | M Brungar | Same and State of Sta | Hard ha | t | | ☑ Glov | es | | | □ Lockout/Tage | out | ☐ Warning Signs | & Flagging | | | | |
| 540/522 | M McGraw | | H2S Mo | | | ☑ Eye l | Protectio | n | | ☐ Required Per | mits | ☐ Fall Protection | | | | | |
| 179/533 | K Julian | G | Safety F | ootwear | | □ Resp | oiratory P | rotec | tion | ☑ Slip/Trip/Fall | Hazards | ☐ Specific Job Se | quence/Expe | ctation | s | | |
| | | G | FRC/Pro | tective Clo | othing | □ Addi | itional Cl | nemic | al/Acid PPE | ☑ Overhead Ha | zards | ☑ Muster Point/N | Medical Locati | ions | | | |
| | | C | 3 Hearing | Protection | n | □ Fire | Extinguis | her | | ☐ Additional co | ncerns or issu | es noted below | | | | | |
| | | | | | | | | | Con | nments | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Product/ Service Code | | | | Descrip | tion | | | | Unit of Measure | Quantity | | | | Net | Amount | | |
| cp055 | H-Plug A | | | E | HILL LINE | | | | sack | 170.00 | | | | | \$2,720.00 | | |
| m015 | Light Equip | ment Mile | age | | | | | | ml | 45.00 | | | 1.01 | | \$90.00 | | |
| m010 | Heavy Equi | ipment Mi | leage | | | | | | mi | 90.00 | | | | | \$360.00 | | |
| m020 | Ton Mileag | е | | | | | | | tm | 331.00 | | | | | \$496.50 | | |
| c060 | Cement Ble | ending & N | Aixing Ser | vice | | | | 1 | sack | 170.00 | | | | | \$238.00 | | |
| d012 | Depth Char | rge: 1001' | -2000' | | | | | _ | job | 1,00 | | | | - | \$1,500.00 | | |
| c035 | Cement Da | ita Acquis | ition | | | | | \dashv | job | 1.00 | | | | | \$250.00 | | |
| r061 | Service Sup | pervisor | | | | | | + | day | 1.00 | | | | | \$275.00 | | |
| | | | | | | | | + | | | | | | | | | |
| | | - | | | | | | + | | | | | | | | | |
| | | | | | | | | + | | | | | | | + | | |
| | | | | | | | | - | | | | | | | | | |
| | | | | | | | | + | | | | | | | | | |
| | | | | | | | _ | \dashv | | - | | | | | | | |
| | | | | | | | - | + | | | | | | | | | |
| | | | | | | | | | de militar de la companya de la comp | | | | | | | | |
| | | | | | | No. | | | | | | | | | | | |
| ****** | | | | | | | | | | | | | The state of | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 4 | | | | |
| | | | | | | | | | THE CONTRACTOR | | | | | | | | |
| Custo | omer Sectio | on: On the | following | scale how | would you rate | Humca | ne Servi | es In | 6.? | | T | | Net: | _ | \$5,929.50 | | |
| | | | | • | | 111614 | a aclia- | | | Total Taxable | \$ - | Tax Rate: ducts and services | Sale Tax: | | | | |
| Ba | ased on this | s Job, how | r likely is | it you wo | uld recommen | - | - | yue? | (5) | used on new well | s to be sales te | x exempt. | Sale Tax: | * | 1 4 1/ | | |
| | | | | | | | | | | well information a | bove to make a | customer provided a determination if | | | | | |
| | Unlikely 1 | 2 3 | 3 4 | 5 | 6 7 8 | 9 | 10 | Extre | maly Likely | services and/or p | roducts are tax | exempt. | Total: | \$ | 5,929.50 | | |
| | | | | | | | Ann to Name of | | | HSI Repres | | Mark Brung | | de effe | union Desi | | |

TERMS: Cash in advance unless Hurricane Services inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Custemer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results form the use of any product or service. The Information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable servi

× 4 Paveg



| EMENT | TRE | ATMEN | T REPO | ORT | | | 经租赁 等 各种营 | | |
|---|---------|-----------|---------------|---------------|--|--|--|--|--|
| Customer: Herman Loeb Well: | | | | CERC STANDARD | Well: | MHK 1-5 | wp 5144 | | |
| City, State: Mullinville Kansas County: | | | | as | County: | Kiowa Kansas | 2/20/2024 | | |
| Field Rep: Jaun Chavez S-T-R: | | | | | S-T-R: | 5-28s-20w | PTA | | |
| | | | | | | | | | |
| | | nformatio | BRIEDIGE | | Calculated Slu | rry - Lead | THE RESERVE OF THE PERSON NAMED IN | dated Slurry - Tail | |
| | Size: | 7 7/8 | | | Blend: | H-Plug | Blend: | | |
| Hole C Casing | | 1320 | in | | Weight: | 13.7 ppg 6.9 gal / sx | Weight: Water / Sx: | ppg gal / sx | |
| Casing D | | - | ft | | Water/ Sx: Yield: | 1.43 ft ³ / sx | Yield: | ft³/sx | |
| Tubing / | | | In | | Annular Bbls / Ft.: | bbs / ft. | Annular Bbis / Ft.: | bbs / ft. | |
| | Depth: | 1320 | ft | | Depth: | ft | Depth: | ft | |
| Tool / Pa | ncker: | | | | Annular Volume: | 0.0 bbls | Annular Volume: | 0 bbls | |
| Tool E | | | ft | | Excess: | | Excess: | | |
| Displace | ment: | 14.0 | bbls | | Total Slurry: | 0.0 bbls | Total Slurry: | 0.0 bbls | |
| TIME | RATE | PSI | STAGE BBLs | TOTAL BBLs | Total Sacks: | 0 sx | Total Sacks: | 0 sx | |
| 5:45 PM | KATE | | 9953 | | on location job and safet | | | | |
| 5:55 PM | | V -5. // | | | spot trucks and rig up | | | | |
| | | | | | | | | | |
| 6:35 PM | | | | | 1st plug 50 sacks H-Plug | at 13.8 ppg at 1320 | | | |
| | 4.0 | 200.0 | 10.0 | 10.0 | fresh water | | | | |
| | 4.0 | 160.0 | 12.7 | 22.7 | mix 50 sack at 13.8 ppg | | | | |
| | 4.0 | 160.0 | 3.0 | 25.7 | fresh water | | | | |
| | 4.0 | 100.0 | 11.0 | 36.7 | mud | | | the state of the s | |
| 7:20 PM | | | | | 2nd plug 60 sacks H-Plug | n at 13.8 ppg at 590 | ner in the second second | | |
| | 5.0 | 180.0 | 5.0 | 5.0 | fresh water | at 10.0 ppg at 000 | | | |
| | 5.0 | 300.0 | 12.7 | | mix 50 sacks at 13 | | | | |
| | 4.0 | 200.0 | 3.5 | | displacement | | | | |
| | | | | | | | | | |
| 8:00 PM | 2.0 | - | 5.0 | | 3rd plug at 60 ft 20 sacks | | | | |
| | | | | | | | | | |
| 8:15 PM | | - : | 7.5 5.0 | | rathole 30 sacks mouse hole 20 | and the second s | | | |
| 8:20 PM | 2.0 | | 5.0 | | mouse note 20 | | | | |
| | | | | | 10-10-10-10-10-10-10-10-10-10-10-10-10-1 | | | | |
| | | | | | Piurii | | | | |
| | | | | | | | and all the second seco | | |
| | | | | | | | | | |
| | | | | | | and the second s | | | |
| | | | | | | | | | |
| _ | | | | | | | | | |
| | | CREW | | | UNIT | | SUMMARY | | |
| Cen | nenter: | | ıngardt | | 916 | Average Rate | Average Pressure | Total Fluid | |
| Pump Ope | | | Graw | | 540/522 | 3.6 bpm | 130 psi | 75 bbls | |
| Bulk #1: K Julian Bulk #2: | | | | 179/533 | | | | | |

