KOLAR Document ID: 1768638

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No.:	
Name:		Spot Description:	
Address 1:			est
Address 2:		Feet from North / South Line of Sect	tion
City: State:	++	Feet from East / West Line of Sect	ion
Contact Person:		Footages Calculated from Nearest Outside Section Corner:	
Phone: ()		□NE □NW □SE □SW	
CONTRACTOR: License #		GPS Location: Lat:, Long:	
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxxx)	
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84	
Purchaser:		County:	
Designate Type of Completion:		Lease Name: Well #:	—
New Well Re-Entr	y Workover	Field Name:	
] SWD	Producing Formation:	—
Gas DH] SWB] EOR	Elevation: Ground: Kelly Bushing:	
	GSW	Total Vertical Depth: Plug Back Total Depth:	
CM (Coal Bed Methane)	_	Amount of Surface Pipe Set and Cemented at: F	eet
	ol., etc.):	Multiple Stage Cementing Collar Used? Yes No	
If Workover/Re-entry: Old Well Info as		If yes, show depth set: Fe	eet
Operator:		If Alternate II completion, cement circulated from:	
Well Name:		feet depth to:w/sx c	mt.
Original Comp. Date:			
Deepening Re-perf. Plug Back Liner	Conv. to EOR Conv. to SWD Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)	
□ O		Chloride content:ppm Fluid volume:b	bls
_ •	rmit #:	Dewatering method used:	
	rmit #: rmit #:		
	rmit #:	Location of fluid disposal if hauled offsite:	
	rmit #:	Operator Name:	
_ 33		Lease Name: License #:	
Spud Date or Date Reached	Completion Data co	Quarter Sec TwpS. R	est
Recompletion Date	d TD Completion Date or Recompletion Date	County: Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II Approved by: Date:								

KOLAR Document ID: 1768638

Page Two

Operator Name:					Lease Nam	ne:			Well #:		
Sec Tw	pS. F	R [East	West	County:						
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).											
	Drill Stem Tests Taken (Attach Additional Sheets) Name Log Formation (Top), Depth and Datum Sample										
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum	
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No							
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.			
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Type of Depth Cement		# Sacks Used	Type and Percent Additives	
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas		
Perforate Protect Ca Plug Back	Top	Bottom	Type of Cement		# Sacks Oseu		Type and Percent Additives				
Plug Off Z											
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,	
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)			
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity	
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity	
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:	
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom	
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)			
Shots Per Foot						Record					
TUBING RECOR	D: Size:		Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	J-V Oil, LLC
Well Name	ADELGREN 1-H
Doc ID	1768638

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12	7	18	20	portland	6	0
Production	5.875	2.875	7	866	portland	130	0

802 N. Industrial Rd. P.O. Box 664

Iola, Kansas 66749

Phone: (620) 365-5588

NOTICE TO OWNER
Faller of this confident to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

9-DAM

31357113

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under tucks swin power. Due to delivery at owner's or intermediary's direction, saller assumens no responsibility for derivanges and any manner to exidewales, noadways, deliveways, buildings, trees, strubbey, etc., which are at customer's field. The maximum allotted fine for undesign tucks is 5 mindles per yard. A charge will be made for holding tucks longer. This concrete contains correct strength test when water is added at customer's request.

Softward to must provide place for truck to weah out. A \$30 charge will be added per truck if contractor does not supply a place to wash out. A \$30 charges are buyers responsibility.

	PI ANT/TRANSACTION		TOWNS OF THE PERSON OF THE PER	IICKEI NUMBEH		ete Performance zed By			SAD THE HEALTH WARNING OR ANY DAMAGE CAUSED	
W-O-W			CHIND	SLUMIT 1. CI		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X			NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.	
	DRIVER/TRUCK	36	WATER TRIM	00.00		Excessive Water H ₂ 0 Add	WEIGHMASTER		NOTICE: MY SIGNATURE BELOW INDIG NOTICE AND SUPPLIER WILL NOT WHEN DELIVERING INSIDE CURB LINE.	LOAD RECEIVED BY:
			BATCH#	T. T.		TO BE SIGNED IN DEPARTY DAMAGE RELEASE (TO BE SIGNED IN DELIVERY 17 DERMADE INSIDECTINB LINE) DEAT CASTOMEN-THE offers of this fauck in presenting the RELEASE to you for your signems is of the opinion that the size and waight of the body of the opinion that the size and waight of the controlled of	our wish to help you in every way that we can, but in order to do this the driver is requesting that you stim this REEASE reflection him and	this suppler from any responsibility from any damage that may occur to the premises and for adjacent property. Judings, sclewaiks, diversely, curbs, etc., by the delivery of this meteral, and that you also green to help him remove mud from the wheels of his whole so	are are win to filler the public street, bruther, as additional considera- four the undersigned agrees to informity and hold harmises the driver of this truck and the supplier for any and all chamage to the premises and/or ablacent properly. Which may be claimed by anyone to have	
	YARDS ORDERED	13.00	YARDS DEL.	13.00		PROPERTY DAY (TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this if you for your signature is of the op- truck may possibly cause demand property if please the makeral in	our wish to help you in every way the driver is requesting that you si	this supplier from any responsibility to the premises and/or adjacen driveways, curbs, etc., by the delings also agree to help him remove manages.	and the win the importance. Lutther, as additional consistent flow, the underlighted agrees to indemnify and hold harmees the driver of this trock and this supplier for any and all damage to the premises and/or adjecting properly which may be claimed by anyone to have arising but of delivery of this andrea.	SIGNED
1110 010	LUAD SIZE	13.00	LOAD #			NG KIN AND EYES Clowes, PROLONGED CONTACT MAY bonged Contact With Skin, in Case of Water, if Irritation Persists, Get Medical		AL INSTRUCTIONS MUST be	of at the rate of 24% per annum. No Claim Allowed Unless Made at Time	
EODAMIIA	SOUND I	WELL			MAYA PATTALO	IPRITATING TO THE SKIN AND EYES CATALING THE SKIN AND EYES CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin or Eyes, Flush Thoroughly with Water, if Imfallon Persists, Get Modela	WAY.	CONCRETE is a PERSHABLE COMMODITY and BECOMES the PROPERTY of the PLIRICHASER UPON LEAWING the PLAYT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFCE BEPORE LOADING STATIS. The undersigned promises to pay all costs, including nationalists have never of in confined.	any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. WA Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Manager in Color Quality.	Material is Delivered.
TIME		11:59 RM	DATE	1/5/84		IRRITATING TO THE S Contains Portland Cament. Weer Hubber Books and CAUSE BURNS. Avoid Contact with Eyes and Pro- Contact With Skin or Eyes, Flush Thoroughly With	Attention, KEEP CHILDREN AWAY.	CONNINE IS a PERISHABLE COMMODITY and BECOMES LEAWING the PLAVIT. ANY CHANGES OR CANCELLATION TELEPHONED to the OFFICE BEFORE LOADING STATIS. The undestigned promises to pay all costs, including reason.	any sums owed. All accounts not paid within 30 days of delivery will bear interes Not Responsible for Reachle Aggregate or Color Quality, Moneyal S. Delisson.	A 690 Carioo Chasse and I are

EXTENDED PRICE

UNIT PRICE

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$60/HR.

QUANTITY

IOLA REGISTER PRINTING - IOLA, KS 66749

DESCRIPTION

CODE

7

	_	_			_			A		-	A
	THEFT ALL COURSE	IIME ALLOWED	1 %	TIME DUE							
	FINISH UNLOADING DELAY EXPLANATION/CY/ INDER TEST TAKEN	NEW TENEDER TENEDER			4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER						
The same of the sa	FINISH UNLOADING		JA Y		START UNLOADING				TANT CINICAC HALL	ONLOADING TIME	1
	LEFT JOB			TO CLUTTON	ARHIVED JUB	The state of the s			TOTAL AT IOR	and in the second	200
The state of the s	RETURNED TO PLANT			I ECT DI ANT	CELL FLORINI				TOTAL ROUND TRIP		

ADDITIONAL CHARGE 1 ADDITIONAL CHARGE 2 GRAND TOTAL

Cement Ticket

Adelgren 1-H

On 01/05/2024
I have circulated 130 sacks of Portland cement to surface.

J V OIL LLC Operator number 31751